

RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Quad Cab 1500 DR1L41 Short Box ST	3.7L V6 gas	M6	3.21	6,650	1,890	4,761	2,781	1,980	3,700	3,900	8,000	3,100
	3.7L V6 gas	M6	3.55	6,650	1,890	4,761	2,781	1,980	3,700	3,900	8,000	3,100
	3.7L V6 gas	A4	3.55	6,650	1,850	4,799	2,834	1,965	3,700	3,900	8,500	3,550
	3.7L V6 gas	A4	3.92	6,650	1,850	4,799	2,834	1,965	3,700	3,900	8,500	3,550
	4.7L V8 gas OHC	M6	3.21	6,650	1,780	4,867	2,880	1,988	3,700	3,900	9,000	4,000
	4.7L V8 gas OHC	M6	3.92	6,650	1,780	4,867	2,880	1,988	3,700	3,900	10,500	5,500
	4.7L V8 gas OHC	A5	3.55	6,650	1,740	4,910	2,927	1,984	3,700	3,900	11,500	6,450
	4.7L V8 gas OHC	A5	3.92	6,650	1,740	4,910	2,927	1,984	3,700	3,900	12,500	7,450
	4.7L V8 gas FFV®	A5	3.55	6,650	1,720	4,926	2,921	2,005	3,700	3,900	11,500	6,400
	4.7L V8 gas FFV®	A5	3.92	6,650	1,720	4,926	2,921	2,005	3,700	3,900	12,500	7,400
Ram 4x2 Quad Cab 1500 DR1H41 Short Box SLT	4.7L V8 gas OHC	M6	3.21	6,650	1,780	4,867	2,863	2,004	3,700	3,900	9,000	4,000
	4.7L V8 gas OHC	M6	3.92	6,650	1,780	4,867	2,863	2,004	3,700	3,900	10,500	5,500
	4.7L V8 gas OHC	A5	3.55	6,650	1,740	4,910	2,910	2,000	3,700	3,900	11,500	6,450
	4.7L V8 gas OHC	A5	3.92	6,650	1,740	4,910	2,910	2,000	3,700	3,900	12,500	7,450
	4.7L V8 gas OHC#	M6	3.92	6,650	1,710	4,935	2,890	2,045	3,700	3,900	9,500	4,400
	4.7L V8 gas OHC#	A5	3.92	6,650	1,670	4,978	2,937	2,041	3,700	3,900	11,500	6,350
	4.7L V8 gas FFV®	A5	3.55	6,650	1,720	4,926	2,904	2,022	3,700	3,900	11,500	6,400
	4.7L V8 gas FFV®	A5	3.92	6,650	1,720	4,926	2,904	2,022	3,700	3,900	12,500	7,400
	4.7L V8 gas FFV®#	A5	3.92	6,650	1,660	4,994	2,932	2,062	3,700	3,900	11,500	6,350
	5.7L V8 gas	A5	3.55	6,650	1,670	4,975	2,848	2,127	3,700	3,900	13,000	7,900
Ram 4x2 Quad Cab 1500 DR1L42 Long Box ST	5.7L V8 gas	A5	3.92	6,650	1,670	4,975	2,848	2,127	3,700	3,900	14,000	8,900
	4.7L V8 gas OHC	M6	3.21	6,650	1,610	5,041	2,915	2,126	3,700	3,900	9,000	3,800
	4.7L V8 gas OHC	M6	3.92	6,650	1,610	5,041	2,915	2,126	3,700	3,900	10,500	5,300
	4.7L V8 gas OHC	A5	3.55	6,650	1,540	5,106	2,968	2,138	3,700	3,900	11,500	6,250
	4.7L V8 gas OHC	A5	3.92	6,650	1,540	5,106	2,968	2,138	3,700	3,900	12,500	7,250
	4.7L V8 gas FFV®	A5	3.55	6,650	1,540	5,113	2,968	2,145	3,700	3,900	11,500	6,250
	4.7L V8 gas FFV®	A5	3.92	6,650	1,540	5,113	2,968	2,145	3,700	3,900	12,500	7,250
	5.7L V8 gas	A5	3.55	6,650	1,480	5,166	3,021	2,145	3,700	3,900	13,000	7,700
	5.7L V8 gas	A5	3.92	6,650	1,480	5,166	3,021	2,145	3,700	3,900	14,000	8,700
	Ram 4x2 Quad Cab 1500 DR1H42 Long Box SLT	4.7L V8 gas OHC	M6	3.21	6,650	1,560	5,094	2,977	2,117	3,700	3,900	9,000
4.7L V8 gas OHC		M6	3.92	6,650	1,560	5,094	2,977	2,117	3,700	3,900	10,500	5,250
4.7L V8 gas OHC		A5	3.55	6,650	1,490	5,159	3,030	2,129	3,700	3,900	11,500	6,200
4.7L V8 gas OHC		A5	3.92	6,650	1,490	5,159	3,030	2,129	3,700	3,900	12,500	7,200
4.7L V8 gas FFV®		A5	3.55	6,650	1,480	5,166	3,030	2,135	3,700	3,900	11,500	6,200
4.7L V8 gas FFV®		A5	3.92	6,650	1,480	5,166	3,030	2,135	3,700	3,900	12,500	7,200
5.7L V8 gas		A5	3.55	6,650	1,440	5,214	3,060	2,154	3,700	3,900	13,000	7,650
5.7L V8 gas		A5	3.92	6,650	1,440	5,214	3,060	2,154	3,700	3,900	14,000	8,650
Ram 4x2 Reg. Cab 1500 DR1L61 Short Box ST	4.7L V8 gas OHC	M6	3.21	6,350	1,890	4,459	2,584	1,874	3,700	3,900	8,000	3,400
	3.7L V6 gas	M6	3.55	6,350	1,890	4,459	2,584	1,874	3,700	3,900	8,000	3,400
	3.7L V6 gas	A4	3.55	6,350	1,830	4,519	2,641	1,877	3,700	3,900	8,500	3,850
	3.7L V6 gas	A4	3.92	6,350	1,830	4,519	2,641	1,877	3,700	3,900	8,500	3,850
	4.7L V8 gas OHC	M6	3.21	6,350	1,830	4,517	2,635	1,882	3,700	3,900	9,000	4,350
	4.7L V8 gas OHC	M6	3.92	6,350	1,830	4,517	2,635	1,882	3,700	3,900	10,500	5,850
	4.7L V8 gas OHC	A5	3.55	6,350	1,770	4,577	2,684	1,893	3,700	3,900	11,500	6,750
	4.7L V8 gas OHC	A5	3.92	6,350	1,770	4,577	2,684	1,893	3,700	3,900	12,500	7,750
	4.7L V8 gas FFV®	A5	3.55	6,350	1,760	4,590	2,683	1,907	3,700	3,900	11,500	6,750
	4.7L V8 gas FFV®	A5	3.92	6,350	1,760	4,590	2,683	1,907	3,700	3,900	12,500	7,750
	5.7L V8 gas	A5	3.55	6,350	1,730	4,620	2,660	1,959	3,700	3,900	13,000	8,250
	5.7L V8 gas	A5	3.92	6,350	1,730	4,620	2,660	1,959	3,700	3,900	14,000	9,250

Note:

1. Payload is rounded to the nearest 10 lbs. $\text{Payload} = \text{GVWR} - \text{Curb Weight}$
 2. Maximum trailer weights are rounded to the nearest 50lbs.
 $\text{Maximum Trailer Weight} = \text{GCWR} - \text{Curb Weight} - 150\text{lbs.}$ (allowance for driver)
 3. Use synthetic axle lubricant with the trailer tow package
- @- Standard 4.7 L V8 Gas FFV are of 45 State Emission Standard and are not available in CA, ME, MA, NY & VT.

*= w/17" P275 LT Tires

#= w/ 20" Tires



RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Reg. Cab 1500 DR1H61 Short Box SLT	4.7L V8 gas OHC	M6	3.21	6,350	1,770	4,575	2,645	1,930	3,700	3,900	9,000	4,250
	4.7L V8 gas OHC	M6	3.92	6,350	1,770	4,575	2,645	1,930	3,700	3,900	10,500	5,750
	4.7L V8 gas OHC	A5	3.55	6,350	1,710	4,635	2,694	1,941	3,700	3,900	11,500	6,700
	4.7L V8 gas OHC	A5	3.92	6,350	1,710	4,635	2,694	1,941	3,700	3,900	12,500	7,700
	4.7L V8 gas OHC [#]	M6	3.92	6,350	1,710	4,643	2,672	1,971	3,700	3,900	9,500	4,700
	4.7L V8 gas OHC [#]	A5	3.92	6,350	1,650	4,703	2,721	1,982	3,700	3,900	11,500	6,650
	4.7L V8 gas FFV [@]	A5	3.55	6,350	1,700	4,649	2,693	1,956	3,700	3,900	11,500	6,700
	4.7L V8 gas FFV [@]	A5	3.92	6,350	1,700	4,649	2,693	1,956	3,700	3,900	12,500	7,700
	4.7L V8 gas FFV ^{@#}	A5	3.92	6,350	1,630	4,716	2,720	1,996	3,700	3,900	11,500	6,650
	5.7L V8 gas	A5	3.55	6,350	1,680	4,672	2,693	1,979	3,700	3,900	13,000	8,200
	5.7L V8 gas	A5	3.92	6,350	1,680	4,672	2,693	1,979	3,700	3,900	14,000	9,200
	5.7L V8 gas [#]	A5	3.92	6,350	1,610	4,740	2,720	2,019	3,700	3,900	13,000	8,100
Ram 4x2 Reg. Cab 1500 DR1L62 Long Box ST	3.7L V6 gas	M6	3.21	6,550	1,900	4,649	2,732	1,918	3,700	3,900	8,000	3,200
	3.7L V6 gas	M6	3.55	6,550	1,900	4,649	2,732	1,918	3,700	3,900	8,000	3,200
	3.7L V6 gas	A4	3.55	6,550	1,860	4,687	2,785	1,903	3,700	3,900	8,500	3,650
	3.7L V6 gas	A4	3.92	6,550	1,860	4,687	2,785	1,903	3,700	3,900	8,500	3,650
	4.7L V8 gas OHC	M6	3.21	6,550	1,840	4,712	2,772	1,940	3,700	3,900	9,000	4,150
	4.7L V8 gas OHC	M6	3.92	6,550	1,840	4,712	2,772	1,940	3,700	3,900	10,500	5,650
	4.7L V8 gas OHC	A5	3.55	6,550	1,800	4,750	2,818	1,932	3,700	3,900	11,500	6,600
	4.7L V8 gas OHC	A5	3.92	6,550	1,800	4,750	2,818	1,932	3,700	3,900	12,500	7,600
	4.7L V8 gas FFV [@]	A5	3.55	6,550	1,760	4,785	2,823	1,962	3,700	3,900	11,500	6,550
	4.7L V8 gas FFV [@]	A5	3.92	6,550	1,760	4,785	2,823	1,962	3,700	3,900	12,500	7,550
	5.7L V8 gas	A5	3.55	6,550	1,730	4,819	2,832	1,987	3,700	3,900	13,000	8,050
	5.7L V8 gas	A5	3.92	6,550	1,730	4,819	2,832	1,987	3,700	3,900	14,000	9,050
Ram 4x2 Reg. Cab 1500 DR1H62 Long Box SLT	4.7L V8 gas OHC	M6	3.21	6,550	1,800	4,752	2,795	1,957	3,700	3,900	9,000	4,100
	4.7L V8 gas OHC	M6	3.92	6,550	1,800	4,752	2,795	1,957	3,700	3,900	10,500	5,600
	4.7L V8 gas OHC	A5	3.55	6,550	1,760	4,790	2,841	1,949	3,700	3,900	11,500	6,550
	4.7L V8 gas OHC	A5	3.92	6,550	1,760	4,790	2,841	1,949	3,700	3,900	12,500	7,550
	4.7L V8 gas FFV [@]	A5	3.55	6,550	1,720	4,825	2,846	1,979	3,700	3,900	11,500	6,500
	4.7L V8 gas FFV [@]	A5	3.92	6,550	1,720	4,825	2,846	1,979	3,700	3,900	12,500	7,500
	5.7L V8 gas	A5	3.55	6,550	1,680	4,867	2,868	2,000	3,700	3,900	13,000	8,000
	5.7L V8 gas	A5	3.92	6,550	1,680	4,867	2,868	2,000	3,700	3,900	14,000	9,000
Ram 4x4 Quad Cab 1500 DR6L41 Short Box ST	4.7L V8 gas OHC	M6	3.55	6,650	1,530	5,120	3,043	2,077	3,900	3,900	9,500	4,250
	4.7L V8 gas OHC	M6	3.92	6,650	1,530	5,120	3,043	2,077	3,900	3,900	10,500	5,250
	4.7L V8 gas OHC	A5	3.55	6,650	1,470	5,182	3,092	2,090	3,900	3,900	11,500	6,150
	4.7L V8 gas OHC	A5	3.92	6,650	1,470	5,182	3,092	2,090	3,900	3,900	12,500	7,150
	4.7L V8 gas FFV [@]	A5	3.55	6,650	1,460	5,190	3,092	2,098	3,900	3,900	11,500	6,150
	4.7L V8 gas FFV [@]	A5	3.92	6,650	1,460	5,190	3,092	2,098	3,900	3,900	12,500	7,150
	5.7L V8 gas	A5	3.55	6,650	1,420	5,233	3,087	2,147	3,900	3,900	13,000	7,600
	5.7L V8 gas	A5	3.92	6,650	1,420	5,233	3,087	2,147	3,900	3,900	14,000	8,600

Note:

1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight
 2. Maximum trailer weights are rounded to the nearest 50lbs.
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)
 3. Use synthetic axle lubricant with the trailer tow package
- [@]- Standard 4.7 L V8 Gas FFV are of 45 State Emission Standard and are not available in CA, ME, MA, NY & VT.
- *= w/17" P275 LT Tires #= w/ 20" Tires



RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Quad Cab 1500 DR6H41 Short Box SLT	4.7L V8 gas OHC	M6	3.55	6,650	1,470	5,179	3,061	2,118	3,900	3,900	9,500	4,150
	4.7L V8 gas OHC	M6	3.92	6,650	1,470	5,179	3,061	2,118	3,900	3,900	10,500	5,150
	4.7L V8 gas OHC	A5	3.55	6,650	1,410	5,241	3,110	2,131	3,900	3,900	11,500	6,100
	4.7L V8 gas OHC	A5	3.92	6,650	1,410	5,241	3,110	2,131	3,900	3,900	12,500	7,100
	4.7L V8 gas OHC [#]	M6	3.92	6,650	1,400	5,246	3,088	2,158	3,900	3,900	9,500	4,100
	4.7L V8 gas OHC [#]	A5	3.92	6,650	1,340	5,308	3,137	2,171	3,900	3,900	11,500	6,050
	4.7L V8 gas OHC*	M6	3.92	6,650	1,450	5,205	3,064	2,141	3,900	3,900	10,500	5,150
	4.7L V8 gas OHC*	A5	3.92	6,650	1,380	5,267	3,113	2,154	3,900	3,900	12,500	7,100
	4.7L V8 gas FFV [@]	A5	3.55	6,650	1,400	5,248	3,109	2,139	3,900	3,900	11,500	6,100
	4.7L V8 gas FFV [@]	A5	3.92	6,650	1,400	5,248	3,109	2,139	3,900	3,900	12,500	7,100
	4.7L V8 gas FFV ^{@#}	A5	3.92	6,650	1,330	5,316	3,137	2,179	3,900	3,900	11,500	6,050
	4.7L V8 gas FFV ^{@*}	A5	3.92	6,650	1,380	5,274	3,113	2,161	3,900	3,900	12,500	7,100
	5.7L V8 gas	A5	3.55	6,650	1,390	5,261	3,075	2,186	3,900	3,900	13,000	7,600
	5.7L V8 gas	A5	3.92	6,650	1,390	5,261	3,075	2,186	3,900	3,900	14,000	8,600
	5.7L V8 gas [#]	A5	3.92	6,650	1,320	5,329	3,102	2,227	3,900	3,900	13,000	7,500
	5.7L V8 gas*	A5	3.92	6,650	1,360	5,287	3,079	2,209	3,900	3,900	14,000	8,550
Ram 4x4 Quad Cab 1500 DR6L42 Long Box ST	4.7L V8 gas OHC	M6	3.92	6,800	1,420	5,381	3,209	2,172	3,900	3,900	10,500	4,950
	4.7L V8 gas OHC	A5	3.92	6,800	1,360	5,443	3,259	2,184	3,900	3,900	12,500	6,900
	4.7L V8 gas FFV [@]	A5	3.92	6,800	1,350	5,449	3,259	2,190	3,900	3,900	12,500	6,900
	5.7L V8 gas	A5	3.92	6,800	1,330	5,466	3,236	2,229	3,900	3,900	14,000	8,400
Ram 4x4 Quad Cab 1500 DR6H42 Long Box SLT	4.7L V8 gas OHC	M6	3.92	6,800	1,370	5,434	3,202	2,232	3,900	3,900	10,500	4,900
	4.7L V8 gas OHC	A5	3.92	6,800	1,300	5,496	3,252	2,244	3,900	3,900	12,500	6,850
	4.7L V8 gas FFV [@]	A5	3.92	6,800	1,300	5,502	3,252	2,250	3,900	3,900	12,500	6,850
	5.7L V8 gas	A5	3.92	6,800	1,270	5,527	3,268	2,260	3,900	3,900	14,000	8,300
Ram 4x4 Reg. Cab 1500 DR6L61 Short Box ST	4.7L V8 gas OHC	M6	3.55	6,350	1,440	4,905	2,950	1,955	3,900	3,900	9,500	4,450
	4.7L V8 gas OHC	M6	3.92	6,350	1,440	4,905	2,950	1,955	3,900	3,900	10,500	5,450
	4.7L V8 gas OHC	A5	3.55	6,350	1,380	4,968	2,997	1,971	3,900	3,900	11,500	6,400
	4.7L V8 gas OHC	A5	3.92	6,350	1,380	4,968	2,997	1,971	3,900	3,900	12,500	7,400
	4.7L V8 gas FFV [@]	A5	3.55	6,350	1,380	4,975	2,995	1,980	3,900	3,900	11,500	6,400
	4.7L V8 gas FFV [@]	A5	3.92	6,350	1,380	4,975	2,995	1,980	3,900	3,900	12,500	7,400
	5.7L V8 gas	A5	3.55	6,350	1,460	4,892	2,889	2,003	3,900	3,900	13,000	7,950
	5.7L V8 gas	A5	3.92	6,350	1,460	4,892	2,889	2,003	3,900	3,900	14,000	8,950

Note:

1. Payload is rounded to the nearest 10 lbs. Payload= GVWR - Curb Weight
 2. Maximum trailer weights are rounded to the nearest 50lbs.
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)
 3. Use synthetic axle lubricant with the trailer tow package
- [@]- Standard 4.7 L V8 Gas FFV are of 45 State Emission Standard and are not available in CA, ME, MA, NY & VT.

*= w/17" P275 LT Tires #= w/ 20" Tires



RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Reg. Cab 1500 DR6H61 Short Box SLT	4.7L V8 gas OHC	M6	3.55	6,350	1,400	4,951	2,971	1,980	3,900	3,900	9,500	4,400
	4.7L V8 gas OHC	M6	3.92	6,350	1,400	4,951	2,971	1,980	3,900	3,900	10,500	5,400
	4.7L V8 gas OHC	A5	3.55	6,350	1,340	5,014	3,018	1,996	3,900	3,900	11,500	6,350
	4.7L V8 gas OHC	A5	3.92	6,350	1,340	5,014	3,018	1,996	3,900	3,900	12,500	7,350
	4.7L V8 gas OHC#	M6	3.92	6,350	1,330	5,019	2,998	2,020	3,900	3,900	9,500	4,350
	4.7L V8 gas OHC#	A5	3.92	6,350	1,270	5,082	3,045	2,036	3,900	3,900	11,500	6,250
	4.7L V8 gas OHC*	M6	3.92	6,350	1,370	4,977	2,975	2,003	3,900	3,900	10,500	5,350
	4.7L V8 gas OHC*	A5	3.92	6,350	1,310	5,040	3,022	2,019	3,900	3,900	12,500	7,300
	4.7L V8 gas FFV@	A5	3.55	6,350	1,330	5,021	3,017	2,004	3,900	3,900	11,500	6,350
	4.7L V8 gas FFV@	A5	3.92	6,350	1,330	5,021	3,017	2,004	3,900	3,900	12,500	7,350
	4.7L V8 gas FFV@#	A5	3.92	6,350	1,260	5,088	3,044	2,045	3,900	3,900	11,500	6,250
	4.7L V8 gas FFV@*	A5	3.92	6,350	1,300	5,047	3,020	2,027	3,900	3,900	12,500	7,300
	5.7L V8 gas	A5	3.55	6,350	1,410	4,941	2,924	2,017	3,900	3,900	13,000	7,900
	5.7L V8 gas	A5	3.92	6,350	1,410	4,941	2,924	2,017	3,900	3,900	14,000	8,900
	5.7L V8 gas#	A5	3.92	6,350	1,340	5,009	2,951	2,057	3,900	3,900	13,000	7,850
5.7L V8 gas*	A5	3.92	6,350	1,380	4,967	2,928	2,039	3,900	3,900	14,000	8,900	
Ram 4x4 Reg. Cab 1500 DR6L62 Long Box ST	4.7L V8 gas OHC	M6	3.55	6,550	1,550	4,997	3,021	1,976	3,900	3,900	9,500	4,350
	4.7L V8 gas OHC	M6	3.92	6,550	1,550	4,997	3,021	1,976	3,900	3,900	10,500	5,350
	4.7L V8 gas OHC	A5	3.55	6,550	1,490	5,059	3,070	1,989	3,900	3,900	11,500	6,300
	4.7L V8 gas OHC	A5	3.92	6,550	1,490	5,059	3,070	1,989	3,900	3,900	12,500	7,300
	4.7L V8 gas FFV@	A5	3.55	6,550	1,480	5,066	3,070	1,996	3,900	3,900	11,500	6,300
	4.7L V8 gas FFV@	A5	3.92	6,550	1,480	5,066	3,070	1,996	3,900	3,900	12,500	7,300
	5.7L V8 gas	A5	3.55	6,550	1,440	5,108	3,072	2,036	3,900	3,900	13,000	7,750
	5.7L V8 gas	A5	3.92	6,550	1,440	5,108	3,072	2,036	3,900	3,900	14,000	8,750
Ram 4x4 Reg. Cab 1500 DR6H62 Long Box SLT	4.7L V8 gas OHC	M6	3.55	6,550	1,500	5,054	3,021	2,033	3,900	3,900	9,500	4,300
	4.7L V8 gas OHC	M6	3.92	6,550	1,500	5,054	3,021	2,033	3,900	3,900	10,500	5,300
	4.7L V8 gas OHC	A5	3.55	6,550	1,430	5,116	3,070	2,046	3,900	3,900	11,500	6,250
	4.7L V8 gas OHC	A5	3.92	6,550	1,430	5,116	3,070	2,046	3,900	3,900	12,500	7,250
	4.7L V8 gas OHC*	M6	3.92	6,550	1,470	5,080	3,025	2,055	3,900	3,900	10,500	5,250
	4.7L V8 gas OHC*	A5	3.92	6,550	1,410	5,142	3,074	2,068	3,900	3,900	12,500	7,200
	4.7L V8 gas FFV@	A5	3.55	6,550	1,430	5,123	3,070	2,053	3,900	3,900	11,500	6,250
	4.7L V8 gas FFV@	A5	3.92	6,550	1,430	5,123	3,070	2,053	3,900	3,900	12,500	7,250
	4.7L V8 gas FFV@*	A5	3.92	6,550	1,400	5,150	3,073	2,076	3,900	3,900	12,500	7,200
	5.7L V8 gas	A5	3.55	6,550	1,390	5,164	3,098	2,066	3,900	3,900	13,000	7,700
	5.7L V8 gas	A5	3.92	6,550	1,390	5,164	3,098	2,066	3,900	3,900	14,000	8,700
	5.7L V8 gas*	A5	3.92	6,550	1,360	5,190	3,101	2,089	3,900	3,900	14,000	8,650

- Note:**
- Payload is rounded to the nearest 10 lbs. Payload= GWR - Curb Weight
 - Maximum trailer weights are rounded to the nearest 50lbs.
Maximum Trailer Weight = GCWR - Curb Weight. - 150lbs. (allowance for driver)
 - Use synthetic axle lubricant with the trailer tow package
- @- Standard 4.7 L V8 Gas FFV are of 45 State Emission Standard and are not available in CA, ME, MA, NY & VT.
 *= w/17" P275 LT Tires #= w/ 20" Tires

RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4X2 Quad Cab 2500 DH2L41 Short Box ST	5.7L V8 gas	M5	3.73	8,800	3,120	5,681	3,150	2,532	4,000	6,000	15,000	9,150
	5.7L V8 gas	M5	4.10	8,800	3,120	5,681	3,150	2,532	4,000	6,000	17,000	11,150
	5.7L V8 gas	A5	3.73	8,800	3,180	5,621	3,109	2,513	4,000	6,000	15,000	9,250
	5.7L V8 gas	A5	4.10	8,800	3,180	5,621	3,109	2,513	4,000	6,000	17,000	11,250
	5.9L 24V TDHO	M6	3.73	9,000	2,400	6,601	3,997	2,604	4,630	6,000	20,000	13,250
	5.9L 24V TDHO	M6	4.10	9,000	2,400	6,601	3,997	2,604	4,630	6,000	20,000	13,250
	5.9L 24V TDHO	A4	3.73	9,000	2,520	6,481	3,902	2,579	4,630	6,000	20,000	13,350
Ram 4X2 Quad Cab 2500 DH2H41 Short Box SLT	5.7L V8 gas	M5	3.73	8,800	3,100	5,695	3,122	2,573	4,000	6,010	15,000	9,150
	5.7L V8 gas	M5	4.10	8,800	3,100	5,695	3,122	2,573	4,000	6,010	17,000	11,150
	5.7L V8 gas	A5	3.73	8,800	3,160	5,635	3,081	2,554	4,000	6,010	15,000	9,200
	5.7L V8 gas	A5	4.10	8,800	3,160	5,635	3,081	2,554	4,000	6,010	17,000	11,200
	5.9L 24V TDHO	M6	3.73	9,000	2,390	6,613	3,963	2,651	4,750	6,010	20,000	13,250
	5.9L 24V TDHO	M6	4.10	9,000	2,390	6,613	3,963	2,651	4,750	6,010	20,000	13,250
	5.9L 24V TDHO	A4	3.73	9,000	2,510	6,493	3,868	2,626	4,750	6,010	20,000	13,350
Ram 4X2 Quad Cab 2500 DH2L42 Long Box ST	5.7L V8 gas	M5	3.73	8,800	3,020	5,779	3,258	2,521	4,000	6,000	15,000	9,050
	5.7L V8 gas	M5	4.10	8,800	3,020	5,779	3,258	2,521	4,000	6,000	17,000	11,050
	5.7L V8 gas	A5	3.73	8,800	3,080	5,720	3,214	2,506	4,000	6,000	15,000	9,150
	5.7L V8 gas	A5	4.10	8,800	3,080	5,720	3,214	2,506	4,000	6,000	17,000	11,150
	5.9L 24V TDHO	M6	3.73	9,000	2,300	6,701	4,083	2,618	4,630	6,000	20,000	13,150
	5.9L 24V TDHO	M6	4.10	9,000	2,300	6,701	4,083	2,618	4,630	6,000	20,000	13,150
	5.9L 24V TDHO	A4	3.73	9,000	2,410	6,586	3,982	2,604	4,630	6,000	20,000	13,250
Ram 4X2 Quad Cab 2500 DH2H42 Long Box SLT	5.7L V8 gas	M5	3.73	8,800	2,990	5,808	3,251	2,557	4,000	6,010	15,000	9,050
	5.7L V8 gas	M5	4.10	8,800	2,990	5,808	3,251	2,557	4,000	6,010	17,000	11,050
	5.7L V8 gas	A5	3.73	8,800	3,050	5,749	3,207	2,542	4,000	6,010	15,000	9,100
	5.7L V8 gas	A5	4.10	8,800	3,050	5,749	3,207	2,542	4,000	6,010	17,000	11,100
	5.9L 24V TDHO	M6	3.73	9,000	2,270	6,730	4,088	2,642	4,750	6,010	20,000	13,100
	5.9L 24V TDHO	M6	4.10	9,000	2,270	6,730	4,088	2,642	4,750	6,010	20,000	13,100
	5.9L 24V TDHO	A4	3.73	9,000	2,390	6,615	3,987	2,628	4,750	6,010	20,000	13,250
Ram 4X2 Reg. Cab 2500 DH2L62 Long Box ST	5.7L V8 gas	M5	3.73	8,650	3,200	5,455	3,083	2,371	4,000	6,000	15,000	9,400
	5.7L V8 gas	M5	4.10	8,650	3,200	5,455	3,083	2,371	4,000	6,000	17,000	11,400
	5.7L V8 gas	A5	3.73	8,650	3,260	5,393	3,038	2,354	4,000	6,000	15,000	9,450
	5.7L V8 gas	A5	4.10	8,650	3,260	5,393	3,038	2,354	4,000	6,000	17,000	11,450
	5.9L 24V TDHO	M6	3.73	9,000	2,610	6,387	3,917	2,471	4,630	6,000	20,000	13,450
	5.9L 24V TDHO	M6	4.10	9,000	2,610	6,387	3,917	2,471	4,630	6,000	20,000	13,450
	5.9L 24V TDHO	A4	3.73	9,000	2,740	6,259	3,819	2,441	4,630	6,000	20,000	13,600
Ram 4X2 Reg. Cab 2500 DH2H62 Long Box SLT	5.7L V8 gas	M5	3.73	8,650	3,190	5,461	3,061	2,400	4,000	6,010	15,000	9,400
	5.7L V8 gas	M5	4.10	8,650	3,190	5,461	3,061	2,400	4,000	6,010	17,000	11,400
	5.7L V8 gas	A5	3.73	8,650	3,250	5,399	3,016	2,383	4,000	6,010	15,000	9,450
	5.7L V8 gas	A5	4.10	8,650	3,250	5,399	3,016	2,383	4,000	6,010	17,000	11,450
	5.9L 24V TDHO	M6	3.73	9,000	2,590	6,409	3,918	2,491	4,750	6,010	20,000	13,450
	5.9L 24V TDHO	M6	4.10	9,000	2,590	6,409	3,918	2,491	4,750	6,010	20,000	13,450
	5.9L 24V TDHO	A4	3.73	9,000	2,720	6,281	3,820	2,461	4,750	6,010	20,000	13,550
Ram 4X4 Quad Cab 2500 DH7L41 Short Box ST	5.7L V8 gas	M5	3.73	8,800	2,720	6,076	3,496	2,580	5,200	6,000	15,000	8,750
	5.7L V8 gas	M5	4.10	8,800	2,720	6,076	3,496	2,580	5,200	6,000	17,000	10,750
	5.7L V8 gas	A5	3.73	8,800	2,760	6,038	3,466	2,572	5,200	6,000	15,000	8,800
	5.7L V8 gas	A5	4.10	8,800	2,760	6,038	3,466	2,572	5,200	6,000	17,000	10,800
	5.9L 24V TDHO	M6	3.73	9,000	2,040	6,958	4,318	2,640	5,200	6,000	20,000	12,900
	5.9L 24V TDHO	M6	4.10	9,000	2,040	6,958	4,318	2,640	5,200	6,000	20,000	12,900
	5.9L 24V TDHO	A4	3.73	9,000	2,230	6,765	4,153	2,612	5,200	6,000	20,000	13,100

Note:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Use an exhaust brake for all Diesel applications with a trailer weight over 10,000 lbs.
4. Use synthetic axle lubricant with the trailer tow package.

RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4X2 Quad Cab 2500 DH7H41 Short Box ST	5.7L V8 gas	M5	3.73	8,800	2,690	6,108	3,501	2,607	5,200	6,010	15,000	8,750
	5.7L V8 gas	M5	4.10	8,800	2,690	6,108	3,501	2,607	5,200	6,010	17,000	10,750
	5.7L V8 gas	A5	3.73	8,800	2,730	6,070	3,471	2,599	5,200	6,010	15,000	8,800
	5.7L V8 gas	A5	4.10	8,800	2,730	6,070	3,471	2,599	5,200	6,010	17,000	10,800
	5.9L 24V TDHO	M6	3.73	9,000	1,990	7,006	4,305	2,701	5,200	6,010	20,000	12,850
	5.9L 24V TDHO	M6	4.10	9,000	1,990	7,006	4,305	2,701	5,200	6,010	20,000	12,850
	5.9L 24V TDHO	A4	3.73	9,000	2,190	6,813	4,140	2,673	5,200	6,010	20,000	13,050
5.9L 24V TDHO	A4	4.10	9,000	2,190	6,813	4,140	2,673	5,200	6,010	20,000	13,050	
Powerwagon Ram 4X4 Quad Cab 2500 DH7H41 Short Box SLT	5.7L V8 gas	A5	4.56	8,510	2,210	6,304	3,742	2,562	4,500	5,200	17,000	10,550
Ram 4X4 Quad Cab 2500 DR7L42 Long Box ST	5.7L V8 gas	M5	3.73	8,800	2,600	6,202	3,626	2,576	5,200	6,000	15,000	8,650
	5.7L V8 gas	M5	4.10	8,800	2,600	6,202	3,626	2,576	5,200	6,000	17,000	10,650
	5.7L V8 gas	A5	3.73	8,800	2,640	6,161	3,594	2,567	5,200	6,000	15,000	8,700
	5.7L V8 gas	A5	4.10	8,800	2,640	6,161	3,594	2,567	5,200	6,000	17,000	10,700
	5.9L 24V TDHO	M6	3.73	9,000	1,860	7,141	4,469	2,672	5,200	6,000	20,000	12,700
	5.9L 24V TDHO	M6	4.10	9,000	1,860	7,141	4,469	2,672	5,200	6,000	20,000	12,700
	5.9L 24V TDHO	A4	3.73	9,000	2,050	6,948	4,304	2,644	5,200	6,000	20,000	12,900
	5.9L 24V TDHO	A4	4.10	9,000	2,050	6,948	4,304	2,644	5,200	6,000	20,000	12,900
Ram 4X4 Quad Cab 2500 DH7H42 Long Box SLT	5.7L V8 gas	M5	3.73	8,800	2,550	6,247	3,618	2,629	5,200	6,010	15,000	8,600
	5.7L V8 gas	M5	4.10	8,800	2,550	6,247	3,618	2,629	5,200	6,010	17,000	10,600
	5.7L V8 gas	A5	3.73	8,800	2,590	6,206	3,586	2,620	5,200	6,010	15,000	8,650
	5.7L V8 gas	A5	4.10	8,800	2,590	6,206	3,586	2,620	5,200	6,010	17,000	10,650
	5.9L 24V TDHO	M6	3.73	9,000	1,760	7,243	4,523	2,720	5,200	6,010	20,000	12,600
	5.9L 24V TDHO	M6	4.10	9,000	1,760	7,243	4,523	2,720	5,200	6,010	20,000	12,600
	5.9L 24V TDHO	A4	3.73	9,000	1,950	7,050	4,358	2,692	5,200	6,010	20,000	12,800
	5.9L 24V TDHO	A4	4.10	9,000	1,950	7,050	4,358	2,692	5,200	6,010	20,000	12,800
Ram 4X4 Reg. Cab 2500 DHL62 Long Box SLT	5.7L V8 gas	M5	3.73	8,650	2,780	5,870	3,443	2,427	5,200	6,000	15,000	9,000
	5.7L V8 gas	M5	4.10	8,650	2,780	5,870	3,443	2,427	5,200	6,000	17,000	11,000
	5.7L V8 gas	A5	3.73	8,650	2,820	5,832	3,413	2,419	5,200	6,000	15,000	9,000
	5.7L V8 gas	A5	4.10	8,650	2,820	5,832	3,413	2,419	5,200	6,000	17,000	11,000
	5.9L 24V TDHO	M6	3.73	9,000	2,150	6,851	4,314	2,537	5,200	6,000	20,000	13,000
	5.9L 24V TDHO	M6	4.10	9,000	2,150	6,851	4,314	2,537	5,200	6,000	20,000	13,000
	5.9L 24V TDHO	A4	3.73	9,000	2,340	6,658	4,149	2,509	5,200	6,000	20,000	13,200
	5.9L 24V TDHO	A4	4.10	9,000	2,340	6,658	4,149	2,509	5,200	6,000	20,000	13,200
Ram 4X2 Reg. Cab 2500 DH7H62 Long Box SLT	5.7L V8 gas	M5	3.73	8,650	2,760	5,886	3,435	2,452	5,200	6,010	15,000	8,950
	5.7L V8 gas	M5	4.10	8,650	2,760	5,886	3,435	2,452	5,200	6,010	17,000	10,950
	5.7L V8 gas	A5	3.73	8,650	2,800	5,848	3,405	2,444	5,200	6,010	15,000	9,000
	5.7L V8 gas	A5	4.10	8,650	2,800	5,848	3,405	2,444	5,200	6,010	17,000	11,000
	5.9L 24V TDHO	M6	3.73	9,000	2,100	6,902	4,317	2,585	5,200	6,010	20,000	12,950
	5.9L 24V TDHO	M6	4.10	9,000	2,100	6,902	4,317	2,585	5,200	6,010	20,000	12,950
	5.9L 24V TDHO	A4	3.73	9,000	2,290	6,709	4,152	2,557	5,200	6,010	20,000	13,150
	5.9L 24V TDHO	A4	4.10	9,000	2,290	6,709	4,152	2,557	5,200	6,010	20,000	13,150
Powerwagon Ram 4X4 Reg. Cab 2500 DH7H62 Long Box SLT	5.7L V8 gas	A5	4.56	8,510	2,430	6,082	3,675	2,407	4,500	5,200	17,000	10,750

Note:

1. Payload is rounded to the nearest 10 lbs. **Payload = GWR - Curb Wt.**
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Use an exhaust brake for all Diesel applications with a trailer weight over 10,000 lbs.
4. Use synthetic axle lubricant with the trailer tow package.



RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Quad Cab 3500 DH3L41 Short Box ST SRW	5.9L 24V TDHO	M6	3.73	9,900	3,240	6,663	3,949	2,714	4,750	6,200	21,000	14,200
	5.9L 24V TDHO	M6	4.10	9,900	3,240	6,663	3,949	2,714	4,750	6,200	23,000	16,200
	5.9L 24V TDHO	A4	3.73	9,900	3,360	6,543	3,854	2,689	4,750	6,200	21,000	14,300
	5.9L 24V TDHO	A4	4.10	9,900	3,360	6,543	3,854	2,689	4,750	6,200	23,000	16,300
Ram 4x2 Quad Cab 3500 DH3H41 Short Box SLT SRW	5.9L 24V TDHO	M6	3.73	9,900	3,190	6,707	3,983	2,724	4,750	6,200	21,000	14,150
	5.9L 24V TDHO	M6	4.10	9,900	3,190	6,707	3,983	2,724	4,750	6,200	23,000	16,150
	5.9L 24V TDHO	A4	3.73	9,900	3,310	6,587	3,888	2,699	4,750	6,200	21,000	14,250
	5.9L 24V TDHO	A4	4.10	9,900	3,310	6,587	3,888	2,699	4,750	6,200	23,000	16,250
Ram 4x2 Quad Cab 3500 DH3L42 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,000	4,690	6,312	3,318	2,994	4,000	9,350	17,000	10,550
	5.7L V8 gas	A5	4.10	11,000	4,730	6,269	3,278	2,991	4,000	9,350	17,000	10,600
	5.9L 24V TDHO	M6	3.73	11,500	4,430	7,066	4,083	2,984	4,750	9,350	21,000	13,800
	5.9L 24V TDHO	M6	4.10	11,500	4,430	7,066	4,083	2,984	4,750	9,350	23,000	15,800
	5.9L 24V TDHO	A4	3.73	11,500	4,550	6,951	3,982	2,970	4,750	9,350	21,000	13,900
Ram 4x2 Quad Cab 3500 DH3L42 Long Box ST SRW	5.9L 24V TDHO	A4	4.10	11,500	4,550	6,951	3,982	2,970	4,750	9,350	23,000	15,900
	5.9L 24V TDHO	M6	3.73	9,900	3,190	6,712	4,054	2,658	4,750	6,200	21,000	14,150
	5.9L 24V TDHO	M6	4.10	9,900	3,190	6,712	4,054	2,658	4,750	6,200	23,000	16,150
	5.9L 24V TDHO	A4	3.73	9,900	3,300	6,597	3,953	2,644	4,750	6,200	21,000	14,250
	5.9L 24V TDHO	A4	4.10	9,900	3,300	6,597	3,953	2,644	4,750	6,200	23,000	16,250
Ram 4x2 Quad Cab 3500 DH3H42 Long Box SLT DRW	5.7L V8 gas	M5	4.10	11,000	4,650	6,349	3,342	3,007	4,000	9,350	17,000	10,500
	5.7L V8 gas	A5	4.10	11,000	4,690	6,306	3,302	3,004	4,000	9,350	17,000	10,550
	5.9L 24V TDHO	M6	3.73	11,500	4,400	7,102	4,106	2,997	4,750	9,350	21,000	13,750
	5.9L 24V TDHO	M6	4.10	11,500	4,400	7,102	4,106	2,997	4,750	9,350	23,000	15,750
	5.9L 24V TDHO	A4	3.73	11,500	4,510	6,987	4,005	2,983	4,750	9,350	21,000	13,850
Ram 4x2 Quad Cab 3500 DH3H42 Long Box SLT SRW	5.9L 24V TDHO	A4	4.10	11,500	4,510	6,987	4,005	2,983	4,750	9,350	23,000	15,850
	5.9L 24V TDHO	M6	3.73	9,900	3,130	6,765	4,086	2,679	4,750	6,200	21,000	14,100
	5.9L 24V TDHO	M6	4.10	9,900	3,130	6,765	4,086	2,679	4,750	6,200	23,000	16,100
	5.9L 24V TDHO	A4	3.73	9,900	3,250	6,650	3,985	2,665	4,750	6,200	21,000	14,200
	5.9L 24V TDHO	A4	4.10	9,900	3,250	6,650	3,985	2,665	4,750	6,200	23,000	16,200
Ram 4X2 Reg. Cab 3500 DH3L62 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,000	5,030	5,966	3,155	2,811	4,000	9,350	17,000	10,900
	5.7L V8 gas	A5	4.10	11,000	5,100	5,900	3,109	2,791	4,000	9,350	17,000	10,950
	5.9L 24V TDHO	M6	3.73	11,500	4,780	6,716	3,916	2,800	4,750	9,350	21,000	14,150
	5.9L 24V TDHO	M6	4.10	11,500	4,780	6,716	3,916	2,800	4,750	9,350	23,000	16,150
	5.9L 24V TDHO	A4	3.73	11,500	4,910	6,588	3,818	2,770	4,750	9,350	21,000	14,250
Ram 4X2 Reg. Cab 3500 DH3H62 Long Box SLT DRW	5.9L 24V TDHO	A4	4.10	11,500	4,910	6,588	3,818	2,770	4,750	9,350	23,000	16,250
	5.7L V8 gas	M5	4.10	11,000	5,000	6,000	3,177	2,823	4,000	9,350	17,000	10,850
	5.7L V8 gas	A5	4.10	11,000	5,070	5,934	3,131	2,803	4,000	9,350	17,000	10,900
	5.9L 24V TDHO	M6	3.73	11,500	4,750	6,749	3,938	2,811	4,750	9,350	21,000	14,100
	5.9L 24V TDHO	M6	4.10	11,500	4,750	6,749	3,938	2,811	4,750	9,350	23,000	16,100
Ram 4X4 Quad Cab 3500 DH8L41 Short Box ST SRW	5.9L 24V TDHO	A4	3.73	11,500	4,880	6,621	3,840	2,781	4,750	9,350	21,000	14,250
	5.9L 24V TDHO	A4	4.10	11,500	4,880	6,621	3,840	2,781	4,750	9,350	23,000	16,250
	5.9L 24V TDHO	M6	3.73	9,900	2,830	7,073	4,276	2,797	5,200	6,200	21,000	13,800
	5.9L 24V TDHO	M6	4.10	9,900	2,830	7,073	4,276	2,797	5,200	6,200	23,000	15,800
	5.9L 24V TDHO	A4	3.73	9,900	3,020	6,880	4,111	2,769	5,200	6,200	21,000	13,950
Ram 4X4 Quad Cab 3500 DH8H41 Short Box SLT SRW	5.9L 24V TDHO	A4	4.10	9,900	3,020	6,880	4,111	2,769	5,200	6,200	23,000	15,950
	5.9L 24V TDHO	M6	3.73	9,900	2,790	7,112	4,301	2,811	5,200	6,200	21,000	13,750
	5.9L 24V TDHO	M6	4.10	9,900	2,790	7,112	4,301	2,811	5,200	6,200	23,000	15,750
	5.9L 24V TDHO	A4	3.73	9,900	2,980	6,919	4,136	2,783	5,200	6,200	21,000	13,950
	5.9L 24V TDHO	A4	4.10	9,900	2,980	6,919	4,136	2,783	5,200	6,200	23,000	15,950
Ram 4x4 Quad Cab 3500 DH8L42 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,500	4,720	6,782	3,751	3,031	5,200	9,350	17,000	10,050
	5.7L V8 gas	A5	4.10	11,500	4,750	6,747	3,721	3,026	5,200	9,350	17,000	10,100
	5.9L 24V TDHO	M6	3.73	12,200	4,650	7,550	4,514	3,036	5,200	9,350	21,000	13,300
	5.9L 24V TDHO	M6	4.10	12,200	4,650	7,550	4,514	3,036	5,200	9,350	23,000	15,300
	5.9L 24V TDHO	A4	3.73	12,200	4,840	7,357	4,349	3,008	5,200	9,350	21,000	13,500
Ram 4x4 Quad Cab 3500 DH8L42 Long Box ST DRW	5.9L 24V TDHO	A4	4.10	12,200	4,840	7,357	4,349	3,008	5,200	9,350	23,000	15,500

Note:

1. Payload is rounded to the nearest 10 lbs. $\text{Payload} = \text{GVWR} - \text{Curb Wt.}$
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = $\text{GCWR} - \text{Curb wt.} - 150 \text{ lbs.}$ (allowance for driver)
3. Use an exhaust brake for all Diesel applications with a trailer weight over 10,000 lbs.
4. Use synthetic axle lubricant with the trailer tow package.

RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt.	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Quad Cab 3500 DH8L42 Long Box ST SRW	5.9L 24V TDHO	M6	3.73	9,900	2,690	7,205	4,486	2,720	5,200	6,200	21,000	13,650
	5.9L 24V TDHO	M6	4.10	9,900	2,690	7,205	4,486	2,720	5,200	6,200	23,000	15,650
	5.9L 24V TDHO	A4	3.73	9,900	2,890	7,012	4,321	2,692	5,200	6,200	21,000	13,850
	5.9L 24V TDHO	A4	4.10	9,900	2,890	7,012	4,321	2,692	5,200	6,200	23,000	15,850
Ram 4x4 Quad Cab 3500 DH8H42 Long Box SLT DRW	5.7L V8 gas	M5	4.10	11,500	4,680	6,819	3,776	3,044	5,200	9,350	17,000	10,050
	5.7L V8 gas	A5	4.10	11,500	4,720	6,784	3,746	3,039	5,200	9,350	17,000	10,050
	5.9L 24V TDHO	M6	3.73	12,200	4,610	7,586	4,537	3,049	5,200	9,350	21,000	13,250
	5.9L 24V TDHO	M6	4.10	12,200	4,610	7,586	4,537	3,049	5,200	9,350	23,000	15,250
	5.9L 24V TDHO	A4	3.73	12,200	4,810	7,393	4,372	3,021	5,200	9,350	21,000	13,450
Ram 4x4 Quad Cab 3500 DH8H42 Long Box SLT SRW	5.9L 24V TDHO	A4	4.10	12,200	4,810	7,393	4,372	3,021	5,200	9,350	23,000	15,450
	5.9L 24V TDHO	M6	3.73	9,900	2,640	7,259	4,518	2,741	5,200	6,200	21,000	13,600
	5.9L 24V TDHO	M6	4.10	9,900	2,640	7,259	4,518	2,741	5,200	6,200	23,000	15,600
	5.9L 24V TDHO	A4	3.73	9,900	2,830	7,066	4,353	2,713	5,200	6,200	21,000	13,800
Ram 4x4 Quad Cab 3500 DH8H42 Long Box SLT SRW	5.9L 24V TDHO	A4	4.10	9,900	2,830	7,066	4,353	2,713	5,200	6,200	23,000	15,800
	5.7L V8 gas	M5	4.10	11,500	5,070	6,431	3,560	2,871	5,200	9,350	17,000	10,400
	5.7L V8 gas	A5	4.10	11,500	5,110	6,393	3,530	2,863	5,200	9,350	17,000	10,450
	5.9L 24V TDHO	M6	3.73	12,200	5,010	7,192	4,316	2,876	5,200	9,350	21,000	13,650
	5.9L 24V TDHO	M6	4.10	12,200	5,010	7,192	4,316	2,876	5,200	9,350	23,000	15,650
Ram 4X4 Reg.Cab 3500 DH8L62 Long Box ST DRW	5.9L 24V TDHO	A4	3.73	12,200	5,200	6,999	4,151	2,848	5,200	9,350	21,000	13,850
	5.9L 24V TDHO	A4	4.10	12,200	5,200	6,999	4,151	2,848	5,200	9,350	23,000	15,850
	5.7L V8 gas	M5	4.10	11,500	5,030	6,466	3,582	2,883	5,200	9,350	17,000	10,400
	5.7L V8 gas	A5	4.10	11,500	5,070	6,428	3,552	2,875	5,200	9,350	17,000	10,400
	5.9L 24V TDHO	M6	3.73	12,200	4,970	7,225	4,338	2,887	5,200	9,350	21,000	13,600
Ram 4X4 Reg.Cab 3500 DH8H62 Long Box SLT DRW	5.9L 24V TDHO	M6	4.10	12,200	4,970	7,225	4,338	2,887	5,200	9,350	23,000	15,600
	5.9L 24V TDHO	A4	3.73	12,200	5,170	7,032	4,173	2,859	5,200	9,350	21,000	13,800
	5.9L 24V TDHO	A4	4.10	12,200	5,170	7,032	4,173	2,859	5,200	9,350	23,000	15,800

Note:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)
3. Use an exhaust brake for all Diesel applications with a trailer weight over 10,000 lbs.
4. Use synthetic axle lubricant with the trailer tow package.