


QUAD CAB 1500 140.5"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



PLAN VIEW



SIDE VIEW



CHARTS

Site Map

Main Menu

Ram Home

PRINT


ALL

IN

OUT

QUAD CAB 1500 140.5"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



 **FRONT & REAR VIEW**

 **SIDE VIEW**

 **CHARTS**

 [Site Map](#)

 [Main Menu](#)

 [Ram Home](#)

PRINT

 ALL

 IN

 OUT

QUAD CAB 1500 140.5"WB 4X4

Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
L50	SgRP Couple distance (1-2)	787.4	31.0
L101	Wheelbase	3568.9	140.5
L103	Vehicle Length	5784.2	227.7
L104	Overhang - Front	999.7	39.4
L105	Overhang - Rear	1215.6	47.9
L114	Front Wheel to Front SgRP c/l	1474.6	58.1
L403	Front of Bumper to Back of Cab	3631.0	143.0
L404	Cab to Rear Axle	937.6	36.9
L410	Cab Length	2312.8	91.1
L504	Cab to Pickup Body	17.4	0.7
TRL1	Rear Bumper to Back of Cab	2153.2	84.8
TRL2	Fuel Tank Length	1152.9	45.4
TRL3	Rear Wheel Centerline to Fuel Tank	172.7	6.8
Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
CH16	Box Bed to Cab Roof	600.3	23.6
CH17	Box Floor to Cab Roof	1123.6	44.2
CH18	Steering Column Angle	22.9°	22.9°
CH514	Box Floor to Top of Fuel Tank	83.8	3.3
CL513	Rear Axle to Inside Box at Rear	1016.4	40.0
H6	SgRP-Front to Windshield Lwr DLO	446.2	17.6
H18	Steering Wheel Angle	26.7°	26.7°
H61	Effective Head Room Front	1037.3	40.8
H63	Effective Head Room Second	1015.4	40.0
H122	Window Slope Angle - Windshield	56.9°	56.9°
Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
TRW1	Outside Rail to Fuel Tank (inside)	434.2	17.1
W106	Front Fender Width	2020.5	79.5
W107	Rear Fender Width	2021.7	79.6
W116	Body Width - maximum	2021.8	79.6
W117	Body Width At SgRP - Front	2020.0	79.5
W120	Vehicle Width - Front Doors Open	3805.1	149.8
W121	Vehicle Width - Rear Doors Open	3546.5	139.6
W201	Cargo Width - Wheelhouse	1295.4	51.0
W410	Vehicle Width - Mirrors (std)	2396.2	94.3
W410A	Vehicle Width - Mirrors (opt)	2587.1	101.9
W410B	Vehicle Width - Mirrors (trailer)	2751.4	108.3



TIRE CHART



FRONT & REAR VIEW



PLAN VIEW



SIDE VIEW

[Site Map](#)

[Main Menu](#)

[Ram Home](#)

PRINT



QUAD CAB 1500 140.5"WB 4x4

2005 RAM QUAD CAB 6.5' BOX 1500 4X4 140.5 WB	P245/70R17		P265/70R17		LT275/70R17		P275/60R20	
	mm	in	mm	in	mm	in	mm	in
Bottom of Open Hood to Ground	1906.2	75.0	1923.4	75.7	1934.6	76.2	1940.4	76.4
Turn Circle Diameter(feet/meters)*		46.0 ft		46.0 ft		46.0 ft		46.0 ft
SgRP- Front to Ground	934.7	36.8	951.9	37.5	963.1	37.9	968.9	38.1
SgRP - Second to Ground	962.4	37.9	979.6	38.6	990.9	39.0	996.7	39.2
Vehicle Height (curb Load)	1926.7	75.9	1943.9	76.5	1955.1	77.0	1960.9	77.2
Front Bumper to Ground (curb wt.)	282.2	11.1	299.4	11.8	310.6	12.2	316.4	12.5
Rear Bumper to Ground (curb wt.)	541.8	21.3	559.0	22.0	570.2	22.4	576.0	22.7
Angle of Approach	18.3°	18.3°	19.4°	19.4°	20.2°	20.2°	20.6°	20.6°
Angle of Departure	25.8°	25.8°	26.6°	26.6°	27.2°	27.2°	27.5°	27.5°
Step Height - Front(curb weight)	556.8	21.9	574.0	22.6	585.2	23.0	591.0	23.3
Step Height - Second(curb weight)	571.7	22.5	588.9	23.2	600.2	23.6	606.0	23.9
Ramp Breakover Angle	21.1°	21.1°	22.5°	22.5°	23.5°	23.5°	23.9°	23.9°
Suspension or Axle to Ground - Front	243.9	9.6	261.1	10.3	272.3	10.7	278.1	10.9
Suspension or Axle to Ground - Rear	185.0	7.3	202.2	8.0	213.4	8.4	219.2	8.6
Liftover Height	1376.7	54.2	1393.9	54.9	1405.1	55.3	1410.9	55.5
Open Tailgate to Ground	870.8	34.3	888.0	35.0	899.3	35.4	905.1	35.6
Tire Track - front	1727.2	68.0	1727.2	68.0	1727.2	68.0	1727.2	68.0
Tire Track - rear	1724.7	67.9	1724.7	67.9	1724.7	67.9	1724.7	67.9



[Site Map](#)

[Main Menu](#)

[Ram Home](#)

[PRINT](#)

[ALL](#)

[IN](#)

[OUT](#)