


CHASSIS REGULAR CAB 4500/5500 192.5"WB 108.2CA 4X4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



SECTION VIEW



CHARTS

[Site Map](#)

[Main Menu](#)

[Chassis Cab Home](#)


[PRINT](#)



PRELIMINARY

FINAL DATA WILL BE POSTED BY SEPTEMBER 2007

SHEAR PLATE HOLE LOCATIONS



NOTE: Because of the curvature of the back of the Dodge Ram cab a minimum clearance maintained at the closest point in the center of the cab back will increase by .28 inches when measured above the frame rails. For example, if you have 3 inches clearance between the cab and applied body at the center you will have 3.28 inches when measured at the frame rails. This is normal acceptable condition



PLAN & SIDE VIEW



CHARTS

Site Map

Main Menu

Chassis Cab Home

PRINT

ALL

IN

OUT

CHASSIS REGULAR CAB 4500/5500 192.5"WB 108.2CA 4X4**PRELIMINARY**

FINAL DATA WILL BE POSTED BY SEPTEMBER 2007

| Code | Description | Metric | English |
|------|-------------------------------------------|-----------|----------|
| FH1 | Front Frame-Height | 215.6 mm | 8.5 in |
| FH3 | Datum Line to Top of Box Mount Holes Rear | 0.0 mm | 0.0 in |
| FH5 | Rear Frame-Height | 159.3 mm | 6.3 in |
| FL1 | Front of Frame to Fiducial Mark No.1 | 1338.9 mm | 52.7 in |
| FL8 | Distance Between Spare Tire Cross Members | 909.8 mm | 35.8 in |
| FW1 | Front Frame-Outside Width | 1000.0 mm | 39.4 in |
| FW2 | Front Frame-Inside Width | 880.0 mm | 34.6 in |
| FW3 | Rear Suspension Front Spring Bolt | 1226.3 mm | 48.3 in |
| FW4 | Rear Suspension Rear Spring Bolt | 1248.4 mm | 49.1 in |
| FW5 | Rear Frame-Inside Width | 711.2 mm | 28.0 in |
| FW6 | Rear Frame-Outside Width | 863.6 mm | 34.0 in |
| L54 | Fiducial Mark No.1 | 1922.6 mm | 75.7 in |
| L404 | Cab to Rear Axle | 2749.2 mm | 108.2 in |
| TRL2 | Fuel Tank Length | 1499.7 mm | 59.0 in |
| TRL3 | Rear Wheel Center Line to Fuel Tank | 403.6 mm | 15.9 in |
| TRW1 | Outside Rail to Fuel Tank(inside) | 318.1 mm | 12.5 in |
| | | | |
| Code | Description | Metric | English |
| EH1 | Muffler Height | 307.0 mm | 12.1 in |
| EH2 | Datum Line to Bottom of Tailpipe | 465.4 mm | 18.3 in |
| EL1 | Muffler Length | 342.9 mm | 13.5 in |
| EL2 | End of Tailpipe to Last Box Mount Hole | 503.6 mm | 19.8 in |
| EW1 | Muffler Exhaust Intake to Inside of Frame | 117.5 mm | 4.6 in |
| EW2 | Muffler to Inside of Frame | 24.0 mm | 0.9 in |
| EW3 | Muffler Width | 187.0 mm | 7.4 in |
| EW4 | Muffler RR Exhaust Pipe to Frame | 117.5 mm | 4.6 in |
| EW5 | End of Exhaust Pipe to Outside of Frame | 1299.7 mm | 51.2 in |

**PLAN & SIDE VIEW****SECTION VIEW** **Site Map** **Main Menu** **Chassis Cab Home****PRINT**