


# QUAD CAB 2500 140.5"WB 4x2

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



**PLAN VIEW**



**SIDE VIEW**



**CHARTS**

**Site Map**

**Main Menu**

**Ram Home**

**PRINT**


**ALL**

**IN**

**OUT**

# QUAD CAB 2500 140.5"WB 4x2

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



**FRONT & REAR VIEW**



**SIDE VIEW**



**CHARTS**

 **Site Map**

 **Main Menu**

 **Ram Home**

**PRINT**


 **ALL**

 **IN**

 **OUT**

# QUAD CAB 2500 140.5"WB 4x2

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



**FRONT & REAR VIEW**



**PLAN VIEW**



**CHARTS**



[Site Map](#)



[Main Menu](#)



[Ram Home](#)

**PRINT**



# QUAD CAB 2500 140.5"WB 4x2

Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
L50	SgRP Couple distance (1-2)	787.4	31.0
L101	Wheelbase	3568.9	140.5
L103	Vehicle Length	5784.2	227.7
L104	Overhang - Front	999.7	39.4
L105	Overhang - Rear	1215.6	47.9
L114	Front Wheel to Front SgRP c/l	1474.6	58.1
L403	Front of Bumper to Back of Cab	3631.0	143.0
L404	Cab to Rear Axle	937.6	36.9
L410	Cab Length	2312.8	91.1
L504	Cab to Pickup Body	17.4	0.7
TRL1	Rear Bumper to Back of Cab	2153.2	84.8
TRL2	Fuel Tank Length	1152.9	45.4
TRL3	Rear Wheel Centerline to Fuel Tank	172.7	6.8
Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
CH16	Box Bed to Cab Roof	600.3	23.6
CH17	Box Floor to Cab Roof	1123.6	44.2
CH18	Steering Column Angle	22.9°	22.9°
CH514	Box Floor to Top of Fuel Tank	83.8	3.3
CL513	Rear Axle to Inside Box at Rear	1016.4	40.0
H6	SgRP-Front to Windshield Lwr DLO	446.2	17.6
H18	Steering Wheel Angle	26.7°	26.7°
H61	Effective Head Room Front	1037.3	40.8
H63	Effective Head Room Second	1015.4	40.0
H122	Window Slope Angle - Windshield	56.9°	56.9°
Code	2005 RAM QUAD CAB 6.5' BOX 140.5 WB	mm	in
TRW1	Outside Rail to Fuel Tank (inside)	434.2	17.1
W106	Front Fender Width	2020.5	79.5
W107	Rear Fender Width	2021.7	79.6
W116	Body Width - maximum	2021.8	79.6
W117	Body Width At SgRP - Front	2020.0	79.5
W120	Vehicle Width - Front Doors Open	3805.1	149.8
W121	Vehicle Width - Rear Doors Open	3546.5	139.6
W201	Cargo Width - Wheelhouse	1295.4	51.0
W410	Vehicle Width - Mirrors (std)	2396.2	94.3
W410A	Vehicle Width - Mirrors (opt)	2587.1	101.9
W410B	Vehicle Width - Mirrors (trailer)	2751.4	108.3



**TIRE CHART**



**FRONT & REAR VIEW**



**PLAN VIEW**



**SIDE VIEW**

[Site Map](#)

[Main Menu](#)

[Ram Home](#)

**PRINT**

ALL

IN

OUT

# QUAD CAB 2500 140.5"WB 4X2

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION

Code	2005 RAM QUAD CAB 6.5' BOX 2500 4X2 140.5 WB	LT245/70R17		LT265/70R17	
		mm	in	mm	in
CH511	Bottom of Open Hood to Ground	1870.2	73.6	1878.9	74.0
CHR22	Turn Circle Diameter(feet/meters)*		44.7 ft		44.7 ft
H5	SgRP- Front to Ground	900.0	35.4	908.7	35.8
H10	SgRP - Second to Ground	928.2	36.5	936.8	36.9
H101	Vehicle Height (curb Load)	1892.2	74.5	1900.9	74.8
H103	Front Bumper to Ground (curb wt.)	246.2	9.7	254.8	10.0
H105	Rear Bumper to Ground (curb wt.)	508.9	20.0	517.5	20.4
H106	Angle of Approach	16.1°	16.1°	16.7°	16.7°
H107	Angle of Departure	24.4°	24.4°	24.8°	24.8°
H130	Step Height - Front(curb weight)	521.9	20.5	530.5	20.9
H131	Step Height - Second(curb weight)	537.3	21.2	545.9	21.5
H147	Ramp Breakover Angle	16.2°	16.2°	16.9°	16.9°
H148	Suspension or Axle to Ground - Front	213.4	8.4	198.9	7.8
H153	Suspension or Axle to Ground - Rear	180.3	7.1	188.9	7.4
H195	Liftover Height	1343.7	52.9	1352.3	53.2
H250	Open Tailgate to Ground	837.9	33.0	846.6	33.3
W101	Tire Track - front	1742.4	68.6	1742.4	68.6
W102	Tire Track - rear	1731.5	68.2	1731.5	68.2



[● Site Map](#)

[● Main Menu](#)

[● Ram Home](#)

[PRINT](#)

[ALL](#)

[IN](#)

[OUT](#)