


MEGA CAB 4X4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



 **PLAN & SIDE VIEW**

 **CHARTS**

 **Site Map**

 **Main Menu**

 **Ram Home**

PRINT


 **ALL**

 **IN**

 **OUT**

MEGA CAB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



 FRONT & REAR VIEW

 CHARTS

 [Site Map](#)

 [Main Menu](#)

 [Ram Home](#)

[PRINT](#)

 ALL

 IN

 OUT

MEGA CAB 4X4

Code	Description	mm	in
L50	SgRP Couple distance (1-2)	1021.1	40.2
L103	Vehicle Length	6296.0	247.9
L403	Front of Bumper to Back of Cab	4142.9	163.1
L410	Cab Length	2820.8	111.1
L504	Cab to Pickup Body	17.4	0.7
TRL1	Rear Bumper to Back of Cab	2153.1	84.8
TRL2	Fuel Tank Length	1637.3	64.5

Code	Description	mm	in
CH16	Box Bed to Cab Roof	604.3	23.8
CH17	Box Floor to Cab Roof	1127.6	44.4
CH18	Steering Column Angle	22.9°	22.9°
CH514	Box Floor to Top of Fuel Tank	84.7	3.3
H6	SgRP-Front to Windshield Lwr DLO	446.2	17.6
H18	Steering Wheel Angle	26.7°	26.7°
H61	Effective Head Room Front	1035.4	40.8
H63	Effective Head Room Second	1028.7	40.5
H122	Window Slope Angle - Windshield	57.0°	57.0°

Code	Description	mm	in
TRW1	Outside Rail to Fuel Tank (inside)	364.6	14.4
W106	Front Fender Width	2020.7	79.6
W107	Rear Fender Width	2021.5	79.6
W116	Body Width - maximum	2031.0	80.0
W117	Body Width At SgRP - Front	2018.8	79.5
W120	Vehicle Width - Front Doors Open	3815.1	150.2
W121	Vehicle Width - Rear Doors Open	4046.7	159.3
W201	Cargo Width - Wheelhouse	1295.4	51.0
W410	Vehicle Width - Mirrors (std)	2396.2	94.3
W410A	Vehicle Width - Mirrors (opt)	2587.1	101.9
W410B	Vehicle Width - Mirrors (trailer)	2751.4	108.3

 **TIRE CHART**

 **FRONT & REAR VIEW**

 **PLAN & SIDE VIEW**

 **Site Map**

 **Main Menu**

 **Ram Home**

PRINT

 **ALL**

 **+**
IN

 **-**
OUT

MEGA CAB 4x4

Code	Description	245/70R17		265/70R17	
		mm	in	mm	in
CH511	Bottom of Open Hood to Ground	2068.2	81.4	2076.8	81.8
CHR22	Turn Circle Diameter(feet)		49.7		49.7
CL513	Rear Axle to Inside Box at Rear	1019.3	40.1	1019.3	40.1
H5	SgRP- Front to Ground	1005.1	39.6	1013.7	39.9
H10	SgRP - Second to Ground	1028.4	40.5	1037.0	40.8
H101	Vehicle Height (curb Load)	2000.1	78.7	2008.7	79.1
H103	Front Bumper to Ground (curb wt.)	419.5	16.5	428.1	16.9
H105	Rear Bumper to Ground (curb wt.)	589.9	23.2	598.5	23.6
H106	Angle of Approach	26.5°	26.5°	27.1°	27.1°
H107	Angle of Departure	27.9°	27.9°	28.3°	28.3°
H108	Static Load Radius-Front	363.5	14.3	372.1	14.6
H109	Static Load Radius-Rear	363.5	14.3	372.1	14.6
H130	Step Height - Front(curb weight)	649.4	25.6	658.0	25.9
H131	Step Height - Second(curb weight)	651.3	25.6	659.9	26.0
H147	Ramp Breakover Angle	23.1°	23.1°	23.7°	23.7°
H148	Suspension or Axle to Ground - Front	196.6	7.7	205.2	8.1
H153	Suspension or Axle to Ground - Rear	196.6	7.7	188.6	7.4
H195	Liftover Height	1426.0	56.1	1434.6	56.5
H250	Open Tailgate to Ground	919.1	36.2	927.7	36.5
L101	Wheelbase	4071.0	160.3	4071.0	160.3
L104	Overhang - Front	1002.0	39.4	1002.0	39.4
L105	Overhang - Rear	1218.5	48.0	1218.5	48.0
L114	Front Wheel to Front SgRP c/l	1471.6	57.9	1471.6	57.9
L404	Cab to Rear Axle	934.7	36.8	934.7	36.8
TRL3	Rear Wheel Centerline to Fuel Tank	169.8	6.7	169.8	6.7
W101	Tire Track - front	1764.3	69.5	1764.3	69.5
W102	Tire Track - rear	1731.5	68.2	1731.5	68.2



[Site Map](#)

[Main Menu](#)

[Ram Home](#)

[PRINT](#)

ALL

IN

OUT