


# DAKOTA CLUB CAB 131.3"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



 **PLAN & SIDE VIEW**

 **CHARTS**

 **Site Map**

 **Main Menu**

 **Dakota Home**

**PRINT**


 **ALL**

 **+**  
**IN**

 **-**  
**OUT**

# DAKOTA CLUB CAB 131.3"WB 4x4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



**FRONT & REAR VIEW**



**CHARTS**

[Site Map](#)

[Main Menu](#)

[Dakota Home](#)

[PRINT](#)

[ALL](#)

[IN](#)

[OUT](#)

# DAKOTA CLUB CAB 131.3"WB 4x4

| Code  | Description                        | mm     | in    |
|-------|------------------------------------|--------|-------|
| L50   | SgRP Couple distance (1-2)         | 613.0  | 24.1  |
| L103  | Vehicle Length                     | 5558.2 | 218.8 |
| L403  | Front of Bumper to Back of Cab     | 3320.2 | 130.7 |
| L410  | Cab Length                         | 1976.6 | 77.8  |
| L504  | Cab to Pickup Body                 | 23.0   | 0.9   |
| TRL1  | Rear Bumper to Back of Cab         | 2238.0 | 88.1  |
| TRL2  | Fuel Tank Length                   | 1606.4 | 63.2  |
|       |                                    |        |       |
| Code  | Description                        | mm     | in    |
| CH16  | Box Bed to Cab Roof                | 531.5  | 20.9  |
| CH17  | Box Floor to Cab Roof              | 982.0  | 38.7  |
| CH18  | Steering Column Angle              | 24.0°  | 24.0° |
| CH514 | Box Floor to Top of Fuel Tank      | 99.5   | 3.9   |
| H6    | SgRP-Front to Windshield Lwr DLO   | 460.0  | 18.1  |
| H18   | Steering Wheel Angle               | 24.0°  | 24.0° |
| H61   | Effective Head Room Front          | 1005.3 | 39.6  |
| H63   | Effective Head Room Second         | 928.3  | 36.5  |
| H122  | Window Slope Angle - Windshield    | 55.1°  | 55.1° |
|       |                                    |        |       |
| Code  | Description                        | mm     | in    |
| TRW1  | Outside Rail to Fuel Tank (inside) | 434.8  | 17.1  |
| W106  | Front Fender Width                 | 1825.4 | 71.9  |
| W107  | Rear Fender Width                  | 1883.3 | 74.1  |
| W116  | Body Width - maximum               | 1887.6 | 74.3  |
| W117  | Body Width At SgRP - Front         | 1821.7 | 71.7  |
| W120  | Vehicle Width - Front Doors Open   | 3688.4 | 145.2 |
| W121  | Vehicle Width - Rear Doors Open    | 2952.8 | 116.3 |
| W201  | Cargo Width - Wheelhouse           | 1146.9 | 45.2  |
| W410  | Vehicle Width - Mirrors (std)      | 2084.8 | 82.1  |
| W410A | Vehicle Width - Mirrors (opt)      | 2190.9 | 86.3  |

**TIRE CHART**

**FRONT & REAR VIEW**

**PLAN & SIDE VIEW**

[Site Map](#)

[Main Menu](#)

[Dakota Home](#)

**PRINT**

ALL

IN

OUT

# DAKOTA CLUB CAB 131.3"WB 4x4

| Code  | Description                         | 245/70R16 |          | 265/70R16 |          | 265/65R17 |          |
|-------|-------------------------------------|-----------|----------|-----------|----------|-----------|----------|
|       |                                     | Metric    | English  | Metric    | English  | Metric    | English  |
| CH511 | Bottom of Open Hood to Ground       | 1702.6 mm | 67.0 in  | 1721.9 mm | 67.8 in  | 1719.1 mm | 67.7 in  |
| CHR22 | Turn Circle Diameter (feet/meters)* |           | 43.3 ft  |           | 43.3 ft  |           | 43.3 ft  |
| CL513 | Rear Axle to Inside Box at Rear     | 1014.6 mm | 39.9 in  | 1014.6 mm | 39.9 in  | 1014.6 mm | 39.9 in  |
| H5    | SgRP-Front to Ground                | 790.0 mm  | 31.1 in  | 809.2 mm  | 31.9 in  | 806.8 mm  | 31.8 in  |
| H10   | SgRP-Second to Ground               | 829.4 mm  | 32.7 in  | 848.5 mm  | 33.4 in  | 846.3 mm  | 33.3 in  |
| H101  | Vehicle Height(curbLoad)            | 1745.4 mm | 68.7 in  | 1764.5 mm | 69.5 in  | 1762.3 mm | 69.4 in  |
| H103  | Front Bumper to Ground(curbwt.)     | 320.0 mm  | 12.6 in  | 339.3 mm  | 13.4 in  | 336.5 mm  | 13.2 in  |
| H105  | Rear Bumper to Ground(curbwt.)      | 485.6 mm  | 19.1 in  | 504.6 mm  | 19.9 in  | 502.9 mm  | 19.8 in  |
| H106  | Angle of Approach                   | 23.0 deg  | 23.0 deg | 24.5 deg  | 24.5 deg | 24.2 deg  | 24.2 deg |
| H107  | Angle of Departure                  | 22.9 deg  | 22.9 deg | 23.9 deg  | 23.9 deg | 23.8 deg  | 23.8 deg |
| H108  | Static Load-Tire Radius-Front*      | 347.9 mm  | 13.7 in  | 369.7 mm  | 14.6 in  | 364.9 mm  | 14.4 in  |
| H109  | StaticLoad-Tire Radius-Rear*        | 353.8 mm  | 13.9 in  | 375.0 mm  | 14.8 in  | 370.8 mm  | 14.6 in  |
| H130  | Step Height - Front(curbweight)     | 518.8 mm  | 20.4 in  | 538.0 mm  | 21.2 in  | 535.5 mm  | 21.1 in  |
| H131  | Step Height - Second(curbweight)    | 545.3 mm  | 21.5 in  | 564.4 mm  | 22.2 in  | 562.2 mm  | 22.1 in  |
| H147  | Ramp Breakover Angle                | 20.0 deg  | 20.0 deg | 21.9 deg  | 21.9 deg | 21.5 deg  | 21.5 deg |
| H148  | Suspension or Axel to Ground-Front  | 201.5 mm  | 7.9 in   | 220.7 mm  | 8.7 in   | 218.0 mm  | 8.6 in   |
| H153  | Suspension or Axel to Ground-Rear   | 209.0 mm  | 8.2 in   | 228.0 mm  | 9.0 in   | 226.1 mm  | 8.9 in   |
| H195  | Liftover Height                     | 1252.6 mm | 49.3 in  | 1271.6 mm | 50.1 in  | 1270.0 mm | 50.0 in  |
| H250  | Open Tailgate to Ground             | 815.4 mm  | 32.1 in  | 834.4 mm  | 32.9 in  | 832.8 mm  | 32.8 in  |
| L101  | Wheelbase                           | 3335.3 mm | 131.3 in | 3335.3 mm | 131.3 in | 3335.3 mm | 131.3 in |
| L104  | Overhang-Front                      | 983.1 mm  | 38.7 in  | 983.1 mm  | 38.7 in  | 983.1 mm  | 38.7 in  |
| L105  | Overhang-Rear                       | 1239.8 mm | 48.8 in  | 1239.8 mm | 48.8 in  | 1239.8 mm | 48.8 in  |
| L114  | Front Wheel to Front SgRP c/l       | 1457.1 mm | 57.4 in  | 1457.1 mm | 57.4 in  | 1457.1 mm | 57.4 in  |
| L404  | Cab to Rear Axle                    | 998.2 mm  | 39.3 in  | 998.2 mm  | 39.3 in  | 998.2 mm  | 39.3 in  |
| TRL3  | Rear Wheel Center line to Fuel Tank | 148.4 mm  | 5.8 in   | 148.4 mm  | 5.8 in   | 148.4 mm  | 5.8 in   |
| W101  | Tire Track-front                    | 1594.5 mm | 62.8 in  | 1594.5 mm | 62.8 in  | 1594.5 mm | 62.8 in  |
| W102  | Tire Track-rear                     | 1598.0 mm | 62.9 in  | 1598.0 mm | 62.9 in  | 1598.0 mm | 62.9 in  |



[Site Map](#)

[Main Menu](#)

[Dakota Home](#)

[PRINT](#)

ALL

IN

OUT