

2007

Consumer Information

Dodge Trucks for Camper Application

Under the authority of the National Traffic and Motor Vehicle Safety Act, the National Highway Traffic Safety Administration (NHTSA) has established certain requirements concerning trucks capable of accommodating slide-in campers. Manufacturers of such trucks are required to provide, "... the cargo weight rating and the longitudinal limits within which the center of gravity should be located."

This booklet is a compilation of that data. It is designed for the use and guidance of prospective purchasers who intend to use Dodge light-duty pickup trucks to carry slide-in campers and related equipment.

Because conditions of improper load distribution or overloading can have adverse effects on vehicle steering and braking ... possibly resulting in accidents ... knowledge of the cargo weight rating and location of the center of gravity should be important factors to the prospective purchaser of any truck-camper combination.

In keeping with governmental requirements, this information must be maintained in truck dealerships and must be made available to all prospective purchasers who request it. If it becomes necessary to revise this information during a model year, dealers are responsible for making such revisions available to the public.

DaimlerChrysler Corporation

.....

EXCLUSIONS:

The following Dodge Truck models are **NOT** recommended for slide-in camper applications:

DODGE RAM

- All 4x4 models equipped with snow plow prep packages.
- All Dodge Ram 2500 Power Wagon models.


Additional copies of this
publication are available
at no cost from:

DaimlerChrysler Corporation
P.O. Box 3189
Highland Park, Michigan 48203

81-316-0704A

Printed in U.S.A.

CONSUMER INFORMATION: TRUCK-CAMPER LOADING



The tables on the following pages designate the Cargo Weight Rating and the Center of Gravity Zone for each vehicle listed.

- CARGO WEIGHT RATING (CWR) for a given truck model is the cargo capacity, in pounds, excluding the weight of occupants in the cab of the vehicle.
- CENTER OF GRAVITY (CG) ZONE is the area BETWEEN the forward limit dimension "A", and the rearward limit dimension "B" ... both measured in inches from the rear end of the truck bed or pickup box (see illustration above).

USING THE TABLES:

- At the top of each page are descriptions of the truck models; wheelbase; type of cab; size of pickup box; style of seats; and the gross vehicle weight rating (GVWR) applicable to the truck.
- Sub-headings classify the CWR and CG zone dimensions based on engine types available. Under the "options" column, items of optional equipment (related to the vehicle's intended use) are listed in various combinations, indicating their influence on CWR figures.
- When reading the tables, you will notice that, as more optional equipment is added to the base vehicle (reading down from line 1 to line 8), the CWR is decreased due to the additional weight of the options. At the same time, the size of the CG zone changes due to the LOCATION of the added weight.

INSTALLING THE CAMPER:

- The center of gravity (CG) of the loaded camper, as determined and marked by the camper manufacturer, must fall within the CG zone of the truck (see illustration above).
- The total weight of the fully-equipped camper, furnished by the camper manufacturer, should not exceed the CWR of the truck. After the camper and auxiliary equipment is installed, proper loading should be verified on an accurate truck scale before putting the vehicle into service.
- Be sure the gross vehicle weight rating (GVWR) of the truck is not exceeded and that the loading on front and rear axle systems does not exceed their respective gross axle weight ratings (GAWR).

NOTE: GVWR and GAWR data for the truck appears on the Safety Certification label, located on the door-latch post, on the driver's side.

2007 RAM QUAD CAB 1500 CAMPER GUIDE

Model/Wheelbase:	Ram 1500 4X2/140.5 & 160.5 in. All Engines	DR1H41
Cab (Box) Seats	All Quad Cab SLT (All Boxes) All Seats	DR1H42
GVWR (lbs)	All	

These models are not recommended for slide-in camper applications.

Model/Wheelbase:	Ram 1500 4X2/140.5 & 160.5 in. All Engines	DR1L41
Cab (Box) Seats	All Quad Cab ST (All Boxes) All Seats	DR1L42
GVWR (lbs)	All	

These models are not recommended for slide-in camper applications.

Model/Wheelbase:	Ram 1500 4X2 / 140.5 & 160.5 in. All Engines	DR1P41
Cab (Box) Seats	All Quad Cab LARAMIE (All Boxes) All Seats	
GVWR (lbs)	All	

These models are not recommended for slide-in camper applications.

Model/Wheelbase:	Ram 1500 4X4 / 140.5 & 160.5 All Engines	DR6H41
Cab (Box) Seats	All Quad Cab SLT (All Boxes) All Seats	DR6H42
GVWR (lbs)	All	

These models are not recommended for slide-in camper applications.

Model/Wheelbase:	Ram 1500 4X4 / 140.5 & 160.5 All Engines	DR6L41
Cab (Box) Seats	All Quad Cab ST (All Boxes) All Seats	DR6L42
GVWR (lbs)	All	

These models are not recommended for slide-in camper applications.

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.9L I-6 HO Diesel**

DH2H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1304	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1439	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **6.7L I-6 Turbo Diesel**

DH2H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1211	69/ 175	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1345	74/ 187	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.7L V-8**

DH2H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1859	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1993	75/ 190	25/ 63

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.9L I-6 HO Diesel**

DH2H42

Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1155	58/ 147	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1289	67/ 170	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **6.7 I-6 Turbo Diesel**

DH2H42

Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1062	45/ 114	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1196	56/ 142	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.7L V-8**

DH2H42

Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1739	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1874	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.9L I-6 HO Diesel**

DH2L41

Cab (Box) Seats Quad Cab ST (6.5' Box) Bench

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1492	72/ 182	25/ 63

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X2/140.5 in. **6.7L I-6 Turbo Diesel** **DH2L41**

Cab (Box) Seats Quad Cab ST (6.5' Box) Bench

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1399	65/ 165	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.7L V-8** **DH2L41**

Cab (Box) Seats Quad Cab ST (6.5' Box) Bench

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2048	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.9L I-6 HO Diesel** **DH2L42**

Cab (Box) Seats Quad Cab ST (8.0' Box) Bench

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1344	57/ 144	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **DH2L42**

Cab (Box) Seats Quad Cab ST (8.0' Box) Bench

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1250	46/ 116	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.7L V-8** **DH2L42**

Cab (Box) Seats Quad Cab ST (8.0' Box) Bench

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1929	75/ 190	25/ 63

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.9L I-6 HO Diesel**
 Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
 GVWR (lbs) 9000

DH2P41

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1288	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1432	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **6.7L I-6 Turbo Diesel**
 Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
 GVWR (lbs) 9000

DH2P41

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1195	69/ 175	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1339	74/ 187	25/ 63

Model/Wheelbase: Ram 2500 4X2/140.5 in. **5.7L V-8**
 Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
 GVWR (lbs) 8800

DH2P41

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1843	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1987	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.9L I-6 HO Diesel**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets
 GVWR (lbs) 9000

DH2P42

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1139	57/ 144	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1283	67/ 170	25/ 63

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X2/160.5 in. **6.7L I-6 Turbo Diesel**

DH2P42

Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets

GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1045	44/ 111	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1189	56/ 142	25/ 63

Model/Wheelbase: Ram 2500 4X2/160.5 in. **5.7L V-8**

DH2P42

Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1724	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1868	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.9L I-6 HO Diesel**

DH7H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench

GVWR (lbs) 9000

These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.9L I-6 HO Diesel**

DH7H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Buckets

GVWR (lbs) 9000

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
983	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **6.7L I-6 Turbo Diesel**

DH7H41

Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets

GVWR (lbs) 9000

These models are not recommended for slide-in camper applications.

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.7L V-8** **DH7H41**
Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets
GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1405	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1539	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.7L V-8** **DH7H41**
Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench **Power Wagon**
GVWR (lbs) 8510
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.9L I-6 HO Diesel** **DH7H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **DH7H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.7L V-8** **DH7H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1289	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1424	75/ 190	25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.9L I-6 HO Diesel** **DH7L41**
Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
GVWR (lbs) 9000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1086	75/ 190	25/ 63

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **DH7L41**
Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
GVWR (lbs) 9000

BENCH

	"A" (in /cm)	"B" (in /cm)
CWR (lbs)	75/ 190	25/ 63
993		

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.7L V-8** **DH7L41**
Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
GVWR (lbs) 8800

BENCH

	"A" (in /cm)	"B" (in /cm)
CWR (lbs)	75/ 190	25/ 63
1644		

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.9L I-6 HO Diesel** **DH7L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **DH7L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.7L V-8** **DH7L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 8800

BENCH

	"A" (in /cm)	"B" (in /cm)
CWR (lbs)	75/ 190	25/ 63
1480		

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.9L I-6 HO Diesel** **DH7P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.9L I-6 HO Diesel** **DH7P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Buckets
GVWR (lbs) 9000
BUCKETS
"A" "B"
CWR (lbs) (in /cm) (in /cm)
1024 75/ 190 25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **DH7P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **DH7P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Buckets
GVWR (lbs) 9000
BUCKETS
"A" "B"
CWR (lbs) (in /cm) (in /cm)
931 75/ 190 25/ 63

Model/Wheelbase: Ram 2500 4X4/140.5 in. **5.7L V-8** **DH7P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
GVWR (lbs) 8800
BENCH
"A" "B"
CWR (lbs) (in /cm) (in /cm)
1436 75/ 190 25/ 63
BUCKETS
"A" "B"
CWR (lbs) (in /cm) (in /cm)
1580 75/ 190 25/ 63

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.9L I-6 HO Diesel** **DH7P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.96.7L I-6 Turbo Diesel** **DH7P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets
GVWR (lbs) 9000
These models are not recommended for slide-in camper applications.

2007 RAM QUAD CAB 2500 CAMPER GUIDE

Model/Wheelbase: Ram 2500 4X4/160.5 in. **5.7L V-8**

DH7P42

Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets

GVWR (lbs) 8800

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1272	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1416	75/ 190	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X2/140.5 in. **5.9L I-6 HO Diesel** **D13H41**
Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2294	59/ 149	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2455	63/ 160	25/ 63

Model/Wheelbase: Ram 3500 4X2/140.5 in. **6.7L I-6 Turbo Diesel** **D13H41**
Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2190	54/ 137	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2348	58/ 147	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets w/ DRW
GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3186	45/ 114	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3345	50/ 127	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2154	49/ 124	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2313	56/ 142	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench w/ DRW
GVWR (lbs) 11500
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Buckets w/ DRW
GVWR (lbs) 11500

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3241	45/ 114	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench
GVWR (lbs) 10100
These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Buckets
GVWR (lbs) 10100

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2209	49/ 124	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.7L V-8** **D13H42**
Cab (Box) Seats Quad SLT (8.0' Box) Bench / Buckets w/ DRW
GVWR (lbs) 11000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3466	51/ 129	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3625	55/ 139	25/ 63

Model/Wheelbase: Ram 3500 4X2/140.5 in. **5.9L I-6 HO Diesel** **D13L41**
Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2461	64/ 162	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X2/140.5 in. **6.7L I-6 Turbo Diesel** **D13L41**
Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2346	59/ 149	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3343	50/ 127	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2320	57/ 144	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3239	45/ 114	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2216	50/ 127	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.7L V-8** **D13L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
GVWR (lbs) 11000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3634	55/ 139	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X2/140.5 in. **5.9L I-6 HO Diesel** **D13P41**
 Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2248	59/ 149	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2433	63/ 160	25/ 63

Model/Wheelbase: Ram 3500 4X2/140.5 in. **6.7L I-6 Turbo Diesel** **D13P41**
 Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2145	53/ 134	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2330	58/ 147	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ DRW
 GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3141	44/ 111	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3326	49/ 114	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.9L I-6 HO Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ SRW
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2109	48/ 121	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2294	55/ 139	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench w/ DRW
 GVWR (lbs) 11500
 These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Buckets w/ DRW
 GVWR (lbs) 11500

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3223	45/ 114	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench
 GVWR (lbs) 10100
 These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X2/160.5 in. **6.7L I-6 Turbo Diesel** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Buckets
 GVWR (lbs) 10100

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2190	49/ 124	25/ 63

Model/Wheelbase: Ram 3500 4X2/160.5 in. **5.7L V-8** **D13P42**
 Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ DRW
 GVWR (lbs) 11000

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3421	50/ 127	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3606	55/ 139	25/ 63

Model/Wheelbase: Ram 3500 4X4/140.5 in. **5.9L I-6 HO Diesel** **D18H41**
 Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1822	67/ 170	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1983	72/ 182	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **D18H41**
Cab (Box) Seats Quad Cab SLT (6.5' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1719	61/ 154	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1878	66/ 167	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets w/ DRW
GVWR (lbs) 12200

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3442	47/ 119	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3601	52/ 132	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1691	56/ 142	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1850	64/ 162	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench w/ DRW
GVWR (lbs) 12200

These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18H42**
Cab (Box) Seats Quad Cab SLT (8.0' Box) Buckets w/ DRW
GVWR (lbs) 12200

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3497	47/ 119	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18H42**
 Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1588	47/ 119	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1746	56/ 142	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.7L V-8** **D18H42**
 Cab (Box) Seats Quad Cab SLT (8.0' Box) Bench / Buckets w/ DRW
 GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3522	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3681	75/ 190	25/ 63

Model/Wheelbase: Ram 3500 4X4/140.5 in. **5.9L I-6 HO Diesel** **D18L41**
 Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2044	73/ 185	25/ 63

Model/Wheelbase: Ram 3500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **D18L41**
 Cab (Box) Seats Quad Cab ST (6.5' Box) Bench
 GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1930	68/ 172	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18L42**
 Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
 GVWR (lbs) 12200

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3604	52/ 132	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1864	65/ 165	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
GVWR (lbs) 12200

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3501	48/ 121	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1760	57/ 144	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.7L V-8** **D18L42**
Cab (Box) Seats Quad Cab ST (8.0' Box) Bench w/ DRW
GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3695	75/ 190	25/ 63

Model/Wheelbase: Ram 3500 4X4/140.5 in. **5.9L I-6 HO Diesel** **D18P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1825	67/ 170	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
2010	72/ 182	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X4/140.5 in. **6.7L I-6 Turbo Diesel** **D18P41**
Cab (Box) Seats Quad Cab Laramie (6.5' Box) Bench / Buckets
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1721	60/ 152	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1906	66/ 167	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ DRW
GVWR (lbs) 12200

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3399	46/ 116	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3584	51/ 129	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.9L I-6 HO Diesel** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ SRW
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1648	55/ 139	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1833	63/ 160	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench w/ DRW
GVWR (lbs) 12200

These models are not recommended for slide-in camper applications.

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Turbo Diesel** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Buckets w/ DRW
GVWR (lbs) 12200

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3481	47/ 119	25/ 63

2007 RAM QUAD CAB 3500 CAMPER GUIDE

Model/Wheelbase: Ram 3500 4X4/160.5 in. **6.7L I-6 Tubro Diesel** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ SRW
GVWR (lbs) 10100

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1546	45/ 114	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
1731	55/ 139	25/ 63

Model/Wheelbase: Ram 3500 4X4/160.5 in. **5.7L V-8** **D18P42**
Cab (Box) Seats Quad Cab Laramie (8.0' Box) Bench / Buckets w/ DRW
GVWR (lbs) 11500

BENCH

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3479	75/ 190	25/ 63

BUCKETS

	"A"	"B"
CWR (lbs)	(in /cm)	(in /cm)
3664	75/ 190	25/ 63