

DAKOTA MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Dakota 4x2 Reg. Cab Base AN1E61 - 6.5' Box	3.7L V6	M5	3.55	5000	1250	3753	2215	1538	3100	3106	8000	4100
	3.7L V6	M5	3.55	5900	2120	3782	2223	1559	3100	3106	8800	4850
	3.7L V6	A4	3.55	5000	1230	3774	2225	1549	3100	3106	8800	4900
	3.7L V6	A4	3.92	5000	1230	3774	2225	1549	3100	3106	9200	5300
	3.7L V6	A4	3.92	5900	2100	3803	2233	1571	3100	3106	9200	5250
Dakota 4x4 Reg. Cab Base AN5E61 - 6.5' Box	3.7L V6	M5	3.55	5400	1380	4022	2396	1626	3600	3806	8000	3850
	3.7L V6	M5	3.92	5400	1380	4022	2396	1626	3600	3806	8800	4650
	3.7L V6	M5	3.55	5900	1870	4031	2397	1634	3600	3806	8000	3800
	3.7L V6	M5	3.92	5900	1870	4031	2397	1634	3600	3806	8800	4600
	3.7L V6	A4	3.92	5400	1350	4047	2409	1638	3600	3806	9200	5000
	3.7L V6	A4	3.92	5900	1840	4056	2410	1646	3600	3806	9200	5000
Dakota 4x2 Reg. Cab SLT AN1H61 - 6.5' Box	3.7L V6	M5	3.55	5000	1290	3714	2198	1516	3100	3106	8000	4150
	3.7L V6	M5	3.55	5900	2150	3747	2210	1538	3100	3106	8000	4100
	3.7L V6	A4	3.55	5000	1270	3735	2208	1527	3100	3106	8800	4900
	3.7L V6	A4	3.92	5000	1270	3735	2208	1527	3100	3106	9200	5300
	3.7L V6	A4	3.92	5900	2130	3768	2220	1549	3100	3106	9200	5300
	4.7L V8	M5	3.55	5000	1240	3761	2226	1535	3100	3106	9500	5600
	4.7L V8	M5	3.92	5000	1240	3761	2226	1535	3100	3106	10500	6600
	4.7L V8	M5	3.55	5900	2110	3793	2237	1557	3100	3106	9500	5550
	4.7L V8	M5	3.92	5900	2110	3793	2237	1557	3100	3106	10500	6550
	4.7L V8	A5	3.55	5000	1170	3826	2268	1558	3100	3106	9200	5200
	4.7L V8	A5	3.92	5000	1170	3826	2268	1558	3100	3106	10500	6500
	4.7L V8	A5	3.55	5900	2040	3858	2278	1580	3100	3106	9200	5200
	4.7L V8	A5	3.92	5900	2040	3858	2278	1580	3100	3106	10500	6500
	4.7L V8	A5	3.92	5900	2040	3858	2278	1580	3100	3106	10500	6500
Dakota 4x4 Reg. Cab SLT AN5H61 - 6.5' Box	3.7L V6	M5	3.55	5400	1410	3993	2377	1616	3600	3806	8000	3850
	3.7L V6	M5	3.92	5400	1410	3993	2377	1616	3600	3806	8800	4650
	3.7L V6	M5	3.55	5900	1900	4002	2378	1624	3600	3806	8000	3850
	3.7L V6	M5	3.92	5900	1900	4002	2378	1624	3600	3806	8800	4650
	3.7L V6	A4	3.92	5400	1380	4018	2390	1628	3600	3806	9200	5050
	3.7L V6	A4	3.92	5900	1870	4027	2391	1636	3600	3806	9200	5000
	4.7L V8	M5	3.55	5400	1360	4041	2418	1623	3600	3806	9500	5300
	4.7L V8	M5	3.92	5400	1360	4041	2418	1623	3600	3806	10500	6300
	4.7L V8	M5	3.55	5900	1850	4050	2419	1631	3600	3806	9500	5300
	4.7L V8	M5	3.92	5900	1850	4050	2419	1631	3600	3806	10500	6300
	4.7L V8	A5	3.55	5400	1290	4111	2464	1647	3600	3806	9200	4950
	4.7L V8	A5	3.92	5400	1290	4111	2464	1647	3600	3806	10500	6250
	4.7L V8	A5	3.55	5900	1780	4120	2465	1655	3600	3806	9200	4950
	4.7L V8	A5	3.92	5900	1780	4120	2465	1655	3600	3806	10500	6250
	4.7L V8	A5	3.92	5900	1780	4120	2465	1655	3600	3806	10500	6250
Dakota Reg. Cab 4x2 Sport AN1M61 - 6.5' Box	3.7L V6	M5	3.55	5000	1270	3733	2213	1520	3100	3106	8000	4100
	3.7L V6	M5	3.55	5900	2130	3767	2225	1542	3100	3106	8000	4100
	3.7L V6	A4	3.55	5000	1250	3754	2223	1532	3100	3106	8800	4900
	3.7L V6	A4	3.92	5000	1250	3754	2223	1532	3100	3106	9200	5300
	3.7L V6	A4	3.92	5900	2110	3788	2234	1553	3100	3106	9200	5250
	4.7L V8	M5	3.55	5000	1220	3779	2238	1541	3100	3106	9500	5550
	4.7L V8	M5	3.92	5000	1220	3779	2238	1541	3100	3106	10500	6550
	4.7L V8	M5	3.55	5900	2090	3811	2249	1562	3100	3106	9500	5550
	4.7L V8	M5	3.92	5900	2090	3811	2249	1562	3100	3106	10500	6550
	4.7L V8	A5	3.55	5000	1160	3844	2280	1564	3100	3106	9200	5200
	4.7L V8	A5	3.92	5000	1160	3844	2280	1564	3100	3106	10500	6500
	4.7L V8	A5	3.55	5900	2020	3876	2291	1586	3100	3106	9200	5150
	4.7L V8	A5	3.92	5900	2020	3876	2291	1586	3100	3106	10500	6450
	4.7L V8	A5	3.92	5900	2020	3876	2291	1586	3100	3106	10500	6450
	4.7L V8	A5	3.92	5900	2020	3876	2291	1586	3100	3106	10500	6450
Dakota Reg. Cab 4x4 Sport AN5M61 - 6.5' Box	3.7L V6	M5	3.55	5400	1410	3994	2393	1601	3600	3806	8000	3850
	3.7L V6	M5	3.92	5400	1410	3994	2393	1601	3600	3806	8800	4650
	3.7L V6	M5	3.55	5900	1900	4003	2394	1609	3600	3806	8000	3850
	3.7L V6	M5	3.92	5900	1900	4003	2394	1609	3600	3806	8800	4650
	3.7L V6	A4	3.92	5400	1380	4019	2406	1613	3600	3806	9200	5050
	3.7L V6	A4	3.92	5900	1870	4028	2407	1621	3600	3806	9200	5000
	4.7L V8	M5	3.55	5400	1360	4044	2424	1620	3600	3806	9500	5300
	4.7L V8	M5	3.92	5400	1360	4044	2424	1620	3600	3806	10500	6300
	4.7L V8	M5	3.55	5900	1850	4053	2425	1627	3600	3806	8800	4600
	4.7L V8	M5	3.92	5900	1850	4053	2425	1627	3600	3806	9200	5000
	4.7L V8	A5	3.55	5400	1290	4113	2470	1643	3600	3806	9200	4950
	4.7L V8	A5	3.92	5400	1290	4113	2470	1643	3600	3806	10500	6250
	4.7L V8	A5	3.55	5900	1780	4122	2471	1651	3600	3806	8800	4550
	4.7L V8	A5	3.92	5900	1780	4122	2471	1651	3600	3806	9200	4950
	4.7L V8	A5	3.92	5900	1780	4122	2471	1651	3600	3806	9200	4950

NOTES:

1. Payload = GVWR - Curb Wt.
2. Maximum Trailer Weights are rounded to the nearest 50 and Payload to the nearest 10 lbs.
3. Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

DAKOTA MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Dakota Club Cab 4x2 Base AN1E31 - 6.5' Box	3.7L V6	M5	3.55	5350	1500	3855	2278	1577	3100	3106	8000	4000
	3.7L V6	M5	3.55	6010	2130	3881	2290	1591	3100	3106	8000	3950
	3.7L V6	A4	3.55	5350	1480	3874	2289	1585	3100	3106	8800	4800
	3.7L V6	A4	3.92	5350	1480	3874	2289	1585	3100	3106	9200	5200
	3.7L V6	A4	3.92	6010	2110	3900	2300	1599	3100	3106	9200	5150
Dakota Club Cab 4x4 Base AN5E31 - 6.5' Box	3.7L V6	M5	3.55	6010	1790	4215	2516	1699	3600	3806	8000	3650
	3.7L V6	M5	3.92	6010	1790	4215	2516	1699	3600	3806	8800	4450
	3.7L V6	A4	3.92	6010	1770	4240	2531	1709	3600	3806	9200	4800
Dakota Club Cab 4x2 SLT AN1H31 - 6.5' Box	3.7L V6	M5	3.55	5350	1520	3829	2272	1557	3100	3106	8000	4000
	3.7L V6	M5	3.55	6010	2160	3855	2284	1571	3100	3106	8000	4000
	3.7L V6	A4	3.55	5350	1500	3848	2283	1566	3100	3106	8800	4800
	3.7L V6	A4	3.92	5350	1500	3848	2283	1566	3100	3106	9200	5200
	3.7L V6	A4	3.92	6010	2140	3874	2294	1580	3100	3106	9200	5200
	4.7L V8	M5	3.55	5350	1450	3898	2314	1585	3100	3106	9500	5450
	4.7L V8	M5	3.92	5350	1450	3898	2314	1585	3100	3106	10500	6450
	4.7L V8	M5	3.55	6010	2090	3925	2324	1601	3100	3106	8800	4750
	4.7L V8	M5	3.92	6010	2090	3925	2324	1601	3100	3106	9200	5150
	4.7L V8	A5	3.55	5350	1390	3962	2358	1604	3100	3106	9200	5100
	4.7L V8	A5	3.92	5350	1390	3962	2358	1604	3100	3106	10500	6400
	4.7L V8	A5	3.55	6010	2020	3988	2369	1620	3100	3106	8800	4650
	4.7L V8	A5	3.92	6010	2020	3988	2369	1620	3100	3106	9200	5050
Dakota Club Cab 4x4 SLT AN5H31 - 6.5' Box	3.7L V6	M5	3.55	6010	1820	4191	2508	1683	3600	3806	8000	3650
	3.7L V6	M5	3.92	6010	1820	4191	2508	1683	3600	3806	8800	4450
	3.7L V6	A4	3.92	6010	1790	4216	2523	1693	3600	3806	9200	4850
	4.7L V8	M5	3.55	6010	1760	4245	2540	1705	3600	3806	9500	5100
	4.7L V8	M5	3.92	6010	1760	4245	2540	1705	3600	3806	10500	6100
	4.7L V8	A5	3.55	6010	1700	4315	2589	1726	3600	3806	9200	4750
	4.7L V8	A5	3.92	6010	1700	4315	2589	1726	3600	3806	10500	6050
Dakota Club Cab 4x2 Sport AN1M31 - 6.5' Box	3.7L V6	M5	3.55	5350	1510	3835	2271	1564	3100	3106	8000	4000
	3.7L V6	M5	3.55	6010	2150	3861	2283	1578	3100	3106	8000	4000
	3.7L V6	A4	3.92	6010	2130	3880	2293	1587	3100	3106	9200	5150
	3.7L V6	A4	3.55	5350	1500	3854	2281	1573	3100	3106	8800	4800
	3.7L V6	A4	3.92	5350	1500	3854	2281	1573	3100	3106	9200	5200
	4.7L V8	M5	3.55	5350	1450	3898	2310	1589	3100	3106	9500	5450
	4.7L V8	M5	3.92	5350	1450	3898	2310	1589	3100	3106	10500	6450
	4.7L V8	M5	3.55	6010	2090	3925	2320	1605	3100	3106	8800	4750
	4.7L V8	M5	3.92	6010	2090	3925	2320	1605	3100	3106	9200	5150
	4.7L V8	A5	3.55	5350	1390	3962	2354	1608	3100	3106	9200	5100
	4.7L V8	A5	3.92	5350	1390	3962	2354	1608	3100	3106	10500	6400
	4.7L V8	A5	3.55	6010	2020	3988	2365	1624	3100	3106	8800	4650
	4.7L V8	A5	3.92	6010	2020	3988	2365	1624	3100	3106	9200	5050
Dakota Club Cab 4x4 Sport AN5M31 - 6.5' Box	3.7L V6	M5	3.55	6010	1880	4128	2475	1653	3600	3806	8000	3700
	3.7L V6	M5	3.92	6010	1880	4128	2475	1653	3600	3806	8800	4500
	3.7L V6	A4	3.92	6010	1860	4153	2490	1663	3600	3806	9200	4900
	4.7L V8	M5	3.55	6010	1770	4243	2537	1706	3600	3806	9500	5100
	4.7L V8	M5	3.92	6010	1770	4243	2537	1706	3600	3806	10500	6100
	4.7L V8	A5	3.55	6010	1700	4313	2586	1727	3600	3806	9200	4750
	4.7L V8	A5	3.92	6010	1700	4313	2586	1727	3600	3806	10500	6050

NOTES:

1. Payload = GVWR - Curb Wt.
2. Maximum Trailer Weights are rounded to the nearest 50 and Payload to the nearest 10 lbs.
3. Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

DAKOTA MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Dakota Quad Cab 4x2 SLT AN1H84 - 5'3" box	3.7L V6	M5	3.55	6010	1800	4208	2381	1826	3100	3806	8000	3650
	3.7L V6	M5	3.92	6010	1800	4208	2381	1826	3100	3806	8800	4450
	3.7L V6	A4	3.55	6010	1780	4226	2391	1834	3100	3806	8800	4400
	3.7L V6	A4	3.92	6010	1780	4226	2391	1834	3100	3806	9200	4800
	4.7L V8	M5	3.55	6010	1750	4261	2411	1850	3100	3806	9500	5100
	4.7L V8	M5	3.92	6010	1750	4261	2411	1850	3100	3806	10500	6100
	4.7L V8	A5	3.55	6010	1690	4323	2455	1868	3100	3806	9200	4750
	4.7L V8	A5	3.92	6010	1690	4323	2455	1868	3100	3806	10500	6050
Dakota Quad Cab 4x4 SLT AN5H84 - 5'3" box	3.7L V6	M5	3.55	6010	1550	4463	2570	1893	3600	3806	8000	3400
	3.7L V6	M5	3.92	6010	1550	4463	2570	1893	3600	3806	8800	4200
	3.7L V6	A4	3.55	6010	1520	4488	2585	1903	3600	3806	8800	4150
	3.7L V6	A4	3.92	6010	1520	4488	2585	1903	3600	3806	9200	4550
	4.7L V8	M5	3.55	6010	1500	4509	2604	1905	3600	3806	9500	4850
	4.7L V8	M5	3.92	6010	1500	4509	2604	1905	3600	3806	10500	5850
	4.7L V8	A5	3.55	6010	1430	4579	2654	1925	3600	3806	9200	4450
	4.7L V8	A5	3.92	6010	1430	4579	2654	1925	3600	3806	10500	5750
Dakota Quad Cab 4x2 Sport AN1M84 - 5'3" box	3.7L V6	M5	3.55	6010	1790	4217	2383	1834	3100	3806	8000	3650
	3.7L V6	M5	3.92	6010	1790	4217	2383	1834	3100	3806	8800	4450
	3.7L V6	A4	3.55	6010	1780	4235	2393	1842	3100	3806	8800	4400
	3.7L V6	A4	3.92	6010	1780	4235	2393	1842	3100	3806	9200	4800
	4.7L V8	M5	3.55	6010	1750	4262	2411	1851	3100	3806	9500	5100
	4.7L V8	M5	3.92	6010	1750	4262	2411	1851	3100	3806	10500	6100
	4.7L V8	A5	3.55	6010	1690	4324	2455	1869	3100	3806	9200	4750
	4.7L V8	A5	3.92	6010	1690	4324	2455	1869	3100	3806	10500	6050
Dakota Quad Cab 4x4 Sport AN5M84 - 5'3" box	3.7L V6	M5	3.55	6010	1550	4460	2569	1891	3600	3806	8000	3400
	3.7L V6	M5	3.92	6010	1550	4460	2569	1891	3600	3806	8800	4200
	3.7L V6	A4	3.55	6010	1530	4485	2583	1902	3600	3806	8800	4150
	3.7L V6	A4	3.92	6010	1530	4485	2583	1902	3600	3806	9200	4550
	4.7L V8	M5	3.55	6010	1500	4508	2599	1909	3600	3806	9500	4850
	4.7L V8	M5	3.92	6010	1500	4508	2599	1909	3600	3806	10500	5850
	4.7L V8	A5	3.55	6010	1430	4578	2648	1930	3600	3806	9200	4450
	4.7L V8	A5	3.92	6010	1430	4578	2648	1930	3600	3806	10500	5750

NOTES:

1. Payload = GVWR - Curb Wt.
2. Maximum Trailer Weights are rounded to the nearest 50 and Payload to the nearest 10 lbs.
3. Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)