

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Reg. Cab 1500 DR1L61 Short Box ST	3.7L V6 gas	M5	3.55	6350	1,810	4542.3	2531	2011.3	3650	3900	8000	3,300
	3.7L V6 gas	M5	3.92	6350	1,810	4542.3	2531	2011.3	3650	3900	8000	3,300
	3.7L V6 gas	A4	3.55	6350	1,740	4606.3	2586	2020.3	3650	3900	8500	3,750
	3.7L V6 gas	A4	3.92	6350	1,740	4606.3	2586	2020.3	3650	3900	8500	3,750
	4.7L V8 gas OHC	M5	3.55	6350	1,760	4585.9	2592.4	1993.5	3650	3900	9500	4,750
	4.7L V8 gas OHC	M5	3.92	6350	1,760	4585.9	2592.4	1993.5	3650	3900	10500	5,750
	4.7L V8 gas OHC	A5	3.55	6350	1,700	4654.9	2644.4	2010.5	3650	3900	11500	6,700
	4.7L V8 gas OHC	A5	3.92	6350	1,700	4654.9	2644.4	2010.5	3650	3900	12500	7,700
	4.7L V8 gas FFV	A5	3.55	6350	1,700	4654.9	2644.4	2010.5	3650	3900	11500	6,700
	4.7L V8 gas FFV	A5	3.92	6350	1,700	4654.9	2644.4	2010.5	3650	3900	12500	7,700
	5.7L V8 gas	A5	3.55	6350	1,720	4632.2	2609.6	2022.6	3650	3900	13000	8,200
5.7L V8 gas	A5	3.92	6350	1,720	4632.2	2609.6	2022.6	3650	3900	14000	9,200	
Ram 4x2 Reg. Cab 1500 DR1H61 Short Box SLT	4.7L V8 gas OHC	M5	3.55	6350	1,720	4630.2	2614.7	2015.5	3650	3900	9500	4,700
	4.7L V8 gas OHC	M5	3.92	6350	1,720	4630.2	2614.7	2015.5	3650	3900	10500	5,700
	4.7L V8 gas OHC	A5	3.55	6350	1,650	4699.2	2666.7	2032.5	3650	3900	11500	6,650
	4.7L V8 gas OHC	A5	3.92	6350	1,650	4699.2	2666.7	2032.5	3650	3900	12500	7,650
	4.7L V8 gas FFV	A5	3.55	6350	1,650	4699.2	2666.7	2032.5	3650	3900	11500	6,650
	4.7L V8 gas FFV	A5	3.92	6350	1,650	4699.2	2666.7	2032.5	3650	3900	12500	7,650
	4.7L V8 gas OHC	M5 <sup>#</sup>	3.92	6350	1,690	4661.2	2627.1	2034.1	3650	3900	9500	4,700
	4.7L V8 gas OHC	A5 <sup>#</sup>	3.92	6350	1,620	4730.2	2679.1	2051.1	3650	3900	11500	6,600
	4.7L V8 gas FFV	A5 <sup>#</sup>	3.92	6350	1,620	4730.2	2679.1	2051.1	3650	3900	11500	6,600
	5.7L V8 gas	A5	3.55	6350	1,660	4689.7	2639.6	2050.1	3650	3900	13000	8,150
	5.7L V8 gas	A5	3.92	6350	1,660	4689.7	2639.6	2050.1	3650	3900	14000	9,150
5.7L V8 gas	A5 <sup>#</sup>	3.92	6350	1,630	4720.7	2652	2068.7	3650	3900	13000	8,150	
Ram 4x2 Reg. Cab 1500 DR1L62 Long Box ST	3.7L V6 gas	A4	3.55	6550	1,800	4753	2682.9	2070.1	3650	3900	8500	3,600
	3.7L V6 gas	A4	3.92	6550	1,800	4753	2682.9	2070.1	3650	3900	8500	3,600
	3.7L V6 gas	M5	3.55	6550	1,850	4696	2627.9	2068.1	3650	3900	8000	3,150
	3.7L V6 gas	M5	3.92	6550	1,850	4696	2627.9	2068.1	3650	3900	8000	3,150
	4.7L V8 gas OHC	M5	3.55	6550	1,780	4773.2	2735.1	2038.1	3650	3900	9500	4,600
	4.7L V8 gas OHC	M5	3.92	6550	1,780	4773.2	2735.1	2038.1	3650	3900	10500	5,600
	4.7L V8 gas OHC	A5	3.55	6550	1,700	4853.2	2792.1	2061.1	3650	3900	11500	6,500
	4.7L V8 gas OHC	A5	3.92	6550	1,700	4853.2	2792.1	2061.1	3650	3900	12500	7,500
	4.7L V8 gas FFV	A5	3.55	6550	1,700	4853.2	2792.1	2061.1	3650	3900	11500	6,500
	4.7L V8 gas FFV	A5	3.92	6550	1,700	4853.2	2792.1	2061.1	3650	3900	12500	7,500
	5.7L V8 gas	A5	3.55	6550	1,700	4853.3	2786.1	2067.2	3650	3900	13000	8,000
5.7L V8 gas	A5	3.92	6550	1,700	4853.3	2786.1	2067.2	3650	3900	14000	9,000	
Ram 4x2 Reg. Cab 1500 DR1H62 Long Box SLT	4.7L V8 gas OHC	M5	3.55	6550	1,740	4808.3	2755.5	2052.8	3650	3900	9500	4,550
	4.7L V8 gas OHC	M5	3.92	6550	1,740	4808.3	2755.5	2052.8	3650	3900	10500	5,550
	4.7L V8 gas OHC	A5	3.55	6550	1,660	4888.3	2812.5	2075.8	3650	3900	11500	6,450
	4.7L V8 gas OHC	A5	3.92	6550	1,660	4888.3	2812.5	2075.8	3650	3900	12500	7,450
	4.7L V8 gas FFV	A5	3.55	6550	1,660	4888.3	2812.5	2075.8	3650	3900	11500	6,450
4.7L V8 gas FFV	A5	3.92	6550	1,660	4888.3	2812.5	2075.8	3650	3900	12500	7,450	

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Reg. Cab 1500 DR6L61 Short Box ST	4.7L V8 gas OHC	M5	3.55	6350	1,490	4863.7	2806.8	2056.9	3900	3900	9500	4,500
	4.7L V8 gas OHC	M5	3.92	6350	1,490	4863.7	2806.8	2056.9	3900	3900	10500	5,500
	4.7L V8 gas OHC	A5	3.55	6350	1,420	4933.7	2859.8	2073.9	3900	3900	11500	6,400
	4.7L V8 gas OHC	A5	3.92	6350	1,420	4933.7	2859.8	2073.9	3900	3900	12500	7,400
	4.7L V8 gas FFV	A5	3.55	6350	1,400	4954	2864	2090	3900	3900	11500	6400
	4.7L V8 gas FFV	A5	3.92	6350	1,400	4954	2864	2090	3900	3900	12500	7400
	5.7L V8 gas	A5	3.55	6350	1,430	4916.3	2831.6	2084.7	3900	3900	13000	7,950
	5.7L V8 gas	A5	3.92	6350	1,430	4916.3	2831.6	2084.7	3900	3900	14000	8,950
Ram 4x4 Reg. Cab 1500 DR6H61 Short Box SLT	4.7L V8 gas OHC	M5	3.55	6350	1,440	4906	2829.1	2076.9	3900	3900	9500	4,450
	4.7L V8 gas OHC	M5	3.92	6350	1,440	4906	2829.1	2076.9	3900	3900	10500	5,450
	4.7L V8 gas OHC	A5	3.55	6350	1,370	4976	2882.1	2093.9	3900	3900	11500	6,350
	4.7L V8 gas OHC	A5	3.92	6350	1,370	4976	2882.1	2093.9	3900	3900	12500	7,350
	4.7L V8 gas FFV	A5	3.55	6350	1,370	4976	2882.1	2093.9	3900	3900	11500	6,350
	4.7L V8 gas FFV	A5	3.92	6350	1,370	4976	2882.1	2093.9	3900	3900	12500	7,350
	4.7L V8 gas OHC	M5 <sup>#</sup>	3.92	6350	1,400	4945.5	2844.9	2100.6	3900	3900	9500	4,400
	4.7L V8 gas OHC	A5 <sup>#</sup>	3.92	6350	1,330	5015.5	2897.9	2117.6	3900	3900	11500	6,350
	4.7L V8 gas FFV	A5 <sup>#</sup>	3.92	6350	1,330	5015.5	2897.9	2117.6	3900	3900	11500	6,350
	4.7L V8 gas OHC	M5 <sup>@</sup>	3.92	6350	1,390	4965	2852.7	2112.3	3900	3900	10500	5,400
	4.7L V8 gas OHC	A5 <sup>@</sup>	3.92	6350	1,320	5035	2905.7	2129.3	3900	3900	12500	7,300
	4.7L V8 gas FFV	A5 <sup>@</sup>	3.92	6350	1,320	5035	2905.7	2129.3	3900	3900	12500	7,300
	5.7L V8 gas	A5	3.55	6350	1,380	4973.8	2861.6	2112.2	3900	3900	13000	7,900
	5.7L V8 gas	A5	3.92	6350	1,380	4973.8	2861.6	2112.2	3900	3900	14000	8,900
5.7L V8 gas	A5 <sup>#</sup>	3.92	6350	1,340	5013.3	2877.4	2135.9	3900	3900	13000	7,850	
	5.7L V8 gas	A5 <sup>@</sup>	3.92	6350	1,320	5032.8	2885.2	2147.6	3900	3900	14000	8,800
Ram 4x4 Reg. Cab 1500 DR6L62 Long Box ST	4.7L V8 gas OHC	M5	3.55	6550	1,480	5073.1	2968.1	2105	3900	3900	9500	4,300
	4.7L V8 gas OHC	M5	3.92	6550	1,480	5073.1	2968.1	2105	3900	3900	10500	5,300
	4.7L V8 gas OHC	A5	3.55	6550	1,410	5142.1	3023.1	2119	3900	3900	11500	6,200
	4.7L V8 gas OHC	A5	3.92	6550	1,410	5142.1	3023.1	2119	3900	3900	12500	7,200
	4.7L V8 gas FFV	A5	3.55	6550	1,410	5142.1	3023.1	2119	3900	3900	11500	6,200
	4.7L V8 gas FFV	A5	3.92	6550	1,410	5142.1	3023.1	2119	3900	3900	12500	7,200
	5.7L V8 gas	A5	3.55	6550	1,410	5143.4	3011.5	2131.9	3900	3900	13000	7,700
	5.7L V8 gas	A5	3.92	6550	1,410	5143.4	3011.5	2131.9	3900	3900	14000	8,700

@ = w/17" P275 LT Tires

# = w/ 20" Tires

NOTES: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs. Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Reg. Cab 1500 DR6H62 Long Box SLT	4.7L V8 gas OHC	M5	3.55	6550	1,450	5103.1	2981.8	2121.3	3900	3900	9500	4,250
	4.7L V8 gas OHC	M5	3.92	6550	1,450	5103.1	2981.8	2121.3	3900	3900	10500	5,250
	4.7L V8 gas OHC	A5	3.55	6550	1,380	5172.1	3036.8	2135.3	3900	3900	11500	6,200
	4.7L V8 gas OHC	A5	3.92	6550	1,380	5172.1	3036.8	2135.3	3900	3900	12500	7,200
	4.7L V8 gas FFV	A5	3.55	6550	1,380	5172.1	3036.8	2135.3	3900	3900	11500	6,200
	4.7L V8 gas FFV	A5	3.92	6550	1,380	5172.1	3036.8	2135.3	3900	3900	12500	7,200
	4.7L V8 gas OHC	M5 <sup>@</sup>	3.92	6550	1,390	5162.1	3005.4	2156.7	3900	3900	10500	5,200
	4.7L V8 gas OHC	A5 <sup>@</sup>	3.92	6550	1,320	5231.1	3060.4	2170.7	3900	3900	12500	7,100
	4.7L V8 gas FFV	A5 <sup>@</sup>	3.92	6550	1,320	5231.1	3060.4	2170.7	3900	3900	12500	7,100
	5.7L V8 gas	A5	3.55	6550	1,350	5200.8	3043.4	2157.4	3900	3900	13000	7,650
	5.7L V8 gas	A5	3.92	6550	1,350	5200.8	3043.4	2157.4	3900	3900	14000	8,650
5.7L V8 gas	A5 <sup>@</sup>	3.92	6550	1,290	5259.8	3067	2192.8	3900	3900	14000	8,600	
Ram 4x2 Quad Cab 1500 DR1L41 Short Box ST	3.7L V6 gas	M5	3.55	6650	1,770	4877	2711.5	2165.5	3650	3900	8000	2,950
	3.7L V6 gas	M5	3.92	6650	1,770	4877	2711.5	2165.5	3650	3900	8000	2,950
	3.7L V6 gas	A4	3.55	6650	1,720	4931	2756.5	2174.5	3650	3900	8500	3,400
	3.7L V6 gas	A4	3.92	6650	1,720	4931	2756.5	2174.5	3650	3900	8500	3,400
	4.7L V8 gas OHC	M5	3.55	6650	1,720	4934	2793	2141	3650	3900	9500	4,400
	4.7L V8 gas OHC	M5	3.92	6650	1,720	4934	2793	2141	3650	3900	10500	5,400
	4.7L V8 gas OHC	A5	3.55	6650	1,660	4988	2838	2150	3650	3900	11500	6,350
	4.7L V8 gas OHC	A5	3.92	6650	1,660	4988	2838	2150	3650	3900	12500	7,350
	4.7L V8 gas FFV	A5	3.55	6650	1,660	4988	2838	2150	3650	3900	11500	6,350
	4.7L V8 gas FFV	A5	3.92	6650	1,660	4988	2838	2150	3650	3900	12500	7,350
	5.7L V8 gas	A5	3.55	6650	1,710	4943	2790	2153	3650	3900	13000	7,900
5.7L V8 gas	A5	3.92	6650	1,710	4943	2790	2153	3650	3900	14000	8,900	
Ram 4x2 Quad Cab 1500 DR1H41 Short Box SLT	4.7L V8 gas OHC	M5	3.55	6650	1,690	4961	2807.5	2153.5	3650	3900	9500	4,400
	4.7L V8 gas OHC	M5	3.92	6650	1,690	4961	2807.5	2153.5	3650	3900	10500	5,400
	4.7L V8 gas OHC	A5	3.55	6650	1,640	5015	2852.5	2162.5	3650	3900	11500	6,350
	4.7L V8 gas OHC	A5	3.92	6650	1,640	5015	2852.5	2162.5	3650	3900	12500	7,350
	4.7L V8 gas FFV	A5	3.55	6650	1,640	5015	2852.5	2162.5	3650	3900	11500	6,350
	4.7L V8 gas FFV	A5	3.92	6650	1,640	5015	2852.5	2162.5	3650	3900	12500	7,350
	4.7L V8 gas OHC	M5 <sup>#</sup>	3.92	6650	1,660	4992	2819.9	2172.1	3650	3900	9500	4,350
	4.7L V8 gas OHC	A5 <sup>#</sup>	3.92	6650	1,600	5046	2864.9	2181.1	3650	3900	11500	6,300
	4.7L V8 gas FFV	A5 <sup>#</sup>	3.92	6650	1,600	5046	2864.9	2181.1	3650	3900	11500	6,300
	5.7L V8 gas	A5	3.55	6650	1,680	4969.5	2804.6	2164.9	3650	3900	13000	7,900
	5.7L V8 gas	A5	3.92	6650	1,680	4969.5	2804.6	2164.9	3650	3900	14000	8,900
5.7L V8 gas	A5 <sup>#</sup>	3.92	6650	1,650	5000.5	2817	2183.5	3650	3900	13000	7,850	
Ram 4x2 Quad Cab 1500 DR1L42 Long Box ST	4.7L V8 gas OHC	M5	3.55	6650	1,580	5070.4	2875.3	2195.1	3650	3900	9500	4,300
	4.7L V8 gas OHC	M5	3.92	6650	1,580	5070.4	2875.3	2195.1	3650	3900	10500	5,300
	4.7L V8 gas OHC	A5	3.55	6650	1,510	5137.4	2930.3	2207.1	3650	3900	11500	6,200
	4.7L V8 gas OHC	A5	3.92	6650	1,510	5137.4	2930.3	2207.1	3650	3900	12500	7,200
	4.7L V8 gas FFV	A5	3.55	6650	1,520	5134	2933	2200	3650	3900	11500	6,200
	4.7L V8 gas FFV	A5	3.92	6650	1,520	5134	2933	2200	3650	3900	12500	7,200

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Quad Cab 1500 DR1H42 Long Box SLT	4.7L V8 gas OHC	M5	3.55	6650	1,500	5152.3	2934	2218.3	3650	3900	9500	4,200
	4.7L V8 gas OHC	M5	3.92	6650	1,500	5152.3	2934	2218.3	3650	3900	10500	5,200
	4.7L V8 gas OHC	A5	3.55	6650	1,430	5219.3	2989	2230.3	3650	3900	11500	6,150
	4.7L V8 gas OHC	A5	3.92	6650	1,430	5219.3	2989	2230.3	3650	3900	12500	7,150
	4.7L V8 gas FFV	A5	3.55	6650	1,430	5219.3	2989	2230.3	3650	3900	11500	6,150
	4.7L V8 gas FFV	A5	3.92	6650	1,430	5219.3	2989	2230.3	3650	3900	12500	7,150
	5.7L V8 gas	A5	3.55	6650	1,390	5257	2990.6	2266.4	3650	3900	13000	7,600
	5.7L V8 gas	A5	3.92	6650	1,390	5257	2990.6	2266.4	3650	3900	14000	8,600
Ram 4x4 Quad Cab 1500 DR6L41 Short Box ST	4.7L V8 gas OHC	M5	3.55	6650	1,470	5183.5	2984.6	2198.9	3900	3900	9500	4,150
	4.7L V8 gas OHC	M5	3.92	6650	1,470	5183.5	2984.6	2198.9	3900	3900	10500	5,150
	4.7L V8 gas OHC	A5	3.55	6650	1,400	5252.5	3039.6	2212.9	3900	3900	11500	6,100
	4.7L V8 gas OHC	A5	3.92	6650	1,400	5252.5	3039.6	2212.9	3900	3900	12500	7,100
	4.7L V8 gas FFV	A5	3.55	6650	1,400	5252.5	3039.6	2212.9	3900	3900	11500	6,100
	4.7L V8 gas FFV	A5	3.92	6650	1,400	5252.5	3039.6	2212.9	3900	3900	12500	7,100
	5.7L V8 gas	A5	3.55	6650	1,420	5231	3020	2210	3900	3900	13000	7600
	5.7L V8 gas	A5	3.92	6650	1,420	5231	3020	2210	3900	3900	14000	8600
Ram 4x4 Quad Cab 1500 DR6H41 Short Box SLT	4.7L V8 gas OHC	M5	3.55	6650	1,420	5227.5	3021.8	2205.7	3900	3900	9500	4,100
	4.7L V8 gas OHC	M5	3.92	6650	1,420	5227.5	3021.8	2205.7	3900	3900	10500	5,100
	4.7L V8 gas OHC	A5	3.55	6650	1,350	5296.5	3076.8	2219.7	3900	3900	11500	6,050
	4.7L V8 gas OHC	A5	3.92	6650	1,350	5296.5	3076.8	2219.7	3900	3900	12500	7,050
	4.7L V8 gas FFV	A5	3.55	6650	1,350	5296.5	3076.8	2219.7	3900	3900	11500	6,050
	4.7L V8 gas FFV	A5	3.92	6650	1,350	5296.5	3076.8	2219.7	3900	3900	12500	7,050
	4.7L V8 gas OHC	M5 <sup>#</sup>	3.92	6650	1,380	5267	3037.6	2229.4	3900	3900	9500	4,100
	4.7L V8 gas OHC	A5 <sup>#</sup>	3.92	6650	1,310	5336	3092.6	2243.4	3900	3900	11500	6,000
	4.7L V8 gas FFV	A5 <sup>#</sup>	3.92	6650	1,310	5336	3092.6	2243.4	3900	3900	11500	6,000
	4.7L V8 gas OHC	M5 <sup>@</sup>	3.92	6650	1,360	5286.5	3045.4	2241.1	3900	3900	10500	5,050
	4.7L V8 gas OHC	A5 <sup>@</sup>	3.92	6650	1,290	5355.5	3100.4	2255.1	3900	3900	12500	7,000
	4.7L V8 gas FFV	A5 <sup>@</sup>	3.92	6650	1,290	5355.5	3100.4	2255.1	3900	3900	12500	7,000
	5.7L V8 gas	A5	3.55	6650	1,390	5257.1	3034.7	2222.4	3900	3900	13000	7,600
	5.7L V8 gas	A5	3.92	6650	1,390	5257.1	3034.7	2222.4	3900	3900	14000	8,600
	5.7L V8 gas	A5 <sup>#</sup>	3.92	6650	1,350	5296.6	3050.5	2246.1	3900	3900	13000	7,550
5.7L V8 gas	A5 <sup>@</sup>	3.92	6650	1,330	5316.1	3058.3	2257.8	3900	3900	14000	8,550	
Ram 4x4 Quad Cab 1500 DR6L42 Long Box ST	4.7L V8 gas OHC	M5	3.92	6800	1,380	5424.8	3169.1	2255.7	3900	3900	10500	4,950
	4.7L V8 gas OHC	A5	3.92	6800	1,310	5491.8	3224.1	2267.7	3900	3900	12500	6,850
	4.7L V8 gas FFV	A5	3.92	6800	1,310	5491.8	3224.1	2267.7	3900	3900	12500	6,850
	5.7L V8 gas	A5	3.92	6800	1,330	5472	3190.8	2281.2	3900	3900	14000	8,400
Ram 4x4 Quad Cab 1500 DR6H42 Long Box SLT	4.7L V8 gas OHC	M5	3.92	6800	1,360	5442.7	3174.9	2267.8	3900	3900	10500	4,900
	4.7L V8 gas OHC	A5	3.92	6800	1,290	5509.7	3229.9	2279.8	3900	3900	12500	6,850
	4.7L V8 gas FFV	A5	3.92	6800	1,290	5509.7	3229.9	2279.8	3900	3900	12500	6,850
	5.7L V8 gas	A5	3.92	6800	1,270	5532.3	3224.5	2307.8	3900	3900	14000	8,300

@ = w/17" P275 LT Tires

# = w/ 20" Tires

NOTES: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs. Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package



# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Reg. Cab 2500 DR2L62 Long Box ST	5.7L V8 gas	M5	3.73	8,650	3,200	5,446	3,064	2,381	4,000	6,000	15,000	9,400
	5.7L V8 gas	M5	4.10	8,650	3,200	5,446	3,064	2,381	4,000	6,000	17,000	11,400
	5.7L V8 gas	A5	3.73	8,650	3,240	5,407	3,028	2,378	4,000	6,000	15,000	9,450
	5.7L V8 gas	A5	4.10	8,650	3,240	5,407	3,028	2,378	4,000	6,000	17,000	11,450
	5.9L 24V TD @	M5	3.73	9,000	2,790	6,207	3,771	2,436	4,630	6,000	18,000	11,650
	5.9L 24V TD @	M5	4.10	9,000	2,790	6,207	3,771	2,436	4,630	6,000	20,000	13,650
	5.9L 24V TD @	A4	3.73	9,000	2,770	6,229	3,790	2,439	4,630	6,000	17,000	10,600
	5.9L 24V TD @	A4	4.10	9,000	2,770	6,229	3,790	2,439	4,630	6,000	19,000	12,600
	5.9L 24V TDHO	M6	3.73	9,000	2,620	6,378	3,897	2,481	4,630	6,000	20,000	13,450
	5.9L 24V TDHO	M6	4.10	9,000	2,620	6,378	3,897	2,481	4,630	6,000	20,000	13,450
Ram4x2 Reg. Cab 2500 DR2H62 Long Box SLT	5.7L V8 gas	M5	3.73	8,650	3,200	5,452	3,042	2,410	4,000	6,000	15,000	9,400
	5.7L V8 gas	M5	4.10	8,650	3,200	5,452	3,042	2,410	4,000	6,000	17,000	11,400
	5.7L V8 gas	A5	3.73	8,650	3,240	5,413	3,006	2,407	4,000	6,000	15,000	9,450
	5.7L V8 gas	A5	4.10	8,650	3,240	5,413	3,006	2,407	4,000	6,000	17,000	11,450
	5.9L 24V TD @	M5	3.73	9,000	2,770	6,231	3,769	2,462	4,750	6,000	18,000	11,600
	5.9L 24V TD @	M5	4.10	9,000	2,770	6,231	3,769	2,462	4,750	6,000	20,000	13,600
	5.9L 24V TD @	A4	3.73	9,000	2,750	6,253	3,788	2,465	4,750	6,000	17,000	10,600
	5.9L 24V TD @	A4	4.10	9,000	2,750	6,253	3,788	2,465	4,750	6,000	19,000	12,600
	5.9L 24V TDHO	M6	3.73	9,000	2,600	6,399	3,898	2,501	4,750	6,000	20,000	13,450
	5.9L 24V TDHO	M6	4.10	9,000	2,600	6,399	3,898	2,501	4,750	6,000	20,000	13,450
Ram 4x2 Quad Cab 2500 DR2L41 Short Box ST	5.7L V8 gas	M5	3.73	8,800	3,120	5,678	3,134	2,544	4,000	6,000	15,000	9,150
	5.7L V8 gas	M5	4.10	8,800	3,120	5,678	3,134	2,544	4,000	6,000	17,000	11,150
	5.7L V8 gas	A5	3.73	8,800	3,210	5,586	3,050	2,536	4,000	6,000	15,000	9,250
	5.7L V8 gas	A5	4.10	8,800	3,210	5,586	3,050	2,536	4,000	6,000	17,000	11,250
	5.9L 24V TD @	M5	3.73	9,000	2,580	6,420	3,845	2,575	4,630	6,000	18,000	11,450
	5.9L 24V TD @	M5	4.10	9,000	2,580	6,420	3,845	2,575	4,630	6,000	20,000	13,450
	5.9L 24V TD @	A4	3.73	9,000	2,590	6,408	3,816	2,592	4,630	6,000	17,000	10,450
	5.9L 24V TD @	A4	4.10	9,000	2,590	6,408	3,816	2,592	4,630	6,000	19,000	12,450
	5.9L 24V TDHO	M6	3.73	9,000	2,400	6,597	3,980	2,617	4,630	6,000	20,000	13,250
	5.9L 24V TDHO	M6	4.10	9,000	2,400	6,597	3,980	2,617	4,630	6,000	20,000	13,250
Ram 4x2 Quad Cab 2500 DR2H41 Short Box SLT	5.7L V8 gas	M5	3.73	8,800	3,110	5,692	3,106	2,586	4,000	6,000	15,000	9,150
	5.7L V8 gas	M5	4.10	8,800	3,110	5,692	3,106	2,586	4,000	6,000	17,000	11,150
	5.7L V8 gas	A5	3.73	8,800	3,200	5,600	3,022	2,578	4,000	6,000	15,000	9,250
	5.7L V8 gas	A5	4.10	8,800	3,200	5,600	3,022	2,578	4,000	6,000	17,000	11,250
	5.9L 24V TD @	M5	3.73	9,000	2,550	6,449	3,835	2,614	4,750	6,000	18,000	11,400
	5.9L 24V TD @	M5	4.10	9,000	2,550	6,449	3,835	2,614	4,750	6,000	20,000	13,400
	5.9L 24V TD @	A4	3.73	9,000	2,560	6,437	3,806	2,631	4,750	6,000	17,000	10,400
	5.9L 24V TD @	A4	4.10	9,000	2,560	6,437	3,806	2,631	4,750	6,000	19,000	12,400
	5.9L 24V TDHO	M6	3.73	9,000	2,390	6,609	3,946	2,663	4,750	6,000	20,000	13,250
	5.9L 24V TDHO	M6	4.10	9,000	2,390	6,609	3,946	2,663	4,750	6,000	20,000	13,250
Ram 4x2 Quad Cab 2500 DR2L42 Long Box ST	5.7L V8 gas	M5	3.73	8,800	3,020	5,776	3,242	2,534	4,000	6,000	15,000	9,050
	5.7L V8 gas	M5	4.10	8,800	3,020	5,776	3,242	2,534	4,000	6,000	17,000	11,050
	5.7L V8 gas	A5	3.73	8,800	3,050	5,748	3,211	2,537	4,000	6,000	15,000	9,100
	5.7L V8 gas	A5	4.10	8,800	3,050	5,748	3,211	2,537	4,000	6,000	17,000	11,100
	5.9L 24V TD @	M5	3.73	9,000	2,450	6,547	3,927	2,620	4,630	6,000	18,000	11,300
	5.9L 24V TD @	M5	4.10	9,000	2,450	6,547	3,927	2,620	4,630	6,000	20,000	13,300
	5.9L 24V TD @	A4	3.73	9,000	2,420	6,576	3,948	2,628	4,630	6,000	17,000	10,250
	5.9L 24V TD @	A4	4.10	9,000	2,420	6,576	3,948	2,628	4,630	6,000	19,000	12,250
	5.9L 24V TDHO	M6	3.73	9,000	2,300	6,697	4,066	2,630	4,630	6,000	20,000	13,150
	5.9L 24V TDHO	M6	4.10	9,000	2,300	6,697	4,066	2,630	4,630	6,000	20,000	13,150

Notes: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

@ - Standard Diesel Engine are of California Emissions Standard and are only available in the states CA, ME, MA, NY & VT



# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Quad Cab 2500 DR2H42 Long Box SLT	5.7L V8 gas	M5	3.73	8,800	3,000	5,804	3,235	2,569	4,000	6,000	15,000	9,050
	5.7L V8 gas	M5	4.10	8,800	3,000	5,804	3,235	2,569	4,000	6,000	17,000	11,050
	5.7L V8 gas	A5	3.73	8,800	3,020	5,776	3,204	2,572	4,000	6,000	15,000	9,050
	5.7L V8 gas	A5	4.10	8,800	3,020	5,776	3,204	2,572	4,000	6,000	17,000	11,050
	5.9L 24V TD @	M5	3.73	9,000	2,440	6,558	3,926	2,631	4,750	6,000	18,000	11,300
	5.9L 24V TD @	M5	4.10	9,000	2,440	6,558	3,926	2,631	4,750	6,000	20,000	13,300
	5.9L 24V TD @	A4	3.73	9,000	2,410	6,587	3,947	2,639	4,750	6,000	17,000	10,250
	5.9L 24V TD @	A4	4.10	9,000	2,410	6,587	3,947	2,639	4,750	6,000	19,000	12,250
	5.9L 24V TDHO	M6	3.73	9,000	2,270	6,726	4,071	2,654	4,750	6,000	20,000	13,100
	5.9L 24V TDHO	M6	4.10	9,000	2,270	6,726	4,071	2,654	4,750	6,000	20,000	13,100
Ram 4x4 Reg. Cab 2500 DR7L62 Long Box ST	5.7L V8 gas	M5	3.73	8,650	2,790	5,865	3,426	2,439	5,200	6,000	15,000	9,000
	5.7L V8 gas	M5	4.10	8,650	2,790	5,865	3,426	2,439	5,200	6,000	17,000	11,000
	5.7L V8 gas	A5	3.73	8,650	2,820	5,833	3,399	2,434	5,200	6,000	15,000	9,000
	5.7L V8 gas	A5	4.10	8,650	2,820	5,833	3,399	2,434	5,200	6,000	17,000	11,000
	5.9L 24V TD @	M5	3.73	9,000	2,350	6,648	4,157	2,492	5,200	6,000	18,000	11,200
	5.9L 24V TD @	M5	4.10	9,000	2,350	6,648	4,157	2,492	5,200	6,000	20,000	13,200
	5.9L 24V TD @	A4	3.73	9,000	2,370	6,625	4,133	2,493	5,200	6,000	17,000	10,200
	5.9L 24V TD @	A4	4.10	9,000	2,370	6,625	4,133	2,493	5,200	6,000	19,000	12,200
	5.9L 24V TDHO	M6	3.73	9,000	2,160	6,845	4,297	2,549	5,200	6,000	20,000	13,000
	5.9L 24V TDHO	M6	4.10	9,000	2,160	6,845	4,297	2,549	5,200	6,000	20,000	13,000
Ram 4x4 Reg. Cab 2500 DR7H62 Long Box SLT	5.7L V8 gas	M5	3.73	8,650	2,770	5,881	3,418	2,463	5,200	6,000	15,000	8,950
	5.7L V8 gas	M5	4.10	8,650	2,770	5,881	3,418	2,463	5,200	6,000	17,000	10,950
	5.7L V8 gas	A5	3.73	8,650	2,800	5,849	3,391	2,458	5,200	6,000	15,000	9,000
	5.7L V8 gas	A5	4.10	8,650	2,800	5,849	3,391	2,458	5,200	6,000	17,000	11,000
	5.9L 24V TD @	M5	3.73	9,000	2,100	6,896	4,323	2,573	5,200	6,000	20,000	12,950
	5.9L 24V TD @	M5	4.10	9,000	2,100	6,896	4,323	2,573	5,200	6,000	20,000	12,950
	5.9L 24V TD @	A4	3.73	9,000	2,310	6,691	4,143	2,548	5,200	6,000	20,000	13,150
	5.9L 24V TD @	A4	4.10	9,000	2,310	6,691	4,143	2,548	5,200	6,000	20,000	13,150
	5.9L 24V TDHO	M6	3.73	9,000	2,170	6,831	4,263	2,568	5,200	6,000	20,000	13,000
	5.9L 24V TDHO	M6	4.10	9,000	2,170	6,831	4,263	2,568	5,200	6,000	20,000	13,000
Ram 4x4 Quad Cab 2500 DR7L41 Short Box ST	5.7L V8 gas	M5	3.73	8,800	2,720	6,076	3,482	2,594	5,200	6,000	15,000	8,750
	5.7L V8 gas	M5	4.10	8,800	2,720	6,076	3,482	2,594	5,200	6,000	17,000	10,750
	5.7L V8 gas	A5	3.73	8,800	2,760	6,039	3,451	2,588	5,200	6,000	15,000	8,800
	5.7L V8 gas	A5	4.10	8,800	2,760	6,039	3,451	2,588	5,200	6,000	17,000	10,800
	5.9L 24V TD @	M5	3.73	9,000	2,140	6,861	4,208	2,653	5,200	6,000	18,000	11,000
	5.9L 24V TD @	M5	4.10	9,000	2,140	6,861	4,208	2,653	5,200	6,000	20,000	13,000
	5.9L 24V TD @	A4	3.73	9,000	2,160	6,838	4,184	2,654	5,200	6,000	17,000	10,000
	5.9L 24V TD @	A4	4.10	9,000	2,160	6,838	4,184	2,654	5,200	6,000	19,000	12,000
	5.9L 24V TDHO	M6	3.73	9,000	2,040	6,957	4,267	2,691	5,200	6,000	20,000	12,900
	5.9L 24V TDHO	M6	4.10	9,000	2,040	6,957	4,267	2,691	5,200	6,000	20,000	12,900
Ram 4x4 Quad Cab 2500 DR7H41 Short Box SLT	5.7L V8 gas	M5	3.73	8,800	2,690	6,109	3,487	2,621	5,200	6,000	15,000	8,750
	5.7L V8 gas	M5	4.10	8,800	2,690	6,109	3,487	2,621	5,200	6,000	17,000	10,750
	5.7L V8 gas	A5	3.73	8,800	2,730	6,072	3,456	2,615	5,200	6,000	15,000	8,800
	5.7L V8 gas	A5	4.10	8,800	2,730	6,072	3,456	2,615	5,200	6,000	17,000	10,800
	5.9L 24V TD @	M5	3.73	9,000	2,120	6,883	4,185	2,698	5,200	6,000	18,000	10,950
	5.9L 24V TD @	M5	4.10	9,000	2,120	6,883	4,185	2,698	5,200	6,000	20,000	12,950
	5.9L 24V TD @	A4	3.73	9,000	2,140	6,860	4,161	2,699	5,200	6,000	17,000	10,000
	5.9L 24V TD @	A4	4.10	9,000	2,140	6,860	4,161	2,699	5,200	6,000	19,000	12,000

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Quad Cab 2500 DR7L42 Long Box ST	5.7L V8 gas	M5	3.73	8,800	2,600	6,202	3,613	2,590	5,200	6,000	15,000	8,650
	5.7L V8 gas	M5	4.10	8,800	2,600	6,202	3,613	2,590	5,200	6,000	17,000	10,650
	5.7L V8 gas	A5	3.73	8,800	2,630	6,170	3,586	2,585	5,200	6,000	15,000	8,700
	5.7L V8 gas	A5	4.10	8,800	2,630	6,170	3,586	2,585	5,200	6,000	17,000	10,700
	5.9L 24V TD	M5	3.73	9,000	2,050	6,952	4,301	2,651	5,200	6,000	18,000	10,900
	5.9L 24V TD	M5	4.10	9,000	2,050	6,952	4,301	2,651	5,200	6,000	20,000	12,900
	5.9L 24V TD	A4	3.73	9,000	2,070	6,929	4,277	2,652	5,200	6,000	17,000	9,900
	5.9L 24V TD	A4	4.10	9,000	2,070	6,929	4,277	2,652	5,200	6,000	19,000	11,900
	5.9L 24V TDHO	M6	3.73	9,000	1,810	7,192	4,480	2,711	5,200	6,000	20,000	12,650
	5.9L 24V TDHO	M6	4.10	9,000	1,810	7,192	4,480	2,711	5,200	6,000	20,000	12,650
	5.9L 24V TDHO	A4	3.73	9,000	2,010	6,987	4,297	2,689	5,200	6,000	20,000	12,850
	5.9L 24V TDHO	A4	4.10	9,000	2,010	6,987	4,297	2,689	5,200	6,000	20,000	12,850
Ram 4x4 Quad Cab 2500 DR7H42 Long Box SLT	5.7L V8 gas	M5	3.73	8,800	2,550	6,248	3,604	2,643	5,200	6,000	15,000	8,600
	5.7L V8 gas	M5	4.10	8,800	2,550	6,248	3,604	2,643	5,200	6,000	17,000	10,600
	5.7L V8 gas	A5	3.73	8,800	2,580	6,216	3,577	2,638	5,200	6,000	15,000	8,650
	5.7L V8 gas	A5	4.10	8,800	2,580	6,216	3,577	2,638	5,200	6,000	17,000	10,650
	5.9L 24V TD @	M5	3.73	9,000	2,000	7,000	4,324	2,676	5,200	6,000	18,000	10,850
	5.9L 24V TD @	M5	4.10	9,000	2,000	7,000	4,324	2,676	5,200	6,000	20,000	12,850
	5.9L 24V TD @	A4	3.73	9,000	2,020	6,977	4,300	2,677	5,200	6,000	17,000	9,850
	5.9L 24V TD @	A4	4.10	9,000	2,020	6,977	4,300	2,677	5,200	6,000	19,000	11,850
	5.9L 24V TDHO	M6	3.73	9,000	1,690	7,314	4,545	2,770	5,200	6,000	20,000	12,550
	5.9L 24V TDHO	M6	4.10	9,000	1,690	7,314	4,545	2,770	5,200	6,000	20,000	12,550
	5.9L 24V TDHO	A4	3.73	9,000	1,890	7,109	4,362	2,748	5,200	6,000	20,000	12,750
	5.9L 24V TDHO	A4	4.10	9,000	1,890	7,109	4,362	2,748	5,200	6,000	20,000	12,750

Notes: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

@ - Standard Diesel Engine are of California Emissions Standard and are only available in the states CA, ME, MA, NY & VT

# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Reg. Cab 3500 DR3L62 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,000	5,040	5,957	3,136	2,821	4,000	9,350	17,000	10,900
	5.7L V8 gas	A5	4.10	11,000	5,080	5,919	3,100	2,819	4,000	9,350	17,000	10,950
	5.9L 24V TD @	M5	3.73	11,500	4,930	6,566	3,798	2,768	4,740	9,350	18,000	11,300
	5.9L 24V TD @	M5	4.10	11,500	4,930	6,566	3,798	2,768	4,740	9,350	20,000	13,300
	5.9L 24V TD @	A4	3.73	11,500	4,910	6,588	3,817	2,771	4,740	9,350	17,000	10,250
	5.9L 24V TD @	A4	4.10	11,500	4,910	6,588	3,817	2,771	4,740	9,350	19,000	12,250
	5.9L 24V TDHO	M6	3.73	11,500	4,790	6,706	3,896	2,810	4,740	9,350	21,000	14,150
	5.9L 24V TDHO	M6	4.10	11,500	4,790	6,706	3,896	2,810	4,740	9,350	23,000	16,150
	5.9L 24V TDHO	A4	3.73	11,500	4,940	6,563	3,769	2,794	4,740	9,350	21,000	14,300
	5.9L 24V TDHO	A4	4.10	11,500	4,940	6,563	3,769	2,794	4,740	9,350	23,000	16,300
Ram 4x2 Reg. Cab 3500 DR3H62 Long Box SLT DRW	5.7L V8 gas	M5	4.10	11,000	5,010	5,991	3,158	2,833	4,000	9,350	17,000	10,850
	5.7L V8 gas	A5	4.10	11,000	5,050	5,953	3,122	2,831	4,000	9,350	17,000	10,900
	5.9L 24V TD @	M5	3.73	11,500	4,900	6,599	3,819	2,780	4,740	9,350	18,000	11,250
	5.9L 24V TD @	M5	4.10	11,500	4,900	6,599	3,819	2,780	4,740	9,350	20,000	13,250
	5.9L 24V TD @	A4	3.73	11,500	4,880	6,621	3,838	2,783	4,740	9,350	17,000	10,250
	5.9L 24V TD @	A4	4.10	11,500	4,880	6,621	3,838	2,783	4,740	9,350	19,000	12,250
	5.9L 24V TDHO	M6	3.73	11,500	4,760	6,739	3,918	2,822	4,740	9,350	21,000	14,100
	5.9L 24V TDHO	M6	4.10	11,500	4,760	6,739	3,918	2,822	4,740	9,350	23,000	16,100
	5.9L 24V TDHO	A4	3.73	11,500	4,900	6,596	3,791	2,806	4,740	9,350	21,000	14,250
	5.9L 24V TDHO	A4	4.10	11,500	4,900	6,596	3,791	2,806	4,740	9,350	23,000	16,250
Ram 4x2 Quad Cab 3500 DR3L41 Short Box ST SRW	5.9L 24V TD @	M5	3.73	9,900	3,410	6,488	3,826	2,662	4,750	6,150	18,000	11,350
	5.9L 24V TD @	M5	4.10	9,900	3,410	6,488	3,826	2,662	4,750	6,150	20,000	13,350
	5.9L 24V TD @	A4	3.73	9,900	3,420	6,476	3,797	2,679	4,750	6,150	17,000	10,350
	5.9L 24V TD @	A4	4.10	9,900	3,420	6,476	3,797	2,679	4,750	6,150	19,000	12,350
	5.9L 24V TDHO	M6	3.73	9,900	3,240	6,659	3,932	2,727	4,750	6,150	21,000	14,200
	5.9L 24V TDHO	M6	4.10	9,900	3,240	6,659	3,932	2,727	4,750	6,150	23,000	16,200
	5.9L 24V TDHO	A4	3.73	9,900	3,450	6,452	3,752	2,700	4,750	6,150	21,000	14,400
	5.9L 24V TDHO	A4	4.10	9,900	3,450	6,452	3,752	2,700	4,750	6,150	23,000	16,400
Ram 4x2 Quad Cab 3500 DR3H41 Short Box SLT SRW	5.9L 24V TD @	M5	3.73	9,900	3,410	6,491	3,828	2,664	4,750	6,150	18,000	11,350
	5.9L 24V TD @	M5	4.10	9,900	3,410	6,491	3,828	2,664	4,750	6,150	20,000	13,350
	5.9L 24V TD @	A4	3.73	9,900	3,420	6,479	3,799	2,681	4,750	6,150	17,000	10,350
	5.9L 24V TD @	A4	4.10	9,900	3,420	6,479	3,799	2,681	4,750	6,150	19,000	12,350
	5.9L 24V TDHO	M6	3.73	9,900	3,200	6,703	3,966	2,737	4,750	6,150	21,000	14,150
	5.9L 24V TDHO	M6	4.10	9,900	3,200	6,703	3,966	2,737	4,750	6,150	23,000	16,150
	5.9L 24V TDHO	A4	3.73	9,900	3,400	6,496	3,786	2,710	4,750	6,150	21,000	14,350
	5.9L 24V TDHO	A4	4.10	9,900	3,400	6,496	3,786	2,710	4,750	6,150	23,000	16,350
Ram 4x2 Quad Cab 3500 DR3L42 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,000	4,690	6,308	3,302	3,006	4,000	9,350	17,000	10,550
	5.7L V8 gas	A5	4.10	11,000	4,720	6,279	3,271	3,008	4,000	9,350	17,000	10,550
	5.9L 24V TD @	M5	3.73	11,500	4,580	6,922	3,967	2,955	4,740	9,350	18,000	10,950
	5.9L 24V TD @	M5	4.10	11,500	4,580	6,922	3,967	2,955	4,740	9,350	20,000	12,950
	5.9L 24V TD @	A4	3.73	11,500	4,540	6,959	3,996	2,963	4,740	9,350	17,000	9,900
	5.9L 24V TD @	A4	4.10	11,500	4,540	6,959	3,996	2,963	4,740	9,350	19,000	11,900
	5.9L 24V TDHO	M6	3.73	11,500	4,440	7,062	4,066	2,997	4,740	9,350	21,000	13,800
	5.9L 24V TDHO	M6	4.10	11,500	4,440	7,062	4,066	2,997	4,740	9,350	23,000	15,800
	5.9L 24V TDHO	A4	3.73	11,500	4,580	6,919	3,937	2,983	4,740	9,350	21,000	13,950
	5.9L 24V TDHO	A4	4.10	11,500	4,580	6,919	3,937	2,983	4,740	9,350	23,000	15,950
Ram 4x2 Quad Cab 3500 DR3L42 Long Box ST SRW	5.9L 24V TD @	M5	3.73	9,900	3,340	6,564	3,936	2,628	4,750	6,150	18,000	11,300
	5.9L 24V TD @	M5	4.10	9,900	3,340	6,564	3,936	2,628	4,750	6,150	20,000	13,300
	5.9L 24V TD @	A4	3.73	9,900	3,300	6,601	3,965	2,636	4,750	6,150	17,000	10,250
	5.9L 24V TD @	A4	4.10	9,900	3,300	6,601	3,965	2,636	4,750	6,150	19,000	12,250
	5.9L 24V TDHO	M6	3.73	9,900	3,200	6,705	4,035	2,670	4,750	6,150	21,000	14,150
	5.9L 24V TDHO	M6	4.10	9,900	3,200	6,705	4,035	2,670	4,750	6,150	23,000	16,150
	5.9L 24V TDHO	A4	3.73	9,900	3,340	6,562	3,906	2,656	4,750	6,150	21,000	14,300
	5.9L 24V TDHO	A4	4.10	9,900	3,340	6,562	3,906	2,656	4,750	6,150	23,000	16,300

Notes: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

@ - Standard Diesel Engine are of California Emissions Standard and are only available in the states CA, ME, MA, NY & VT





# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x2 Quad Cab 3500 DR3H42 Long Box SLT DRW	5.7L V8 gas	M5	4.10	11,000	4,650	6,346	3,327	3,019	4,000	9,350	17,000	10,500
	5.7L V8 gas	A5	4.10	11,000	4,680	6,317	3,296	3,021	4,000	9,350	17,000	10,550
	5.9L 24V TD @	M5	3.73	11,500	4,540	6,958	3,990	2,968	4,740	9,350	18,000	10,900
	5.9L 24V TD @	M5	4.10	11,500	4,540	6,958	3,990	2,968	4,740	9,350	20,000	12,900
	5.9L 24V TD @	A4	3.73	11,500	4,510	6,987	4,011	2,976	4,740	9,350	17,000	9,850
	5.9L 24V TD @	A4	4.10	11,500	4,510	6,987	4,011	2,976	4,740	9,350	19,000	11,850
	5.9L 24V TDHO	M6	3.73	11,500	4,400	7,098	4,089	3,009	4,740	9,350	21,000	13,750
	5.9L 24V TDHO	M6	4.10	11,500	4,400	7,098	4,089	3,009	4,740	9,350	23,000	15,750
Ram 4x2 Quad Cab 3500 DR3H42 Long Box SLT SRW	5.9L 24V TD @	M5	3.73	9,900	3,290	6,609	3,964	2,645	4,750	6,150	18,000	11,250
	5.9L 24V TD @	M5	4.10	9,900	3,290	6,609	3,964	2,645	4,750	6,150	20,000	13,250
	5.9L 24V TD @	A4	3.73	9,900	3,260	6,638	3,985	2,653	4,750	6,150	17,000	10,200
	5.9L 24V TD @	A4	4.10	9,900	3,260	6,638	3,985	2,653	4,750	6,150	19,000	12,200
	5.9L 24V TDHO	M6	3.73	9,900	3,150	6,750	4,063	2,687	4,750	6,150	21,000	14,100
	5.9L 24V TDHO	M6	4.10	9,900	3,150	6,750	4,063	2,687	4,750	6,150	23,000	16,100
	5.9L 24V TDHO	A4	3.73	9,900	3,290	6,607	3,934	2,673	4,750	6,150	21,000	14,250
	5.9L 24V TDHO	A4	4.10	9,900	3,290	6,607	3,934	2,673	4,750	6,150	23,000	16,250
Ram 4x4 Reg. Cab 3500 DR8L62 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,500	5,070	6,426	3,543	2,883	5,200	9,350	17,000	10,400
	5.7L V8 gas	A5	4.10	11,500	5,110	6,394	3,516	2,878	5,200	9,350	17,000	10,450
	5.9L 24V TD @	M5	3.73	12,000	4,970	7,031	4,196	2,835	5,200	9,350	18,000	10,800
	5.9L 24V TD @	M5	4.10	12,000	4,970	7,031	4,196	2,835	5,200	9,350	20,000	12,800
	5.9L 24V TD @	A4	3.73	12,000	4,990	7,008	4,172	2,836	5,200	9,350	17,000	9,850
	5.9L 24V TD @	A4	4.10	12,000	4,990	7,008	4,172	2,836	5,200	9,350	19,000	11,850
	5.9L 24V TDHO	M6	3.73	12,000	4,810	7,186	4,298	2,888	5,200	9,350	21,000	13,650
	5.9L 24V TDHO	M6	4.10	12,000	4,810	7,186	4,298	2,888	5,200	9,350	23,000	15,650
	5.9L 24V TDHO	A4	3.73	12,000	5,020	6,981	4,118	2,863	5,200	9,350	21,000	13,850
	5.9L 24V TDHO	A4	4.10	12,000	5,020	6,981	4,118	2,863	5,200	9,350	23,000	15,850
Ram 4x4 Reg. Cab 3500 DR8H62 Long Box SLT DRW	5.7L V8 gas	M5	4.10	11,500	5,040	6,460	3,566	2,895	5,200	9,350	17,000	10,400
	5.7L V8 gas	A5	4.10	11,500	5,070	6,428	3,539	2,890	5,200	9,350	17,000	10,400
	5.9L 24V TD @	M5	3.73	12,000	4,940	7,064	4,218	2,847	5,200	9,350	18,000	10,800
	5.9L 24V TD @	M5	4.10	12,000	4,940	7,064	4,218	2,847	5,200	9,350	20,000	12,800
	5.9L 24V TD @	A4	3.73	12,000	4,960	7,041	4,194	2,848	5,200	9,350	17,000	9,800
	5.9L 24V TD @	A4	4.10	12,000	4,960	7,041	4,194	2,848	5,200	9,350	19,000	11,800
	5.9L 24V TDHO	M6	3.73	12,000	4,780	7,219	4,320	2,899	5,200	9,350	21,000	13,650
	5.9L 24V TDHO	M6	4.10	12,000	4,780	7,219	4,320	2,899	5,200	9,350	23,000	15,650
	5.9L 24V TDHO	A4	3.73	12,000	4,990	7,014	4,140	2,874	5,200	9,350	21,000	13,850
	5.9L 24V TDHO	A4	4.10	12,000	4,990	7,014	4,140	2,874	5,200	9,350	23,000	15,850
Ram 4x4 Quad Cab 3500 DR8L41 Short Box ST SRW	5.9L 24V TD @	M5	3.73	9,900	2,980	6,917	4,168	2,748	5,200	6,150	18,000	10,950
	5.9L 24V TD @	M5	4.10	9,900	2,980	6,917	4,168	2,748	5,200	6,150	20,000	12,950
	5.9L 24V TD @	A4	3.73	9,900	3,010	6,894	4,144	2,749	5,200	6,150	17,000	9,950
	5.9L 24V TD @	A4	4.10	9,900	3,010	6,894	4,144	2,749	5,200	6,150	19,000	11,950
	5.9L 24V TDHO	M6	3.73	9,900	2,830	7,072	4,261	2,812	5,200	6,150	21,000	13,800
	5.9L 24V TDHO	M6	4.10	9,900	2,830	7,072	4,261	2,812	5,200	6,150	23,000	15,800
	5.9L 24V TDHO	A4	3.73	9,900	3,060	6,842	4,076	2,767	5,200	6,150	21,000	14,000
	5.9L 24V TDHO	A4	4.10	9,900	3,060	6,842	4,076	2,767	5,200	6,150	23,000	16,000
Ram 4x4 Quad Cab 3500 DR8H41 Short Box SLT SRW	5.9L 24V TD @	M5	3.73	9,900	2,980	6,918	4,194	2,724	5,200	6,150	18,000	10,950
	5.9L 24V TD @	M5	4.10	9,900	2,980	6,918	4,194	2,724	5,200	6,150	20,000	12,950
	5.9L 24V TD @	A4	3.73	9,900	3,000	6,895	4,170	2,725	5,200	6,150	17,000	9,950
	5.9L 24V TD @	A4	4.10	9,900	3,000	6,895	4,170	2,725	5,200	6,150	19,000	11,950
	5.9L 24V TDHO	M6	3.73	9,900	2,790	7,111	4,286	2,826	5,200	6,150	21,000	13,750
	5.9L 24V TDHO	M6	4.10	9,900	2,790	7,111	4,286	2,826	5,200	6,150	23,000	15,750
	5.9L 24V TDHO	A4	3.73	9,900	3,020	6,881	4,101	2,781	5,200	6,150	21,000	13,950
	5.9L 24V TDHO	A4	4.10	9,900	3,020	6,881	4,101	2,781	5,200	6,150	23,000	15,950

Notes: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

@ - Standard Diesel Engine are of California Emissions Standard and are only available in the states CA, ME, MA, NY & VT



# RAM MODEL LINEUP

Model	Engine	Trans	Axle Ratio	GVWR	Payload	Curb Wt. Total	Curb Wt. Front	Curb Wt. Rear	GAWR Front	GAWR Rear	GCWR	Maximum Trailer Weight
Ram 4x4 Quad Cab 3500 DR8L42 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,500	4,720	6,783	3,738	3,045	5,200	9,350	17,000	10,050
	5.7L V8 gas	A5	4.10	11,500	4,750	6,751	3,711	3,040	5,200	9,350	17,000	10,100
	5.9L 24V TD @	M5	3.73	12,000	4,600	7,404	4,395	3,009	5,200	9,350	18,000	10,450
	5.9L 24V TD @	M5	4.10	12,000	4,600	7,404	4,395	3,009	5,200	9,350	20,000	12,450
	5.9L 24V TD @	A4	3.73	12,000	4,620	7,381	4,371	3,010	5,200	9,350	17,000	9,450
	5.9L 24V TD @	A4	4.10	12,000	4,620	7,381	4,371	3,010	5,200	9,350	19,000	11,450
	5.9L 24V TDHO	M6	3.73	12,000	4,450	7,549	4,499	3,050	5,200	9,350	21,000	13,300
	5.9L 24V TDHO	M6	4.10	12,000	4,450	7,549	4,499	3,050	5,200	9,350	23,000	15,300
	5.9L 24V TDHO	A4	3.73	12,000	4,660	7,344	4,316	3,028	5,200	9,350	21,000	13,500
Ram 4x4 Quad Cab 3500 DR8L42 Long Box ST SRW	5.9L 24V TD @	M5	3.73	9,900	2,850	7,052	4,359	2,693	5,200	6,150	18,000	10,800
	5.9L 24V TD @	M5	4.10	9,900	2,850	7,052	4,359	2,693	5,200	6,150	20,000	12,800
	5.9L 24V TD @	A4	3.73	9,900	2,870	7,029	4,335	2,694	5,200	6,150	17,000	9,800
	5.9L 24V TD @	A4	4.10	9,900	2,870	7,029	4,335	2,694	5,200	6,150	19,000	11,800
	5.9L 24V TDHO	M6	3.73	9,900	2,700	7,196	4,463	2,733	5,200	6,150	21,000	13,650
	5.9L 24V TDHO	M6	4.10	9,900	2,700	7,196	4,463	2,733	5,200	6,150	23,000	15,650
	5.9L 24V TDHO	A4	3.73	9,900	2,910	6,991	4,280	2,711	5,200	6,150	21,000	13,850
	5.9L 24V TDHO	A4	4.10	9,900	2,910	6,991	4,280	2,711	5,200	6,150	23,000	15,850
	Ram 4x4 Quad Cab 3500 DR8H42 Long Box ST DRW	5.7L V8 gas	M5	4.10	11,500	4,680	6,820	3,762	3,058	5,200	9,350	17,000
5.7L V8 gas		A5	4.10	11,500	4,710	6,788	3,735	3,053	5,200	9,350	17,000	10,050
5.9L 24V TD @		M5	3.73	12,000	4,560	7,440	4,418	3,022	5,200	9,350	18,000	10,400
5.9L 24V TD @		M5	4.10	12,000	4,560	7,440	4,418	3,022	5,200	9,350	20,000	12,400
5.9L 24V TD @		A4	3.73	12,000	4,580	7,417	4,394	3,023	5,200	9,350	17,000	9,450
5.9L 24V TD @		A4	4.10	12,000	4,580	7,417	4,394	3,023	5,200	9,350	19,000	11,450
5.9L 24V TDHO		M6	3.73	12,000	4,420	7,585	4,522	3,063	5,200	9,350	21,000	13,250
5.9L 24V TDHO		M6	4.10	12,000	4,420	7,585	4,522	3,063	5,200	9,350	23,000	15,250
5.9L 24V TDHO		A4	3.73	12,000	4,620	7,380	4,339	3,041	5,200	9,350	21,000	13,450
Ram 4x4 Quad Cab 3500 DR8H42 Long Box ST SRW	5.9L 24V TD @	M5	3.73	9,900	2,760	7,141	4,387	2,754	5,200	6,150	18,000	10,700
	5.9L 24V TD @	M5	4.10	9,900	2,760	7,141	4,387	2,754	5,200	6,150	20,000	12,700
	5.9L 24V TD @	A4	3.73	9,900	2,780	7,118	4,363	2,755	5,200	6,150	17,000	9,750
	5.9L 24V TD @	A4	4.10	9,900	2,780	7,118	4,363	2,755	5,200	6,150	19,000	11,750
	5.9L 24V TDHO	M6	3.73	9,900	2,610	7,286	4,491	2,795	5,200	6,150	21,000	13,550
	5.9L 24V TDHO	M6	4.10	9,900	2,610	7,286	4,491	2,795	5,200	6,150	23,000	15,550
	5.9L 24V TDHO	A4	3.73	9,900	2,820	7,081	4,308	2,773	5,200	6,150	21,000	13,750
	5.9L 24V TDHO	A4	4.10	9,900	2,820	7,081	4,308	2,773	5,200	6,150	23,000	15,750

Notes: 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb Wt. - 150 lbs. (allowance for driver)

3. Use synthetic axle lubricant with the trailer tow package

@ - Standard Diesel Engine are of California Emissions Standard and are only available in the states CA, ME, MA, NY & VT