


CHASSIS REGULAR CAB 3500 167.5"WB 84.0CA 6.7L 4X4

POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION



SECTION VIEW



CHARTS

● Site Map

● Main Menu

● Chassis Cab Home

PRINT


ALL

IN

OUT

CHASSIS REGULAR CAB 3500 167.5"WB 84.0CA 6.7L 4X4

SHEAR PLATE HOLE LOCATIONS



NOTE: Because of the curvature of the back of the Dodge Ram cab a minimum clearance maintained at the closest point in the center of the cab back will increase by .28 inches when measured above the frame rails. For example, if you have 3 inches clearance between the cab and applied body at the center you will have 3.28 inches when measured at the frame rails. This is normal acceptable condition



PLAN & SIDE VIEW



CHARTS

Site Map

Main Menu

Chassis Cab Home

PRINT

ALL

IN

OUT

CHASSIS REGULAR CAB 3500 167.5"WB 84.0CA 6.7L 4X4

Code	Description	Metric	English
EH1	Muffler Height	304.8 mm	12.0 in
EH2	Datum Line to Bottom of Tailpipe	463.4 mm	18.2 in
EL1	Muffler Length	342.9 mm	13.5 in
EL2	End of Tailpipe to Last Box Mount Hole	503.6 mm	19.8 in
EW1	Muffler Exhaust Intake to Inside of Frame	152.8 mm	6.0 in
EW2	Muffler to Inside of Frame	247.3 mm	9.7 in
EW3	Muffler Width	184.2 mm	7.3 in
EW4	Muffler RR Exhaust Pipe to Frame	596.7 mm	23.5 in
EW5	End of Exhaust Pipe to Outside of Frame	1297.7 mm	51.1 in

Code	Description	Metric	English
FH1	Front Frame-Height	189.0 mm	7.4 in
FH3	Datum Line to Top of Box Mount Holes Rear	0.0 mm	0.0 in
FH5	Rear Frame-Height	155.3 mm	6.1 in
FL1	Front of Frame to Fiducial Mark No.1	1134.1 mm	44.6 in
FL8	Distance Between Spare Tire Cross Members	909.8 mm	35.8 in
FW1	Front Frame-Outside Width	1000.0 mm	39.4 in
FW2	Front Frame-Inside Width	880.0 mm	34.6 in
FW3	Rear Suspension Front Spring Bolt	1247.4 mm	49.1 in
FW4	Rear Suspension Rear Spring Bolt	1247.4 mm	49.1 in
FW5	Rear Frame-Inside Width	711.2 mm	28.0 in
FW6	Rear Frame-Outside Width	859.6 mm	33.8 in
L54	Fiducial Mark No,1	1734.8 mm	68.3 in
L404	Cab to Rear Axle	2133.6 mm	84.0 in
TRL2	Fuel Tank Length	1490.0 mm	58.7 in
TRL3	Rear Wheel Center line to Fuel Tank	402.3 mm	15.8 in
TRW1	Outside Rail to Fuel Tank(inside)	241.9 mm	9.5 in



PLAN & SIDE VIEW



SECTION VIEW

[Site Map](#)

[Main Menu](#)

[Chassis Cab Home](#)

PRINT

ALL

IN

OUT