



DURANGO 119.2"WB 4X2 & 4X4**POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION** **PLAN & SIDE VIEW** **CHARTS** **Site Map** **Main Menu** **Durango Home****PRINT** **ALL** **IN** **OUT**

DURANGO 119.2"WB 4X2 & 4X4**POSITION THE MOUSE OVER THE CODE FOR INSTANT DIMENSION**
 **FRONT & REAR VIEW**
 **CHARTS**
 **Site Map**
 **Main Menu**
 **Durango Home**
PRINT
 **ALL**
 **IN**
 **OUT**

DURANGO 119.2"WB 4X2 & 4X4

09/01/2006

Code	Description	245/70R17		265/65R17		275/60R17		265/60R18		265/50R20	
		mm	in	mm	in	mm	in	mm	in	mm	in
CH511	Bottom of Open Hood to Ground	1793.1	70.6	1793.1	70.6	1786.5	70.3	1789.6	70.5	1794.9	70.7
CHR22	Turn Circle Diameter(feet/meters)*		37.0 FT		37.0 FT		37.0 FT		37.0 FT		37.0 FT
H5	SgRP- Front to Ground	835.2	32.9	835.2	32.9	828.6	32.6	831.7	32.7	837.0	33.0
H10	SgRP - Second to Ground	880.9	34.7	880.9	34.7	874.3	34.4	877.4	34.5	882.7	34.8
H85	SgRP - Third to Ground	911.4	35.9	911.4	35.9	904.8	35.6	907.9	35.7	913.2	36.0
H103	Front Bumper to Ground (curb wt.)	280.1	11.0	280.1	11.0	273.5	10.8	276.6	10.9	281.9	11.1
H105	Rear Bumper to Ground (curb wt.)	526.1	20.7	526.1	20.7	519.5	20.5	522.6	20.6	527.9	20.8
H106	Angle of Approach	24.0°	24.0°	24.0°	24.0°	23.5°	23.5°	23.7°	23.7°	24.1°	24.1°
H107	Angle of Departure	27.7°	27.7°	27.7°	27.7°	27.4°	27.4°	27.6°	27.6°	27.8°	27.8°
H108	Static Load-Tire Radius-Front*	345.9	13.6	345.9	13.6	339.3	13.4	342.4	13.5	347.7	13.7
H109	Static Load-Tire Radius-Rear*	345.9	13.6	345.9	13.6	339.3	13.4	342.4	13.5	347.7	13.7
H130	Step Height - Front(curb weight)	508.3	19.9	508.3	19.9	499.7	19.7	502.8	19.8	508.1	20.0
H131	Step Height - Second(curb weight)	518.7	20.4	518.7	20.4	512.1	20.2	515.2	20.3	520.5	20.5
H147	Ramp Breakover Angle	19.3°	19.3°	19.3°	19.3°	18.7°	18.7°	19.0°	19.0°	19.4°	19.4°
H148	Suspension or Axle to Ground - Front	179.5	7.1	179.5	7.1	172.9	6.8	176.0	6.9	181.3	7.1
H153	Suspension or Axle to Ground - Rear	201.0	7.9	201.0	7.9	194.4	7.7	197.5	7.8	202.8	8.0
H195	Liftover Height	857.2	33.7	857.2	33.7	850.6	33.5	853.7	33.6	859.0	33.8
H250A	Top of Open Liftgate to Ground	2045.1	80.5	2045.1	80.5	2038.5	80.3	2041.6	80.4	2046.9	80.6
H250B	Bottom of Open Liftgate to Ground	1862.5	73.3	1862.5	73.3	1855.9	73.1	1859.0	73.2	1864.3	73.4
H431	Vehicle Height - curb weight, roof rack	1868.1	73.5	1868.1	73.5	1861.5	73.3	1864.6	73.4	1869.6	73.6
L101	Wheelbase	3026.5	119.2	3026.5	119.2	3026.5	119.2	3026.5	119.2	3026.5	119.2
L104	Overhang - Front	961.8	37.9	961.8	37.9	961.8	37.9	961.8	37.9	961.8	37.9
L105	Overhang - Rear	1112.9	43.8	1112.9	43.8	1112.9	43.8	1112.9	43.8	1112.9	43.8
L114	Front Wheel to Front SgRP c/l	1504.7	59.2	1504.7	59.2	1504.7	59.2	1504.7	59.2	1504.7	59.2
TRL3	Rear Wheel Centerline to Fuel Tank	161.7	6.4	161.7	6.4	161.7	6.4	161.7	6.4	161.7	6.4
W101	Tire Track - front	1636.5	64.4	1636.5	64.4	1636.5	64.4	1636.5	64.4	1636.5	64.4
W102	Tire Track - rear	1637.4	64.5	1637.4	64.5	1637.4	64.5	1637.4	64.5	1637.4	64.5

 **TIRE CHART**

 **FRONT & REAR VIEW**

 **PLAN & SIDE VIEW**

 **Site Map**

 **Main Menu**

 **Durango Home**

PRINT

 **ALL**

 **IN**

 **OUT**

Code	Description	mm	in
CL6	C/l of Frt Whls to accl. Heel.Pt	688.1	27.1
L50	SgRP Couple distance (1-2)	840.5	33.1
L85	SgRP Couple distance (2-3)	826.6	32.5
L103	Vehicle Length	5101.2	200.8
TRL2	Fuel Tank Length	1318.4	51.9
Code	Description	mm	in
CH18	Steering Column Angle	23.1°	23.1°
H6	SgRP-Front to Windshield Lwr DLO	439.1	17.3
H18	Steering Wheel Angle	23.0°	23.0°
H61	Effective Head Room Front	1035.8	40.8
H63	Effective Head Room Second	995.7	39.2
H86	Effective Head Room Third	996.6	39.2
H122	Window Slope Angle - Windshield	56.9°	56.9°
Code	Description	mm	in
W106	Front Fender Width	1926.7	75.9
W107	Rear Fender Width	1929.5	76.0
W116	Body Width - maximum	1922.1	75.7
W117	Body Width At SgRP - Front	1896.0	74.6
W120	Vehicle Width - Front Doors Open	3660.7	144.1
W121	Vehicle Width - Rear Doors Open	3943.7	155.3
W201	Cargo Width - Wheelhouse	1219.2	48.0
W410	Vehicle Width - Mirrors (std)	2206.0	86.9
W410A	Vehicle Width - Mirrors (opt)	2299.4	90.5

