

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED ST													DR 1L41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,810	4,889	2,719	2,170	3,700	3,900	8,000	N/A	2,950	N/A	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,810	4,889	2,719	2,170	3,700	3,900	8,000	N/A	2,950	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,700	1,810	4,886	2,708	2,178	3,700	3,900	8,500	N/A	3,450	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,700	1,810	4,886	2,708	2,178	3,700	3,900	8,500	N/A	3,450	N/A	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	9,000	N/A	3,850	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	10,000	N/A	4,850	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	10,500	N/A	5,350	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	10,500	N/A	5,300	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	11,500	N/A	6,300	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	12,500	N/A	7,300	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,620	5,075	2,874	2,200	3,700	3,900	10,700	13,000	5,450	7,750	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,620	5,075	2,874	2,200	3,700	3,900	10,700	14,000	5,450	8,750	
RAM QUAD CAB 2WD SHORT BED SLT													DR 1H41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,640	5,059	2,836	2,224	3,700	3,900	N/A	9,500	N/A	4,250	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,700	4,994	2,809	2,185	3,700	3,900	N/A	10,000	N/A	4,850	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,700	4,994	2,809	2,185	3,700	3,900	N/A	10,500	N/A	5,350	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,690	5,000	2,812	2,189	3,700	3,900	N/A	10,000	N/A	4,800	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,690	5,000	2,812	2,189	3,700	3,900	N/A	10,500	N/A	5,300	
20" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,580	5,117	2,871	2,245	3,700	3,900	N/A	11,500	N/A	6,200	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,640	5,052	2,845	2,207	3,700	3,900	N/A	11,500	N/A	6,250	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,640	5,052	2,845	2,207	3,700	3,900	N/A	12,500	N/A	7,250	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,640	5,058	2,847	2,210	3,700	3,900	N/A	11,500	N/A	6,250	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,640	5,058	2,847	2,210	3,700	3,900	N/A	12,500	N/A	7,250	
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,530	5,162	2,921	2,241	3,700	3,900	10,700	13,000	5,350	7,650	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,600	5,097	2,895	2,202	3,700	3,900	10,700	13,000	5,450	7,750	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,600	5,097	2,895	2,202	3,700	3,900	10,700	14,000	5,450	8,750	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,590	5,103	2,897	2,206	3,700	3,900	10,700	13,000	5,400	7,700	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,590	5,103	2,897	2,206	3,700	3,900	10,700	14,000	5,400	8,700	
RAM QUAD CAB 2WD SHORT BED LARAMIE													DR 1P41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,400	5,292	2,997	2,295	3,700	3,900	10,700	13,000	5,250	7,550	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. 20" Optional Tires changed in model 1H41.
4. There was a change in the Axle Ratio, only 3.92 is available in 1H41 and 1P41
5. There are not optional Tires for 1P41
6. Now is available Axle Ratio 3.55 on model 1L41



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED ST							DR 1L42								
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,245	2,980	2,265	3,700	3,900	N/A	11,500	N/A	6,100
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,245	2,980	2,265	3,700	3,900	N/A	12,500	N/A	7,100
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,390	5,306	3,028	2,277	3,700	3,900	10,700	13,000	5,200	7,500
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,390	5,306	3,028	2,277	3,700	3,900	10,700	14,000	5,200	8,500
RAM QUAD CAB 2WD LONG BED SLT							DR 1H42								
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,420	5,277	3,036	2,242	3,700	3,900	N/A	11,500	N/A	6,050
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,420	5,277	3,036	2,242	3,700	3,900	N/A	12,500	N/A	7,050
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,350	5,343	3,084	2,258	3,700	3,900	10,700	13,000	5,200	7,500
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,350	5,343	3,084	2,258	3,700	3,900	10,700	14,000	5,200	8,500

NOTE:
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
 2. Maximum trailer weights are rounded to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD SHORT BED ST													DR 1L61			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,510	4,514	2,543	1,972	3,700	3,900	8,000	N/A	3,300	N/A	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,510	4,514	2,543	1,972	3,700	3,900	8,000	N/A	3,300	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,025	1,500	4,516	2,532	1,985	3,700	3,900	8,500	N/A	3,800	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,025	1,500	4,516	2,532	1,985	3,700	3,900	8,500	N/A	3,800	N/A	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	9,000	N/A	4,250	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	10,000	N/A	5,250	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	10,500	N/A	5,750	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	10,500	N/A	5,650	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	11,500	N/A	6,650	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	12,500	N/A	7,650	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,460	4,732	2,713	2,019	3,700	3,900	10,700	13,000	5,800	8,100	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,460	4,732	2,713	2,019	3,700	3,900	10,700	14,000	5,800	9,100	
RAM REGULAR CAB 2WD SHORT BED SLT													DR 1H61			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,380	4,642	2,635	2,007	3,700	3,900	N/A	9,000	N/A	4,200	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,380	4,642	2,635	2,007	3,700	3,900	N/A	10,500	N/A	5,700	
20"	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,310	4,714	2,668	2,046	3,700	3,900	N/A	9,500	N/A	4,600	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,025	1,320	4,695	2,666	2,029	3,700	3,900	N/A	10,500	N/A	5,650	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,320	4,695	2,666	2,029	3,700	3,900	N/A	12,500	N/A	7,650	
20"	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,250	4,767	2,700	2,068	3,700	3,900	N/A	11,500	N/A	6,550	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,440	4,760	2,713	2,047	3,700	3,900	10,700	14,000	5,750	9,050	
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,360	4,832	2,747	2,085	3,700	3,900	10,700	13,000	5,700	8,000	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. 3.55 Ratio (DMD) is not available for 1H61

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD LONG BED ST													DR 1L62			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,830	4,761	2,690	2,072	3,700	3,900	8,000	N/A	3,050	N/A	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,830	4,761	2,690	2,072	3,700	3,900	8,000	N/A	3,050	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,600	1,840	4,759	2,679	2,079	3,700	3,900	8,500	N/A	3,550	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,600	1,840	4,759	2,679	2,079	3,700	3,900	8,500	N/A	3,550	N/A	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	9,000	N/A	3,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	10,000	N/A	4,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	11,500	N/A	6,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	12,500	N/A	7,450	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,610	4,983	2,871	2,112	3,700	3,900	10,700	13,000	5,550	7,850	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,610	4,983	2,871	2,112	3,700	3,900	10,700	14,000	5,550	8,850	
RAM REGULAR CAB 2WD LONG BED SLT													DR 1H62			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	9,000	N/A	3,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	10,000	N/A	4,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	11,500	N/A	6,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	12,500	N/A	7,450	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,610	4,982	2,863	2,119	3,700	3,900	10,700	13,000	5,550	7,850	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,610	4,982	2,863	2,119	3,700	3,900	10,700	14,000	5,550	8,850	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. Now is available Axle Ratio 3.55 on model 1L62

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED ST													DR 6L41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	9,500	N/A	4,100	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	10,500	N/A	5,100	
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	9,500	N/A	4,100	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	11,500	N/A	6,050	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	12,500	N/A	7,050	
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	11,500	N/A	6,050	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	13,000	5,200	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	14,000	5,200	8,500	
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	13,000	5,200	7,500	
RAM QUAD CAB 4WD SHORT BED SLT													DR 6H41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20"base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,410	5,289	3,068	2,221	3,900	3,900	N/A	9,500	N/A	4,050	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,470	5,224	3,041	2,182	3,900	3,900	N/A	9,500	N/A	4,100	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,470	5,224	3,041	2,182	3,900	3,900	N/A	10,500	N/A	5,100	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,470	5,230	3,044	2,186	3,900	3,900	N/A	9,500	N/A	4,100	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,470	5,230	3,044	2,186	3,900	3,900	N/A	10,500	N/A	5,100	
20"base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,340	5,350	3,104	2,246	3,900	3,900	N/A	11,500	N/A	5,950	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,410	5,285	3,078	2,208	3,900	3,900	N/A	11,500	N/A	6,050	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,410	5,285	3,078	2,208	3,900	3,900	N/A	12,500	N/A	7,050	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,400	5,291	3,080	2,211	3,900	3,900	N/A	11,500	N/A	6,050	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,400	5,291	3,080	2,211	3,900	3,900	N/A	12,500	N/A	7,050	
20"base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,300	5,399	3,132	2,267	3,900	3,900	10,700	13,000	5,150	7,450	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,334	3,106	2,228	3,900	3,900	10,700	13,000	5,200	7,500	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,334	3,106	2,228	3,900	3,900	10,700	14,000	5,200	8,500	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,350	5,340	3,109	2,232	3,900	3,900	10,700	13,000	5,200	7,500	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,350	5,340	3,109	2,232	3,900	3,900	10,700	14,000	5,200	8,500	
RAM QUAD CAB 4WD SHORT BED LARAMIE													DR 6P41			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,210	5,484	3,186	2,298	3,900	3,900	10,700	13,000	5,050	7,350	

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED ST													DR 6L42				
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,280	5,512	3,204	2,308	3,900	3,900	N/A	12,500	N/A	6,800		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92**	6,800	1,250	5,540	3,237	2,303	3,900	3,900	10,700	14,000	5,000	8,300		

RAM QUAD CAB 4WD LONG BED SLT													DR 6H42				
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,280	5,511	3,217	2,295	3,900	3,900	N/A	12,500	N/A	6,800		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,260	5,540	3,250	2,290	3,900	3,900	10,700	14,000	5,000	8,300		

NOTE:
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
 2. Maximum trailer weights are rounded to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REG CAB 4WD SHORT BED ST														DR 6L61		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	9,500	N/A	4,450	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	10,500	N/A	5,450	
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	9,500	N/A	4,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.55	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	11,500	N/A	6,400	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	12,500	N/A	7,400	
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	11,500	N/A	6,400	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.55	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	13,000	5,600	7,900	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	14,000	5,600	8,900	
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	13,000	5,600	7,900	
RAM REG CAB 4WD SHORT BED SLT														DR 6H61		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,510	4,836	2,851	1,985	3,900	3,900	N/A	9,500	N/A	4,500	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,510	4,836	2,851	1,985	3,900	3,900	N/A	10,500	N/A	5,500	
20"	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,440	4,908	2,884	2,024	3,900	3,900	N/A	9,500	N/A	4,400	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.55	6,350	1,450	4,898	2,883	2,014	3,900	3,900	N/A	11,500	N/A	6,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,450	4,898	2,883	2,014	3,900	3,900	N/A	12,500	N/A	7,450	
20"	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,380	4,970	2,917	2,053	3,900	3,900	N/A	11,500	N/A	6,350	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.55	6,350	1,420	4,923	2,896	2,028	3,900	3,900	10,700	13,000	5,600	7,900	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,420	4,923	2,896	2,028	3,900	3,900	10,700	14,000	5,600	8,900	
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGG)	3.92	6,350	1,350	4,995	2,929	2,066	3,900	3,900	10,700	13,000	5,550	7,850	

NOTE:
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
 2. Maximum trailer weights are rounded to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REG CAB 4WD LONG BED ST													DR 6L62				
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling		
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	9,500	N/A	4,250		
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	10,500	N/A	5,250		
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	9,500	N/A	4,250		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	11,500	N/A	6,200		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	12,500	N/A	7,200		
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	11,500	N/A	6,200		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	13,000	5,350	7,650		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	14,000	5,350	8,650		
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	13,000	5,350	7,650		

RAM REG CAB 4WD LONG BED SLT													DR 6H62				
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling		
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,530	5,065	3,002	2,063	3,900	3,900	N/A	9,500	N/A	4,250		
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,065	3,002	2,063	3,900	3,900	N/A	10,500	N/A	5,250		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,470	5,127	3,039	2,088	3,900	3,900	N/A	11,500	N/A	6,200		
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,127	3,039	2,088	3,900	3,900	N/A	12,500	N/A	7,200		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,400	5,196	3,082	2,114	3,900	3,900	10,700	13,000	5,350	7,650		
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,196	3,082	2,114	3,900	3,900	10,700	14,000	5,350	8,650		

NOTE:
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
 2. Maximum trailer weights are rounded to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

1500 RAM MEGA CAB 2WD SHORT BED SLT												DH 1H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,550	5,958	3,184	2,773	4,750	6,010	14,000	7,900	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,550	5,958	3,184	2,773	4,750	6,010	15,000	8,900	
1500 RAM MEGA CAB 2WD SHORT BED LARAMIE												DH 1P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,530	5,975	3,209	2,766	4,750	6,010	14,000	7,850	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,530	5,975	3,209	2,766	4,750	6,010	15,000	8,850	
1500 RAM MEGA CAB 4WD SHORT BED SLT												DH 6H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,090	6,424	3,583	2,841	5,200	6,010	14,000	7,450	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,090	6,424	3,583	2,841	5,200	6,010	15,000	8,450	
1500 RAM MEGA CAB 4WD SHORT BED LARAMIE												DH 6P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,070	6,438	3,605	2,832	5,200	6,010	14,000	7,400	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,070	6,438	3,605	2,832	5,200	6,010	15,000	8,400	

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED ST													DH 2L41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,210	5,593	3,076	2,516	4,410	6,000	15,000	9,250	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,210	5,593	3,076	2,516	4,410	6,000	17,000	11,250	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,260	5,538	3,029	2,508	4,410	6,000	15,000	9,300	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,260	5,538	3,029	2,508	4,410	6,000	17,000	11,300	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,551	3,960	2,591	4,630	6,000	19,000	12,300	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,551	3,960	2,591	4,630	6,000	20,000	13,300	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,510	6,487	3,906	2,581	4,630	6,000	20,000	13,350	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,510	6,487	3,906	2,581	4,630	6,000	20,000	13,350	

RAM QUAD CAB 2WD SHORT BED SLT													DH 2H41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,210	5,588	3,091	2,497	4,750	6,010	15,000	9,250	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,210	5,588	3,091	2,497	4,750	6,010	17,000	11,250	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,270	5,533	3,044	2,489	4,750	6,010	15,000	9,300	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,270	5,533	3,044	2,489	4,750	6,010	17,000	11,300	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,546	3,975	2,572	4,750	6,010	19,000	12,300	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,546	3,975	2,572	4,750	6,010	20,000	13,300	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,520	6,482	3,921	2,562	4,750	6,010	20,000	13,350	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,520	6,482	3,921	2,562	4,750	6,010	20,000	13,350	

RAM QUAD CAB 2WD SHORT BED LARAMIE													DH 2P41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,170	5,631	3,099	2,532	4,750	6,010	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,170	5,631	3,099	2,532	4,750	6,010	17,000	11,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,350	6,645	4,029	2,616	4,750	6,010	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,350	6,645	4,029	2,616	4,750	6,010	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,420	6,581	3,975	2,606	4,750	6,010	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,420	6,581	3,975	2,606	4,750	6,010	20,000	13,250	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED ST													DH 2L42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,080	5,715	3,173	2,542	4,410	6,000	15,000	9,150	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,080	5,715	3,173	2,542	4,410	6,000	17,000	11,150	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,130	5,672	3,130	2,542	4,410	6,000	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,130	5,672	3,130	2,542	4,410	6,000	17,000	11,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,673	4,056	2,616	4,630	6,000	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,673	4,056	2,616	4,630	6,000	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,410	6,591	3,997	2,593	4,630	6,000	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,410	6,591	3,997	2,593	4,630	6,000	20,000	13,250	

RAM QUAD CAB 2WD LONG BED SLT													DH 2H42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	3,090	5,710	3,188	2,522	4,750	6,010	15,000	9,150	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	3,090	5,710	3,188	2,522	4,750	6,010	17,000	11,150	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,130	5,667	3,145	2,522	4,750	6,010	15,000	9,200	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,130	5,667	3,145	2,522	4,750	6,010	17,000	11,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,668	4,071	2,597	4,750	6,010	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,668	4,071	2,597	4,750	6,010	20,000	13,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,410	6,586	4,012	2,574	4,750	6,010	20,000	13,250	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,410	6,586	4,012	2,574	4,750	6,010	20,000	13,250	

RAM QUAD CAB 2WD LONG BED LARAMIE													DH 2P42
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,030	5,768	3,203	2,565	4,750	6,010	15,000	9,100	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,030	5,768	3,203	2,565	4,750	6,010	17,000	11,100	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,230	6,768	4,128	2,640	4,750	6,010	19,000	12,100	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,230	6,768	4,128	2,640	4,750	6,010	20,000	13,100	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,310	6,686	4,069	2,617	4,750	6,010	20,000	13,150	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,310	6,686	4,069	2,617	4,750	6,010	20,000	13,150	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD LONG BED ST

DH 2L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,230	5,419	3,031	2,388	4,410	6,000	15,000	9,450
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,230	5,419	3,031	2,388	4,410	6,000	17,000	11,450
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,290	5,362	2,986	2,376	4,410	6,000	15,000	9,500
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,290	5,362	2,986	2,376	4,410	6,000	17,000	11,500
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,590	6,412	3,962	2,450	4,630	6,000	19,000	12,450
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,590	6,412	3,962	2,450	4,630	6,000	20,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,650	6,348	3,907	2,441	4,630	6,000	20,000	13,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,650	6,348	3,907	2,441	4,630	6,000	20,000	13,500

RAM REGULAR CAB 2WD LONG BED SLT

DH 2H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	3,260	5,388	3,021	2,367	4,750	6,010	15,000	9,450
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	3,260	5,388	3,021	2,367	4,750	6,010	17,000	11,450
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,320	5,331	2,976	2,355	4,750	6,010	15,000	9,500
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,320	5,331	2,976	2,355	4,750	6,010	17,000	11,500
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,620	6,382	3,953	2,429	4,750	6,010	19,000	12,450
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,620	6,382	3,953	2,429	4,750	6,010	20,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,680	6,318	3,898	2,420	4,750	6,010	20,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,680	6,318	3,898	2,420	4,750	6,010	20,000	13,550

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED ST													DH 7L41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,770	6,034	3,448	2,587	5,200	6,000	15,000	8,800	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,770	6,034	3,448	2,587	5,200	6,000	17,000	10,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,820	5,984	3,399	2,586	5,200	6,000	15,000	8,850	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,820	5,984	3,399	2,586	5,200	6,000	17,000	10,850	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,010	6,989	4,328	2,661	5,200	6,000	19,000	11,850	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,010	6,989	4,328	2,661	5,200	6,000	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,070	6,932	4,273	2,659	5,200	6,000	20,000	12,900	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,070	6,932	4,273	2,659	5,200	6,000	20,000	12,900	

RAM QUAD CAB 4WD SHORT BED SLT													DH 7H41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,770	6,030	3,462	2,568	5,200	6,010	15,000	8,800	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,770	6,030	3,462	2,568	5,200	6,010	17,000	10,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,810	5,987	3,420	2,567	5,200	6,010	15,000	8,850	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,810	5,987	3,420	2,567	5,200	6,010	17,000	10,850	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,020	6,985	4,343	2,642	5,200	6,010	19,000	11,850	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,020	6,985	4,343	2,642	5,200	6,010	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,070	6,934	4,294	2,640	5,200	6,010	20,000	12,900	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,070	6,934	4,294	2,640	5,200	6,010	20,000	12,900	

RAM QUAD CAB 4WD SHORT BED LARAMIE													DH 7P41
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,720	6,078	3,467	2,611	5,200	6,010	15,000	8,750	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,720	6,078	3,467	2,611	5,200	6,010	17,000	10,750	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,920	7,083	4,397	2,686	5,200	6,010	19,000	11,750	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,920	7,083	4,397	2,686	5,200	6,010	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,970	7,032	4,348	2,684	5,200	6,010	20,000	12,800	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,970	7,032	4,348	2,684	5,200	6,010	20,000	12,800	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED SLT				DH 7H41- POWER WAGON									
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,220	6,293	3,698	2,594	4,500	6,140	17,000	10,550	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,260	6,250	3,656	2,593	4,500	6,140	17,000	10,600	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED ST													DH 7L42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,620	6,184	3,590	2,594	5,200	6,000	15,000	8,650		
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,620	6,184	3,590	2,594	5,200	6,000	17,000	10,650		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,680	6,124	3,538	2,586	5,200	6,000	15,000	8,750		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,680	6,124	3,538	2,586	5,200	6,000	17,000	10,750		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,470	2,667	5,200	6,000	19,000	11,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,470	2,667	5,200	6,000	20,000	12,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,930	7,071	4,412	2,658	5,200	6,000	20,000	12,800		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,930	7,071	4,412	2,658	5,200	6,000	20,000	12,800		

RAM QUAD CAB 4WD LONG BED SLT													DH 7H42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,800	2,620	6,185	3,609	2,575	5,200	6,010	15,000	8,650		
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,800	2,620	6,185	3,609	2,575	5,200	6,010	17,000	10,650		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,670	6,132	3,564	2,567	5,200	6,010	15,000	8,700		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,670	6,132	3,564	2,567	5,200	6,010	17,000	10,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,490	2,649	5,200	6,010	19,000	11,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,490	2,649	5,200	6,010	20,000	12,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,920	7,077	4,438	2,640	5,200	6,010	20,000	12,750		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,920	7,077	4,438	2,640	5,200	6,010	20,000	12,750		

RAM QUAD CAB 4WD LONG BED LARAMIE													DH 7P42	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,580	6,215	3,607	2,608	5,200	6,010	15,000	8,650		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,580	6,215	3,607	2,608	5,200	6,010	17,000	10,650		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,770	7,229	4,539	2,689	5,200	6,010	19,000	11,600		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,770	7,229	4,539	2,689	5,200	6,010	20,000	12,600		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 4WD LONG BED ST

DH 7L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,770	5,880	3,425	2,455	5,200	6,000	15,000	8,950
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,770	5,880	3,425	2,455	5,200	6,000	17,000	10,950
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,820	5,830	3,376	2,454	5,200	6,000	15,000	9,000
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,820	5,830	3,376	2,454	5,200	6,000	17,000	11,000
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,200	6,802	4,316	2,486	5,200	6,000	19,000	12,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,200	6,802	4,316	2,486	5,200	6,000	20,000	13,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,260	6,745	4,261	2,484	5,200	6,000	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,260	6,745	4,261	2,484	5,200	6,000	20,000	13,100

RAM REGULAR CAB 4WD LONG BED SLT

DH 7H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	3.73	8,650	2,800	5,855	3,420	2,435	5,200	6,010	15,000	9,000
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	8,650	2,800	5,855	3,420	2,435	5,200	6,010	17,000	11,000
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,840	5,812	3,378	2,434	5,200	6,010	15,000	9,050
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,840	5,812	3,378	2,434	5,200	6,010	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,220	6,777	4,311	2,466	5,200	6,010	19,000	12,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,220	6,777	4,311	2,466	5,200	6,010	20,000	13,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,270	6,726	4,262	2,464	5,200	6,010	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,270	6,726	4,262	2,464	5,200	6,010	20,000	13,100

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 4WD LONG BED SLT				DH 7H62- POWER WAGON								
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.56	8,510	2,390	6,120	3,658	2,462	4,500	6,140	17,000	10,750
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.56	8,510	2,430	6,077	3,616	2,461	4,500	6,140	17,000	10,750

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

2500 RAM MEGA CAB 2WD SHORT BED SLT												DH 2H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,770	6,034	3,259	2,775	4,750	6,010	15,000	8,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,770	6,034	3,259	2,775	4,750	6,010	17,000	10,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,940	7,059	4,208	2,850	4,750	6,010	19,000	11,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,940	7,059	4,208	2,850	4,750	6,010	20,000	12,800	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,020	6,976	4,149	2,826	4,750	6,010	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,020	6,976	4,149	2,826	4,750	6,010	20,000	12,850	

2500 RAM MEGA CAB 2WD SHORT BED LARAMIE												DH 2P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,750	6,051	3,284	2,768	4,750	6,010	15,000	8,800	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,750	6,051	3,284	2,768	4,750	6,010	17,000	10,800	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,920	7,076	4,233	2,843	4,750	6,010	19,000	11,750	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,920	7,076	4,233	2,843	4,750	6,010	20,000	12,750	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,010	6,993	4,174	2,819	4,750	6,010	20,000	12,850	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,010	6,993	4,174	2,819	4,750	6,010	20,000	12,850	

2500 RAM MEGA CAB 4WD SHORT BED SLT												DH 7H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,330	6,473	3,631	2,842	5,200	6,010	15,000	8,400	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,330	6,473	3,631	2,842	5,200	6,010	17,000	10,400	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,530	7,465	4,549	2,916	5,200	6,010	19,000	11,400	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,530	7,465	4,549	2,916	5,200	6,010	20,000	12,400	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,590	7,408	4,500	2,908	5,200	6,010	20,000	12,450	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,590	7,408	4,500	2,908	5,200	6,010	20,000	12,450	

Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

2500 RAM MEGA CAB 4WD SHORT BED LARAMIE				DH 7P81									
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,310	6,487	3,653	2,833	5,200	6,010	15,000	8,350	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,310	6,487	3,653	2,833	5,200	6,010	17,000	10,350	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,520	7,479	4,571	2,908	5,200	6,010	19,000	11,350	
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,520	7,479	4,571	2,908	5,200	6,010	20,000	12,350	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,580	7,422	4,522	2,900	5,200	6,010	20,000	12,450	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,580	7,422	4,522	2,900	5,200	6,010	20,000	12,450	

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD SHORT BED - ST													D1 3L41 (SRW)
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,560	6,542	3,898	2,644	4,750	6,200	19,000	12,300	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,560	6,542	3,898	2,644	4,750	6,200	21,000	14,300	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,620	6,478	3,844	2,634	4,750	6,200	21,000	14,350	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,620	6,478	3,844	2,634	4,750	6,200	23,000	16,350	

RAM QUAD CAB 2WD SHORT BED - SLT													D1 3H41 (SRW)
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,470	6,629	3,966	2,664	4,750	6,200	19,000	12,200	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,470	6,629	3,966	2,664	4,750	6,200	21,000	14,200	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,530	6,565	3,912	2,654	4,750	6,200	21,000	14,300	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,530	6,565	3,912	2,654	4,750	6,200	23,000	16,300	

RAM QUAD CAB 2WD SHORT BED - LARAMIE													D1 3P41 (SRW)
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,360	6,742	4,039	2,704	4,750	6,200	19,000	12,100	
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,360	6,742	4,039	2,704	4,750	6,200	21,000	14,100	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,420	6,678	3,985	2,694	4,750	6,200	21,000	14,150	
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,420	6,678	3,985	2,694	4,750	6,200	23,000	16,150	

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver).



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED - ST													D1 3L42 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,870	6,134	3,210	2,924	4,110	9,350	17,000	10,700		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,910	6,091	3,167	2,924	4,110	9,350	17,000	10,750		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,410	7,092	4,093	2,999	4,750	9,350	19,000	11,750		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,410	7,092	4,093	2,999	4,750	9,350	21,000	13,750		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,480	7,023	4,035	2,988	4,750	9,350	21,000	13,850		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,480	7,023	4,035	2,988	4,750	9,350	23,000	15,850		

RAM QUAD CAB 2WD LONG BED - ST													D1 3L42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,390	6,715	4,050	2,664	4,750	6,200	19,000	12,150		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,390	6,715	4,050	2,664	4,750	6,200	21,000	14,150		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,470	6,633	3,991	2,641	4,750	6,200	21,000	14,200		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,470	6,633	3,991	2,641	4,750	6,200	23,000	16,200		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED - SLT													D1 3H42 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,800	6,200	3,260	2,940	4,110	9,350	17,000	10,650		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,840	6,157	3,217	2,940	4,110	9,350	17,000	10,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,340	7,158	4,143	3,014	4,750	9,350	19,000	11,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,340	7,158	4,143	3,014	4,750	9,350	21,000	13,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,420	7,076	4,084	2,991	4,750	9,350	21,000	13,750		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,420	7,076	4,084	2,991	4,750	9,350	23,000	15,750		

RAM QUAD CAB 2WD LONG BED - SLT													D1 3H42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,310	6,790	4,105	2,684	4,750	6,200	19,000	12,050		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,310	6,790	4,105	2,684	4,750	6,200	21,000	14,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,390	6,708	4,046	2,661	4,750	6,200	21,000	14,150		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,390	6,708	4,046	2,661	4,750	6,200	23,000	16,150		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GWW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 2WD LONG BED - LARAMIE													D1 3P42 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	4,700	6,298	3,316	2,982	4,110	9,350	17,000	10,550		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	4,750	6,255	3,273	2,982	4,110	9,350	17,000	10,600		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,260	7,240	4,180	3,060	4,750	9,350	19,000	11,600		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,260	7,240	4,180	3,060	4,750	9,350	21,000	13,600		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,340	7,158	4,121	3,037	4,750	9,350	21,000	13,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,340	7,158	4,121	3,037	4,750	9,350	23,000	15,700		

RAM QUAD CAB 2WD LONG BED - LARAMIE													D1 3P42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,230	6,872	4,142	2,730	4,750	6,200	19,000	12,000		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,230	6,872	4,142	2,730	4,750	6,200	21,000	14,000		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,310	6,790	4,083	2,707	4,750	6,200	21,000	14,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,310	6,790	4,083	2,707	4,750	6,200	23,000	16,050		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 2WD LONG BED - ST													D1 3L62 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	5,150	5,851	3,024	2,827	4,110	9,350	17,000	11,000		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	5,210	5,794	2,979	2,815	4,110	9,350	17,000	11,050		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,720	6,781	3,938	2,843	4,750	9,350	19,000	12,050		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,720	6,781	3,938	2,843	4,750	9,350	21,000	14,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,790	6,712	3,880	2,832	4,750	9,350	21,000	14,150		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,790	6,712	3,880	2,832	4,750	9,350	23,000	16,150		

RAM REGULAR CAB 2WD LONG BED - SLT													D1 3H62 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,000	5,120	5,884	3,053	2,831	4,110	9,350	17,000	10,950		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,000	5,170	5,827	3,008	2,819	4,110	9,350	17,000	11,000		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,690	6,814	3,968	2,847	4,750	9,350	19,000	12,050		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,690	6,814	3,968	2,847	4,750	9,350	21,000	14,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,750	6,745	3,910	2,836	4,750	9,350	21,000	14,100		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,750	6,745	3,910	2,836	4,750	9,350	23,000	16,100		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD SHORT BED - ST D1 8L41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,110	6,990	4,294	2,696	5,200	6,200	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,110	6,990	4,294	2,696	5,200	6,200	21,000	13,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,170	6,926	4,232	2,694	5,200	6,200	21,000	13,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,170	6,926	4,232	2,694	5,200	6,200	24,000	16,900

RAM QUAD CAB 4WD SHORT BED - SLT D1 8H41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,010	7,092	4,381	2,711	5,200	6,200	19,000	11,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,010	7,092	4,381	2,711	5,200	6,200	21,000	13,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,070	7,028	4,319	2,709	5,200	6,200	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,070	7,028	4,319	2,709	5,200	6,200	24,000	16,800

RAM QUAD CAB 4WD SHORT BED - LARAMIE D1 8P41 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,900	7,197	4,444	2,753	5,200	6,200	19,000	11,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,900	7,197	4,444	2,753	5,200	6,200	21,000	13,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,970	7,133	4,382	2,751	5,200	6,200	21,000	13,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,970	7,133	4,382	2,751	5,200	6,200	24,000	16,700

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED - ST													D1 8L42 (DRW)		FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail				
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,960	6,537	3,584	2,953	5,200	9,350	17,000	10,300				
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	5,030	6,471	3,526	2,945	5,200	9,350	17,000	10,400				
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,710	7,492	4,466	3,026	5,200	9,350	19,000	11,350				
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,710	7,492	4,466	3,026	5,200	9,350	21,000	13,350				
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,780	7,418	4,401	3,017	5,200	9,350	21,000	13,450				
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,780	7,418	4,401	3,017	5,200	9,350	24,000	16,450				

RAM QUAD CAB 4WD LONG BED ST													D1 8L42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,970	7,134	4,422	2,712	5,200	6,200	19,000	11,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,970	7,134	4,422	2,712	5,200	6,200	21,000	13,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,040	7,060	4,357	2,703	5,200	6,200	21,000	13,800		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,040	7,060	4,357	2,703	5,200	6,200	24,000	16,800		

RAM QUAD CAB 4WD LONG BED - SLT													D1 8H42 (DRW)		FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail				
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,900	6,603	3,634	2,968	5,200	9,350	17,000	10,250				
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	4,960	6,537	3,576	2,960	5,200	9,350	17,000	10,300				
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,640	7,558	4,516	3,042	5,200	9,350	19,000	11,300				
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,640	7,558	4,516	3,042	5,200	9,350	21,000	13,300				
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,720	7,484	4,451	3,033	5,200	9,350	21,000	13,350				
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,720	7,484	4,451	3,033	5,200	9,350	24,000	16,350				

RAM QUAD CAB 4WD LONG BED - SLT													D1 8H42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,890	7,209	4,477	2,732	5,200	6,200	19,000	11,650		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,890	7,209	4,477	2,732	5,200	6,200	21,000	13,650		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,970	7,135	4,412	2,723	5,200	6,200	21,000	13,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,970	7,135	4,412	2,723	5,200	6,200	24,000	16,700		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE DUAL REAR WHEEL (XBC) IS 11,500 FOR 4x4 AND 11,000 FOR 4x2



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

NOTE : BASE WEIGHTS CAN CHANGE

RAM QUAD CAB 4WD LONG BED - LARAMIE													D1 8P42 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	4,790	6,709	3,714	2,996	5,200	9,350	17,000	10,150		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	4,860	6,643	3,656	2,988	5,200	9,350	17,000	10,200		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,540	7,664	4,595	3,069	5,200	9,350	19,000	11,200		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,540	7,664	4,595	3,069	5,200	9,350	21,000	13,200		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,610	7,590	4,530	3,060	5,200	9,350	21,000	13,250		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,610	7,590	4,530	3,060	5,200	9,350	24,000	16,250		

RAM QUAD CAB 4WD LONG BED - LARAMIE													D1 8P42 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,780	7,315	4,557	2,759	5,200	6,200	19,000	11,550		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,780	7,315	4,557	2,759	5,200	6,200	21,000	13,550		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,860	7,241	4,492	2,750	5,200	6,200	21,000	13,600		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,860	7,241	4,492	2,750	5,200	6,200	24,000	16,600		

NOTES:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE
DUAL REAR WHEEL (XBC) IS 11,500
FOR 4x4 AND 11,000 FOR 4x2

 [Site Map](#)

 [Main Menu](#)

PRINT



2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

NOTE : BASE WEIGHTS CAN CHANGE

RAM REGULAR CAB 4WD LONG BED - ST													D1 8L62 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	5,080	6,424	3,527	2,898	5,200	9,350	17,000	10,450		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	5,130	6,368	3,472	2,897	5,200	9,350	17,000	10,500		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	5,050	7,147	4,275	2,872	5,200	9,350	19,000	11,700		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,050	7,147	4,275	2,872	5,200	9,350	21,000	13,700		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	5,120	7,083	4,213	2,870	5,200	9,350	21,000	13,750		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	5,120	7,083	4,213	2,870	5,200	9,350	24,000	16,750		

RAM REGULAR CAB 4WD LONG BED - SLT													D1 8H62 (DRW) FOR BOX DELETE SEE NOTE BELOW	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 Gas (EZA)	M6	POSG56 6 sp MANU (DEG)	4.10	11,500	5,040	6,461	3,557	2,904	5,200	9,350	17,000	10,400		
5.7L V8 Gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	11,500	5,090	6,405	3,502	2,903	5,200	9,350	17,000	10,450		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	5,020	7,184	4,305	2,879	5,200	9,350	19,000	11,650		
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,020	7,184	4,305	2,879	5,200	9,350	21,000	13,650		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	5,080	7,120	4,243	2,877	5,200	9,350	21,000	13,750		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	5,080	7,120	4,243	2,877	5,200	9,350	24,000	16,750		

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

NOTE: GVW FOR 3500 BOX DELETE
DUAL REAR WHEEL (XBC) IS 11,500
FOR 4x4 AND 11,000 FOR 4x2

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

3500 RAM MEGA CAB 2WD SHORT BED SLT													D1 3H81 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	3,070	7,029	4,176	2,853	4,750	6,200	19,000	11,800		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	3,070	7,029	4,176	2,853	4,750	6,200	21,000	13,800		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,150	6,946	4,117	2,829	4,750	6,200	21,000	13,900		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,150	6,946	4,117	2,829	4,750	6,200	23,000	15,900		

3500 RAM MEGA CAB 2WD SHORT BED SLT													D1 3H81 (DRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	3,110	7,388	4,213	3,174	4,750	9,350	19,000	11,450		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,110	7,388	4,213	3,174	4,750	9,350	21,000	13,450		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	3,200	7,305	4,154	3,150	4,750	9,350	21,000	13,550		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	3,200	7,305	4,154	3,150	4,750	9,350	23,000	15,550		

3500 RAM MEGA CAB 2WD SHORT BED LARAMIE													D1 3P81 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	3,050	7,047	4,213	2,833	4,750	6,200	19,000	11,800		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	3,050	7,047	4,213	2,833	4,750	6,200	21,000	13,800		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,140	6,964	4,154	2,809	4,750	6,200	21,000	13,900		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,140	6,964	4,154	2,809	4,750	6,200	23,000	15,900		

3500 RAM MEGA CAB 2WD SHORT BED LARAMIE													D1 3P81 (DRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	3,040	7,460	4,279	3,181	4,750	9,350	19,000	11,400		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,040	7,460	4,279	3,181	4,750	9,350	21,000	13,400		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	3,120	7,377	4,220	3,157	4,750	9,350	21,000	13,450		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	3,120	7,377	4,220	3,157	4,750	9,350	23,000	15,450		

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

2008 RAM BASE WEIGHTS/GCW/PAYLOAD 3500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

3500 RAM MEGA CAB 4WD SHORT BED SLT													D1 8H81 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,660	7,442	4,537	2,905	5,200	6,200	19,000	11,400		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,660	7,442	4,537	2,905	5,200	6,200	21,000	13,400		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,730	7,372	4,475	2,897	5,200	6,200	21,000	13,500		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,730	7,372	4,475	2,897	5,200	6,200	24,000	16,500		
3500 RAM MEGA CAB 4WD SHORT BED SLT													D1 8H81 (DRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	2,700	7,801	4,575	3,226	5,200	9,350	19,000	11,050		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,700	7,801	4,575	3,226	5,200	9,350	21,000	13,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	2,770	7,731	4,513	3,218	5,200	9,350	21,000	13,100		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	2,770	7,731	4,513	3,218	5,200	9,350	24,000	16,100		
3500 RAM MEGA CAB 4WD SHORT BED LARAMIE													D1 8P81 (SRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,630	7,474	4,567	2,907	5,200	6,200	19,000	11,400		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,630	7,474	4,567	2,907	5,200	6,200	21,000	13,400		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,700	7,404	4,505	2,899	5,200	6,200	21,000	13,450		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,700	7,404	4,505	2,899	5,200	6,200	24,000	16,450		
3500 RAM MEGA CAB 4WD SHORT BED LARAMIE													D1 8P81 (DRW)	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	2,610	7,888	4,633	3,255	5,200	9,350	19,000	10,950		
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,610	7,888	4,633	3,255	5,200	9,350	21,000	12,950		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	2,680	7,818	4,571	3,247	5,200	9,350	21,000	13,050		
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	2,680	7,818	4,571	3,247	5,200	9,350	24,000	16,050		

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)