

# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW

## 1500

*\*SELECT AN OPTION BELOW*



### REGULAR CAB

-  120.5"WB 4x2
-  120.5"WB 4x4
-  140.5"WB 4x2
-  140.5"WB 4x4

### QUAD CAB

-  140.5"WB 4x2
-  140.5"WB 4x4
-  160.5"WB 4x2
-  160.5"WB 4x4

### MEGA CAB

-  160.5"WB 4x2
-  160.5"WB 4x4

# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 120.5"WB 4x2

RAM REGULAR CAB 1500 120.5"WB 2WD SHORT BED ST DR 1L61															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,510	4,514	2,543	1,972	3,700	3,900	8,000	N/A	3,300	N/A
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,510	4,514	2,543	1,972	3,700	3,900	8,000	N/A	3,300	N/A
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,025	1,500	4,516	2,532	1,985	3,700	3,900	8,500	N/A	3,800	N/A
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,025	1,500	4,516	2,532	1,985	3,700	3,900	8,500	N/A	3,800	N/A
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	9,000	N/A	4,250
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	10,000	N/A	5,250
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,420	4,599	2,614	1,985	3,700	3,900	N/A	10,500	N/A	5,750
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	10,500	N/A	5,650
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	11,500	N/A	6,650
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,370	4,653	2,646	2,007	3,700	3,900	N/A	12,500	N/A	7,650
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,200	1,460	4,732	2,713	2,019	3,700	3,900	10,700	13,000	5,800	8,100
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,460	4,732	2,713	2,019	3,700	3,900	10,700	14,000	5,800	9,100
RAM REGULAR CAB 1500 120"WB 2WD SHORT BED SLT DR 1H61															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,025	1,380	4,642	2,635	2,007	3,700	3,900	N/A	9,000	N/A	4,200
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,380	4,642	2,635	2,007	3,700	3,900	N/A	10,500	N/A	5,700
20"	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,025	1,310	4,714	2,668	2,046	3,700	3,900	N/A	9,500	N/A	4,600
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,025	1,320	4,695	2,666	2,029	3,700	3,900	N/A	10,500	N/A	5,650
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,320	4,695	2,666	2,029	3,700	3,900	N/A	12,500	N/A	7,650
20"	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,025	1,250	4,767	2,700	2,068	3,700	3,900	N/A	11,500	N/A	6,550
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,440	4,760	2,713	2,047	3,700	3,900	10,700	14,000	5,750	9,050
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,200	1,360	4,832	2,747	2,085	3,700	3,900	10,700	13,000	5,700	8,000

L

NOTE:  
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight  
 2. Maximum trailer weights are rounded to the nearest 50 lbs.  
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)  
 3. 3.55 Ratio (DMD) is not available for 1H61

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 120.5"WB 4x4

RAM REG CAB 1500 120.5"WB 4WD SHORT BED ST DR 6L61															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	9,500	N/A	4,450
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	10,500	N/A	5,450
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,480	4,860	2,851	2,009	3,900	3,900	N/A	9,500	N/A	4,450
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	11,500	N/A	6,400
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	12,500	N/A	7,400
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,420	4,922	2,883	2,039	3,900	3,900	N/A	11,500	N/A	6,400
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	13,000	5,600	7,900
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	14,000	5,600	8,900
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,400	4,948	2,896	2,052	3,900	3,900	10,700	13,000	5,600	7,900
RAM REG CAB 1500 120.5"WB 4WD SHORT BED SLT DR 6H61															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,350	1,510	4,836	2,851	1,985	3,900	3,900	N/A	9,500	N/A	4,500
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,510	4,836	2,851	1,985	3,900	3,900	N/A	10,500	N/A	5,500
20"	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,350	1,440	4,908	2,884	2,024	3,900	3,900	N/A	9,500	N/A	4,400
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,450	4,898	2,883	2,014	3,900	3,900	N/A	11,500	N/A	6,450
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,450	4,898	2,883	2,014	3,900	3,900	N/A	12,500	N/A	7,450
20"	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,380	4,970	2,917	2,053	3,900	3,900	N/A	11,500	N/A	6,350
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,350	1,420	4,923	2,896	2,028	3,900	3,900	10,700	13,000	5,600	7,900
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,420	4,923	2,896	2,028	3,900	3,900	10,700	14,000	5,600	8,900
20"	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,350	1,350	4,995	2,929	2,066	3,900	3,900	10,700	13,000	5,550	7,850

NOTE:

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 140.5"WB 4x2

RAM REGULAR CAB 1500 140.5"WB 2WD LONG BED ST													DR 1L62			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,830	4,761	2,690	2,072	3,700	3,900	8,000	N/A	3,050	N/A	
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,830	4,761	2,690	2,072	3,700	3,900	8,000	N/A	3,050	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,600	1,840	4,759	2,679	2,079	3,700	3,900	8,500	N/A	3,550	N/A	
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,600	1,840	4,759	2,679	2,079	3,700	3,900	8,500	N/A	3,550	N/A	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	9,000	N/A	3,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	10,000	N/A	4,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,740	4,855	2,761	2,094	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	11,500	N/A	6,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,710	4,881	2,785	2,097	3,700	3,900	N/A	12,500	N/A	7,450	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,610	4,983	2,871	2,112	3,700	3,900	10,700	13,000	5,550	7,850	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,610	4,983	2,871	2,112	3,700	3,900	10,700	14,000	5,550	8,850	

RAM REGULAR CAB 1500 140.5"WB 2WD LONG BED SLT													DR 1H62			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	9,000	N/A	3,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	10,000	N/A	4,950	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,720	4,873	2,773	2,100	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	10,500	N/A	5,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	11,500	N/A	6,450	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,700	4,900	2,796	2,103	3,700	3,900	N/A	12,500	N/A	7,450	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,610	4,982	2,863	2,119	3,700	3,900	10,700	13,000	5,550	7,850	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,610	4,982	2,863	2,119	3,700	3,900	10,700	14,000	5,550	8,850	

**NOTE:**

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. Now is available Axle Ratio 3.55 on model 1L62



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

## REGULAR CAB 140.5"WB 4x4

RAM REG CAB 1500 140.5"WB 4WD LONG BED ST															
DR 6L62															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	9,500	N/A	4,250
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	10,500	N/A	5,250
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,061	2,975	2,086	3,900	3,900	N/A	9,500	N/A	4,250
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	11,500	N/A	6,200
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	12,500	N/A	7,200
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,123	3,012	2,112	3,900	3,900	N/A	11,500	N/A	6,200
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	13,000	5,350	7,650
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	14,000	5,350	8,650
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,197	3,070	2,127	3,900	3,900	10,700	13,000	5,350	7,650

RAM REG CAB 1500 140.5"WB 4WD LONG BED SLT															
DR 6H62															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,600	1,530	5,065	3,002	2,063	3,900	3,900	N/A	9,500	N/A	4,250
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,600	1,530	5,065	3,002	2,063	3,900	3,900	N/A	10,500	N/A	5,250
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,470	5,127	3,039	2,088	3,900	3,900	N/A	11,500	N/A	6,200
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,470	5,127	3,039	2,088	3,900	3,900	N/A	12,500	N/A	7,200
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,600	1,400	5,196	3,082	2,114	3,900	3,900	10,700	13,000	5,350	7,650
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,600	1,400	5,196	3,082	2,114	3,900	3,900	10,700	14,000	5,350	8,650

**NOTE:**

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

**QUAD CAB 140.5"WB 4x2**

RAM QUAD CAB 1500 140.5"WB 2WD SHORT BED ST DR 1L41															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,810	4,889	2,719	2,170	3,700	3,900	8,000	N/A	2,950	N/A
17" base	3.7L V6 gas (EKG)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,810	4,889	2,719	2,170	3,700	3,900	8,000	N/A	2,950	N/A
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.55	6,700	1,810	4,886	2,708	2,178	3,700	3,900	8,500	N/A	3,450	N/A
17" base	3.7L V6 gas (EKG)	A4	42RLE VLP 4 sp (AUTO DGV)	3.92	6,700	1,810	4,886	2,708	2,178	3,700	3,900	8,500	N/A	3,450	N/A
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.21	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	9,000	N/A	3,850
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	10,000	N/A	4,850
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,720	4,972	2,789	2,183	3,700	3,900	N/A	10,500	N/A	5,350
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.21	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	10,500	N/A	5,300
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	11,500	N/A	6,300
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,670	5,029	2,825	2,205	3,700	3,900	N/A	12,500	N/A	7,300
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,620	5,075	2,874	2,200	3,700	3,900	10,700	13,000	5,450	7,750
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,620	5,075	2,874	2,200	3,700	3,900	10,700	14,000	5,450	8,750
RAM QUAD CAB 1500 140.5"WB 2WD SHORT BED SLT DR 1H41															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
20" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,640	5,059	2,836	2,224	3,700	3,900	N/A	9,500	N/A	4,250
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,700	4,994	2,809	2,185	3,700	3,900	N/A	10,000	N/A	4,850
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,700	4,994	2,809	2,185	3,700	3,900	N/A	10,500	N/A	5,350
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,690	5,000	2,812	2,189	3,700	3,900	N/A	10,000	N/A	4,800
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,690	5,000	2,812	2,189	3,700	3,900	N/A	10,500	N/A	5,300
20" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,580	5,117	2,871	2,245	3,700	3,900	N/A	11,500	N/A	6,200
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,640	5,052	2,845	2,207	3,700	3,900	N/A	11,500	N/A	6,250
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,640	5,052	2,845	2,207	3,700	3,900	N/A	12,500	N/A	7,250
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,640	5,058	2,847	2,210	3,700	3,900	N/A	11,500	N/A	6,250
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,640	5,058	2,847	2,210	3,700	3,900	N/A	12,500	N/A	7,250
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,530	5,162	2,921	2,241	3,700	3,900	10,700	13,000	5,350	7,650
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,600	5,097	2,895	2,202	3,700	3,900	10,700	13,000	5,450	7,750
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,600	5,097	2,895	2,202	3,700	3,900	10,700	14,000	5,450	8,750
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,590	5,103	2,897	2,206	3,700	3,900	10,700	13,000	5,400	7,700
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,590	5,103	2,897	2,206	3,700	3,900	10,700	14,000	5,400	8,700
RAM QUAD CAB 1500 140.5"WB 2WD SHORT BED LARAMIE DR 1P41															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,400	5,292	2,997	2,295	3,700	3,900	10,700	13,000	5,250	7,550

**NOTE:**

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)
3. 20" Optional Tires changed in model 1H41.
4. There was a change in the Axle Ratio, only 3.92 is available in 1H41 and 1P41
5. There are not optional Tires for 1P41

6. Now is available Axle Ratio 3.55 on model 1L41



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

## QUAD CAB 140.5"WB 4x4

RAM QUAD CAB 1500 140.5"WB 4WD SHORT BED ST														DR 6L41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	9,500	N/A	4,100	
17" base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	10,500	N/A	5,100	
LT275	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,490	5,201	3,021	2,180	3,900	3,900	N/A	9,500	N/A	4,100	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	11,500	N/A	6,050	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	12,500	N/A	7,050	
LT275	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,430	5,263	3,058	2,206	3,900	3,900	N/A	11,500	N/A	6,050	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	13,000	5,200	7,500	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	14,000	5,200	8,500	
LT275	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,380	5,312	3,086	2,226	3,900	3,900	10,700	13,000	5,200	7,500	
RAM QUAD CAB 1500 140.5"WB 4WD SHORT BED SLT														DR 6H41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20"base	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,410	5,289	3,068	2,221	3,900	3,900	N/A	9,500	N/A	4,050	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,470	5,224	3,041	2,182	3,900	3,900	N/A	9,500	N/A	4,100	
17" Fleet TTM	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,470	5,224	3,041	2,182	3,900	3,900	N/A	10,500	N/A	5,100	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.55	6,700	1,470	5,230	3,044	2,186	3,900	3,900	N/A	9,500	N/A	4,100	
17" Fleet TTT	4.7L V8 gas (EVE)	M6	Getrag 238 6 sp MANU (DEJ)	3.92	6,700	1,470	5,230	3,044	2,186	3,900	3,900	N/A	10,500	N/A	5,100	
20"base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,340	5,350	3,104	2,246	3,900	3,900	N/A	11,500	N/A	5,950	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,410	5,285	3,078	2,208	3,900	3,900	N/A	11,500	N/A	6,050	
17" Fleet TTM	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,410	5,285	3,078	2,208	3,900	3,900	N/A	12,500	N/A	7,050	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,400	5,291	3,080	2,211	3,900	3,900	N/A	11,500	N/A	6,050	
17" Fleet TTT	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,400	5,291	3,080	2,211	3,900	3,900	N/A	12,500	N/A	7,050	
20"base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,300	5,399	3,132	2,267	3,900	3,900	10,700	13,000	5,150	7,450	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,360	5,334	3,106	2,228	3,900	3,900	10,700	13,000	5,200	7,500	
17" Fleet TTM	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,360	5,334	3,106	2,228	3,900	3,900	10,700	14,000	5,200	8,500	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,350	5,340	3,109	2,232	3,900	3,900	10,700	13,000	5,200	7,500	
17" Fleet TTT	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,350	5,340	3,109	2,232	3,900	3,900	10,700	14,000	5,200	8,500	
RAM QUAD CAB 1500 140.5"WB 4WD SHORT BED LARAMIE														DR 6P41		
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
20" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,210	5,484	3,186	2,298	3,900	3,900	10,700	13,000	5,050	7,350	

**NOTE:**

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

## QUAD CAB 160.5"WB 4x2

RAM QUAD CAB 1500 160.5"WB 2WD LONG BED ST DR 1L42															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,450	5,245	2,980	2,265	3,700	3,900	N/A	11,500	N/A	6,100
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,450	5,245	2,980	2,265	3,700	3,900	N/A	12,500	N/A	7,100
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,390	5,306	3,028	2,277	3,700	3,900	10,700	13,000	5,200	7,500
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,390	5,306	3,028	2,277	3,700	3,900	10,700	14,000	5,200	8,500
RAM QUAD CAB 1500 160.5"WB 2WD LONG BED SLT DR 1H42															
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,420	5,277	3,036	2,242	3,700	3,900	N/A	11,500	N/A	6,050
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,420	5,277	3,036	2,242	3,700	3,900	N/A	12,500	N/A	7,050
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.55	6,700	1,350	5,343	3,084	2,258	3,700	3,900	10,700	13,000	5,200	7,500
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,700	1,350	5,343	3,084	2,258	3,700	3,900	10,700	14,000	5,200	8,500

NOTE:  
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight  
 2. Maximum trailer weights are rounded to the nearest 50 lbs.  
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)





# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

## QUAD CAB 160.5"WB 4x4

RAM QUAD CAB 1500 160.5"WB 4WD LONG BED ST													DR 6L42			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,280	5,512	3,204	2,308	3,900	3,900	N/A	12,500	N/A	6,800	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92**	6,800	1,250	5,540	3,237	2,303	3,900	3,900	10,700	14,000	5,000	8,300	
RAM QUAD CAB 1500 160.5"WB 4WD LONG BED SLT													DR 6H42			
Tire Type	Engine	Trans	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR Std Cooling	GCWR Heavy Duty Cooling	Max.Trail Std Cooling	Max.Trail Heavy Duty Cooling	
17" base	4.7L V8 gas (EVE)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,280	5,511	3,217	2,295	3,900	3,900	N/A	12,500	N/A	6,800	
17" base	5.7L V8 gas MDS (EZB)	A5	545RFE 5 sp AUTO (DGQ)	3.92	6,800	1,260	5,540	3,250	2,290	3,900	3,900	10,700	14,000	5,000	8,300	

**NOTE:**  
 1. Payload is rounded to the nearest 10 lbs. Payload = GVWR (-) Base Weight  
 2. Maximum trailer weights are rounded to the nearest 50 lbs.  
 Maximum Trailer Weight = GCWR (-) Base wt. Total (-) 150 lbs. (allowance for driver)



# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

NOTE : BASE WEIGHTS CAN CHANGE

## MEGA CAB 160.5"WB 4x2

RAM MEGA CAB 1500 160.5"WB 2WD SHORT BED SLT													DH 1H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,550	5,958	3,184	2,773	4,750	6,010	14,000	7,900		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,550	5,958	3,184	2,773	4,750	6,010	15,000	8,900		

RAM MEGA CAB 1500 160.5"WB 2WD SHORT BED LARAMIE													DH 1P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,530	5,975	3,209	2,766	4,750	6,010	14,000	7,850		
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,530	5,975	3,209	2,766	4,750	6,010	15,000	8,850		

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2008 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2007

NOTE : BASE WEIGHTS CAN CHANGE

## MEGA CAB 160.5"WB 4x4

RAM MEGA CAB 1500 160.5"WB 4WD SHORT BED SLT												DH 6H81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,090	6,424	3,583	2,841	5,200	6,010	14,000	7,450	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,090	6,424	3,583	2,841	5,200	6,010	15,000	8,450	

RAM MEGA CAB 1500 160.5"WB 4WD SHORT BED LARAMIE												DH 6P81	
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,510	2,070	6,438	3,605	2,832	5,200	6,010	14,000	7,400	
5.7L V8 gas (EZA)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,510	2,070	6,438	3,605	2,832	5,200	6,010	15,000	8,400	

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**