

2009 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW

1500



**SELECT AN OPTION BELOW*

REGULAR CAB



-  120.5"WB 4x2
-  120.5"WB 4x4



-  140.5"WB 4x2
-  140.5"WB 4x4

QUAD CAB

-  140.5"WB 4x2
-  140.5"WB 4x4

CREW CAB

-  140.5"WB 4x2
-  140.5"WB 4x4

-  140.5"WB 4x2
WITH RAM BOX
-  140.5"WB 4x4
WITH RAM BOX

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 120.5"WB 4x2

Std Cab - 1500 120.5"WB Short box 4x2 - ST										DS 1L61					
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	3.7L V6 (EKG)	A4	42RLE (DGV) 4 SPD AUTO	3.55	6,025	1,480	4525	2,539	1,986	3,700	3,900	N/A	8,500	N/A	3,800
17" 265	3.7L V6 (EKG)	A4	42RLE (DGV) 4 SPD AUTO	3.92	6,025	1,480	4525	2,539	1,986	3,700	3,900	N/A	8,500	N/A	3,800
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,025	1,340	4,659	2,660	1,999	3,700	3,900	11,500	N/A	6,650	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,025	1,340	4,659	2,660	1,999	3,700	3,900	12,500	N/A	7,650	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.21	6,200	1,490	4,684	2,683	2,001	3,700	3,900	11,000	N/A	6,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,200	1,490	4,684	2,683	2,001	3,700	3,900	13,000	N/A	8,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,200	1,490	4,684	2,683	2,001	3,700	3,900	14,000	N/A	9,100	N/A

Std Cab - 1500 120.5"WB Short box 4x2 - SLT/TRX										DS 1H61					
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,025	1,320	4,684	2,682	2,002	3,700	3,900	11,500	N/A	6,600	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,025	1,320	4,684	2,682	2,002	3,700	3,900	12,500	N/A	7,600	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,025	1,260	4,739	2,713	2,026	3,700	3,900	10,500	N/A	5,550	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,025	1,260	4,739	2,713	2,026	3,700	3,900	11,500	N/A	6,550	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.21	6,200	1,470	4,709	2,706	2,003	3,700	3,900	11,000	N/A	6,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,200	1,470	4,709	2,706	2,003	3,700	3,900	13,000	N/A	8,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,200	1,470	4,709	2,706	2,003	3,700	3,900	14,000	N/A	9,100	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,200	1,410	4,764	2,736	2,028	3,700	3,900	12,000	N/A	7,050	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,200	1,410	4,764	2,736	2,028	3,700	3,900	13,000	N/A	8,050	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	4.10	6,200	1,410	4,764	2,736	2,028	3,700	3,900	10,000	N/A	5,050	N/A

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded down to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 120.5"WB 4x4

Std Cab - 1500 120.5"WB Short box 4x4 - ST							DS 6L61									
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer		
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin	
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,430	4,893	2,824	2,069	3,900	3,900	11,500	N/A	6,400	N/A	
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,430	4,893	2,824	2,069	3,900	3,900	12,500	N/A	7,400	N/A	
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,370	4,958	2,851	2,106	3,900	3,900	11,500	N/A	6,350	N/A	
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,370	4,958	2,851	2,106	3,900	3,900	12,500	N/A	7,350	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,410	4,918	2,848	2,070	3,900	3,900	13,000	N/A	7,900	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,410	4,918	2,848	2,070	3,900	3,900	14,000	N/A	8,900	N/A	
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,340	4,983	2,875	2,108	3,900	3,900	13,000	N/A	7,800	N/A	
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,340	4,983	2,875	2,108	3,900	3,900	14,000	N/A	8,800	N/A	
Std Cab - 1500 120.5"WB Short box 4x4 - SLT/TRX							DS 6H61									
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer		
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin	
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,410	4,918	2,846	2,071	3,900	3,900	11,500	N/A	6,400	N/A	
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,410	4,918	2,846	2,071	3,900	3,900	12,500	N/A	7,400	N/A	
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,360	4,962	2,863	2,099	3,900	3,900	11,500	N/A	6,350	N/A	
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,360	4,962	2,863	2,099	3,900	3,900	12,500	N/A	7,350	N/A	
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,350	4,973	2,877	2,095	3,900	3,900	10,500	N/A	5,350	N/A	
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,350	4,973	2,877	2,095	3,900	3,900	11,500	N/A	6,350	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,380	4,943	2,870	2,073	3,900	3,900	13,000	N/A	7,850	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,380	4,943	2,870	2,073	3,900	3,900	14,000	N/A	8,850	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,340	4,987	2,887	2,101	3,900	3,900	13,000	N/A	7,800	N/A	
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,340	4,987	2,887	2,101	3,900	3,900	14,000	N/A	8,800	N/A	
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.55	6,350	1,330	4,998	2,901	2,097	3,900	3,900	12,000	N/A	6,800	N/A	
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ) 5 SPD AUTO	3.92	6,350	1,330	4,998	2,901	2,097	3,900	3,900	13,000	N/A	7,800	N/A	

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x2

Std Cab - 1500 140.5"WB Long box 4x2 - ST DS 1L62															
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,600	1,900	4675	2,655	2,019	3,700	3,900	N/A	8,500	N/A	3,650
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,770	4,810	2,777	2,032	3,700	3,900	11,500	N/A	6,500	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,770	4,810	2,777	2,032	3,700	3,900	12,500	N/A	7,500	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,600	1,770	4,810	2,777	2,032	3,700	3,900	11,000	N/A	6,000	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,770	4,810	2,777	2,032	3,700	3,900	13,000	N/A	8,000	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,770	4,810	2,777	2,032	3,700	3,900	14,000	N/A	9,000	N/A
Std Cab - 1500 140.5"WB Long box 4x2 - SLT/TRX DS 1H62															
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,740	4,834	2,801	2,033	3,700	3,900	11,500	N/A	6,450	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,740	4,834	2,801	2,033	3,700	3,900	12,500	N/A	7,450	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,700	4,877	2,826	2,051	3,700	3,900	10,500	N/A	5,450	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,700	4,877	2,826	2,051	3,700	3,900	11,500	N/A	6,450	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,600	1,720	4,860	2,814	2,046	3,700	3,900	11,000	N/A	5,950	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,720	4,860	2,814	2,046	3,700	3,900	13,000	N/A	7,950	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,720	4,860	2,814	2,046	3,700	3,900	14,000	N/A	8,950	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,670	4,903	2,839	2,064	3,700	3,900	12,000	N/A	6,900	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,670	4,903	2,839	2,064	3,700	3,900	13,000	N/A	7,900	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x4

Std Cab - 1500 140.5"WB Long box 4x4 - ST										DS 6L62					
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,530	5,047	2,954	2,092	3,900	3,900	11,500	N/A	6,250	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,530	5,047	2,954	2,092	3,900	3,900	12,500	N/A	7,250	N/A
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,460	5,111	2,981	2,130	3,900	3,900	11,500	N/A	6,200	N/A
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,460	5,111	2,981	2,130	3,900	3,900	12,500	N/A	7,200	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,500	5,072	2,967	2,105	3,900	3,900	13,000	N/A	7,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,500	5,072	2,967	2,105	3,900	3,900	14,000	N/A	8,750	N/A
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,440	5,136	2,994	2,143	3,900	3,900	13,000	N/A	7,650	N/A
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,440	5,136	2,994	2,143	3,900	3,900	14,000	N/A	8,650	N/A
Std Cab - 1500 140.5"WB Long box 4x4 - SLT/TRX										DS 6H62					
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,500	5,071	2,978	2,093	3,900	3,900	11,500	N/A	6,250	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,500	5,071	2,978	2,093	3,900	3,900	12,500	N/A	7,250	N/A
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,460	5,115	2,995	2,120	3,900	3,900	11,500	N/A	6,200	N/A
17" LT275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,460	5,115	2,995	2,120	3,900	3,900	12,500	N/A	7,200	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,600	1,460	5,113	3,003	2,111	3,900	3,900	10,500	N/A	5,200	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,600	1,460	5,113	3,003	2,111	3,900	3,900	11,500	N/A	6,200	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,480	5,097	2,991	2,106	3,900	3,900	13,000	N/A	7,700	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,480	5,097	2,991	2,106	3,900	3,900	14,000	N/A	8,700	N/A
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,430	5,141	3,008	2,133	3,900	3,900	13,000	N/A	7,650	N/A
17" LT275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,430	5,141	3,008	2,133	3,900	3,900	14,000	N/A	8,650	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,600	1,440	5,139	3,016	2,124	3,900	3,900	12,000	N/A	6,650	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,600	1,440	5,139	3,016	2,124	3,900	3,900	13,000	N/A	7,650	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x2

Quad Cab 1500 140.5"WB 4x2 - ST							DS 1L41								
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	3.7L V6 (EKG)	A4	42RLE (DGV)	3.92	6,700	1,810	4863	2,713	2,151	3,700	3,900	N/A	8,500	N/A	3,450
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,730	4,946	2,789	2,157	3,700	3,900	11,500	N/A	6,350	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,730	4,946	2,789	2,157	3,700	3,900	12,500	N/A	7,350	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,700	1,680	4,992	2,824	2,168	3,700	3,900	11,000	N/A	5,800	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,680	4,992	2,824	2,168	3,700	3,900	13,000	N/A	7,800	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,680	4,992	2,824	2,168	3,700	3,900	14,000	N/A	8,800	N/A
Quad Cab 1500 140.5"WB 4x2 - SLT							DS 1H41								
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,660	5,017	2,839	2,178	3,700	3,900	11,500	N/A	6,300	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,660	5,017	2,839	2,178	3,700	3,900	12,500	N/A	7,300	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,610	5,060	2,864	2,196	3,700	3,900	10,500	N/A	5,250	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,610	5,060	2,864	2,196	3,700	3,900	11,500	N/A	6,250	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,700	1,610	5,063	2,874	2,189	3,700	3,900	11,000	N/A	5,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,610	5,063	2,874	2,189	3,700	3,900	13,000	N/A	7,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,610	5,063	2,874	2,189	3,700	3,900	14,000	N/A	8,750	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,570	5,106	2,899	2,207	3,700	3,900	12,000	N/A	6,700	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,570	5,106	2,899	2,207	3,700	3,900	13,000	N/A	7,700	N/A
Quad Cab 1500 140.5"WB 4x2 - LARAMIE							DS 1P41								
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,700	1,610	5,063	2,874	2,189	3,700	3,900	11,000	N/A	5,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,610	5,063	2,874	2,189	3,700	3,900	13,000	N/A	7,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,610	5,063	2,874	2,189	3,700	3,900	14,000	N/A	8,750	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,570	5,106	2,899	2,207	3,700	3,900	12,000	N/A	6,700	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,570	5,106	2,899	2,207	3,700	3,900	13,000	N/A	7,700	N/A

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded down to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x4

Quad Cab 1500 140.5"WB 4x4 - ST								DS 6L41							
Tire	Engine	Trans Type	Transmission	Azle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,470	5,200	3,003	2,197	3,900	3,900	11,500	N/A	6,100	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,470	5,200	3,003	2,197	3,900	3,900	12,500	N/A	7,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,430	5,246	3,038	2,208	3,900	3,900	13,000	N/A	7,550	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,430	5,246	3,038	2,208	3,900	3,900	14,000	N/A	8,550	N/A
Quad Cab 1500 140.5"WB 4x4 - SLT								DS 6H41							
Tire	Engine	Trans Type	Transmission	Azle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,400	5,271	3,053	2,218	3,900	3,900	11,500	N/A	6,050	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,400	5,271	3,053	2,218	3,900	3,900	12,500	N/A	7,050	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,700	1,360	5,314	3,078	2,237	3,900	3,900	10,500	N/A	5,000	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,700	1,360	5,314	3,078	2,237	3,900	3,900	11,500	N/A	6,000	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,360	5,317	3,088	2,229	3,900	3,900	13,000	N/A	7,500	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,360	5,317	3,088	2,229	3,900	3,900	14,000	N/A	8,500	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,320	5,360	3,113	2,247	3,900	3,900	12,000	N/A	6,450	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,320	5,360	3,113	2,247	3,900	3,900	13,000	N/A	7,450	N/A
Quad Cab 1500 140.5"WB 4x4 - LARAMIE								DS 6P41							
Tire	Engine	Trans	4x2 / 4x4	Azle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,610	5,063	2,874	2,189	3,900	3,900	13,000	N/A	7,750	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,610	5,063	2,874	2,189	3,900	3,900	14,000	N/A	8,750	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,700	1,570	5,106	2,899	2,207	3,900	3,900	12,000	N/A	6,700	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,700	1,570	5,106	2,899	2,207	3,900	3,900	13,000	N/A	7,700	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

CREW CAB 140.5"WB 4x2

Crew Cab 1500 140.5"WB 4x2 - ST														DS 1L98			
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer			
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin		
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,720	5,054	2,870	2,183	3,700	3,900	11,500	N/A	6,250	N/A		
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,720	5,054	2,870	2,183	3,700	3,900	12,500	N/A	7,250	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,680	5,099	2,905	2,194	3,700	3,900	11,000	N/A	5,700	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,680	5,099	2,905	2,194	3,700	3,900	13,000	N/A	7,700	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,680	5,099	2,905	2,194	3,700	3,900	14,000	N/A	8,700	N/A		
Crew Cab 1500 140.5"WB 4x2 - SLT														DS 1H98			
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer			
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin		
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,710	5,064	2,875	2,188	3,700	3,900	11,500	N/A	6,250	N/A		
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,710	5,064	2,875	2,188	3,700	3,900	12,500	N/A	7,250	N/A		
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,670	5,107	2,900	2,207	3,700	3,900	10,500	N/A	5,200	N/A		
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,670	5,107	2,900	2,207	3,700	3,900	11,500	N/A	6,200	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,670	5,109	2,910	2,199	3,700	3,900	11,000	N/A	5,700	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,670	5,109	2,910	2,199	3,700	3,900	13,000	N/A	7,700	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,670	5,109	2,910	2,199	3,700	3,900	14,000	N/A	8,700	N/A		
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,620	5,152	2,935	2,217	3,700	3,900	12,000	N/A	6,650	N/A		
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,620	5,152	2,935	2,217	3,700	3,900	13,000	N/A	7,650	N/A		
Crew Cab 1500 140.5"WB 4x2 - LARAMIE														DS 1P98			
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer			
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,470	5,303	3,008	2,295	3,700	3,900	11,000	N/A	5,500	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,470	5,303	3,008	2,295	3,700	3,900	13,000	N/A	7,500	N/A		
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,470	5,303	3,008	2,295	3,700	3,900	14,000	N/A	8,500	N/A		
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,410	5,368	3,035	2,333	3,700	3,900	12,000	N/A	6,450	N/A		
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,410	5,368	3,035	2,333	3,700	3,900	13,000	N/A	7,450	N/A		

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

● ALL

● IN

● OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

CREW CAB 140.5"WB 4x4

Crew Cab 1500 140.5"WB 4x4 - ST							DS 6L98								
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,480	5,298	3,039	2,259	3,900	3,900	11,500	N/A	6,000	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,480	5,298	3,039	2,259	3,900	3,900	12,500	N/A	7,000	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,430	5,344	3,074	2,269	3,900	3,900	13,000	N/A	7,450	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,430	5,344	3,074	2,269	3,900	3,900	14,000	N/A	8,450	N/A
Crew Cab 1500 140.5"WB 4x4 - SLT							DS 6H98								
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,470	5,308	3,044	2,264	3,900	3,900	11,500	N/A	6,000	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,470	5,308	3,044	2,264	3,900	3,900	12,500	N/A	7,000	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,420	5,351	3,069	2,282	3,900	3,900	10,500	N/A	4,950	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,420	5,351	3,069	2,282	3,900	3,900	11,500	N/A	5,950	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,420	5,354	3,079	2,274	3,900	3,900	13,000	N/A	7,450	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,420	5,354	3,079	2,274	3,900	3,900	14,000	N/A	8,450	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,380	5,397	3,104	2,293	3,900	3,900	12,000	N/A	6,400	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,380	5,397	3,104	2,293	3,900	3,900	13,000	N/A	7,400	N/A
Crew Cab 1500 140.5"WB 4x4 - LARAMIE							DS 6P98								
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,230	5,548	3,177	2,371	3,900	3,900	13,000	N/A	7,250	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,230	5,548	3,177	2,371	3,900	3,900	14,000	N/A	8,250	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,160	5,612	3,204	2,408	3,900	3,900	12,000	N/A	6,200	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,160	5,612	3,204	2,408	3,900	3,900	13,000	N/A	7,200	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

● ALL

● IN

● OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

CREW CAB 140.5"WB 4x2 WITH RAM BOX

Crew Cab 1500 140.5"WB w/Rambox 4x2 - ST								DS 1L98							
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,620	5,152	2,870	2,282	3,700	3,900	11,500	N/A	6,150	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,620	5,152	2,870	2,282	3,700	3,900	12,500	N/A	7,150	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,580	5,198	2,905	2,292	3,700	3,900	11,000	N/A	5,600	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,580	5,198	2,905	2,292	3,700	3,900	13,000	N/A	7,600	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,580	5,198	2,905	2,292	3,700	3,900	14,000	N/A	8,600	N/A
Crew Cab 1500 140.5"WB w/Rambox 4x2 - SLT								DS 1H98							
Tire	Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,610	5,162	2,875	2,287	3,700	3,900	11,500	N/A	6,150	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,610	5,162	2,875	2,287	3,700	3,900	12,500	N/A	7,150	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,570	5,205	2,900	2,305	3,700	3,900	10,500	N/A	5,100	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,570	5,205	2,900	2,305	3,700	3,900	11,500	N/A	6,100	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,570	5,208	2,910	2,297	3,700	3,900	11,000	N/A	5,600	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,570	5,208	2,910	2,297	3,700	3,900	13,000	N/A	7,600	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,570	5,208	2,910	2,297	3,700	3,900	14,000	N/A	8,600	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,520	5,251	2,935	2,316	3,700	3,900	12,000	N/A	6,550	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,520	5,251	2,935	2,316	3,700	3,900	13,000	N/A	7,550	N/A
Crew Cab 1500 140.5"WB w/Rambox 4x2 - LARAMIE								DS 1P98							
Tire	Engine	Trans	4x2 / 4x4	Axle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.21	6,800	1,370	5,401	3,008	2,394	3,700	3,900	11,000	N/A	5,400	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,370	5,401	3,008	2,394	3,700	3,900	13,000	N/A	7,400	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,370	5,401	3,008	2,394	3,700	3,900	14,000	N/A	8,400	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,310	5,466	3,035	2,431	3,700	3,900	12,000	N/A	6,350	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,310	5,466	3,035	2,431	3,700	3,900	13,000	N/A	7,350	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

● OPTIONS

● Site Map

● Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 1500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

CREW CAB 140.5"WB 4x4 WITH RAM BOX

Crew Cab 1500 140.5"WB w/Rambox 4x4 - ST										DS 6L98					
Tire	Engine	Trans Type	Transmission	Azle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,380	5,396	3,039	2,357	3,900	3,900	11,500	N/A	5,900	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,380	5,396	3,039	2,357	3,900	3,900	12,500	N/A	6,900	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,330	5,442	3,074	2,368	3,900	3,900	13,000	N/A	7,350	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,330	5,442	3,074	2,368	3,900	3,900	14,000	N/A	8,350	N/A
Crew Cab 1500 140.5"WB w/Rambox 4x4 - SLT										DS 6H98					
Tire	Engine	Trans Type	Transmission	Azle Ratio	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,370	5,406	3,044	2,362	3,900	3,900	11,500	N/A	5,900	N/A
17" 265	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,370	5,406	3,044	2,362	3,900	3,900	12,500	N/A	6,900	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.55	6,800	1,330	5,449	3,069	2,381	3,900	3,900	10,500	N/A	4,850	N/A
20" 275	4.7L V8 (EVE)	A5	545RFE (DGQ)	3.92	6,800	1,330	5,449	3,069	2,381	3,900	3,900	11,500	N/A	5,850	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,320	5,452	3,079	2,373	3,900	3,900	13,000	N/A	7,350	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,320	5,452	3,079	2,373	3,900	3,900	14,000	N/A	8,350	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,280	5,495	3,104	2,391	3,900	3,900	12,000	N/A	6,300	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,280	5,495	3,104	2,391	3,900	3,900	13,000	N/A	7,300	N/A
Crew Cab 1500 140.5"WB w/Rambox 4x4 - LARAMIE										DS 6P98					
Tire	Engine	Trans	4x2 / 4x4	Azle	GVWR	Payload	Base Weight			GAWR		GCWR		Max Trailer	
							Total	Front	Rear	Front	Rear	H.D. Cooling	Std Cooling	H.D. Coolin	Std Coolin
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,130	5,646	3,177	2,469	3,900	3,900	13,000	N/A	7,150	N/A
17" 265	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,130	5,646	3,177	2,469	3,900	3,900	14,000	N/A	8,150	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.55	6,800	1,060	5,711	3,204	2,507	3,900	3,900	12,000	N/A	6,100	N/A
20" 275	5.7L V8 (E2D)	A5	545RFE (DGQ)	3.92	6,800	1,060	5,711	3,204	2,507	3,900	3,900	13,000	N/A	7,100	N/A

NOTES:
 Note that all the payload and Max Trail weights are ESTIMATED values.
 1. Payload is rounded down to the nearest 10 lbs. Payload = GVWR - Curb Wt.
 2. Maximum trailer weights are rounded down to the nearest 50 lbs.
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver) - 20 lbs. (variation allowance)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**