








2009 RAM BASE WEIGHTS/GCW/PAYLOAD/TRAILER TOW 2500

**SELECT AN OPTION BELOW*



REGULAR CAB

-  140.5"WB 4x2
-  140.5"WB 4x4

QUAD CAB

-  140.5"WB 4x2
-  140.5"WB 4x4
-  140.5"WB 4x4
POWER WAGON
-  160.5"WB 4x2
-  160.5"WB 4x4

MEGA CAB

-  160.5"WB 4x2
-  160.5"WB 4x4

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x2

RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED ST

DH 2L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,330	5,318	2,992	2,327	4,410	6,000	15,000	9,550
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,330	5,318	2,992	2,327	4,410	6,000	17,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,610	6,388	3,901	2,487	4,630	6,000	19,000	12,450
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,610	6,388	3,901	2,487	4,630	6,000	20,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,690	6,311	3,843	2,468	4,630	6,000	17,000	10,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,690	6,311	3,843	2,468	4,630	6,000	20,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,690	6,311	3,843	2,468	4,630	6,000	20,000	13,550

RAM REGULAR CAB 2500 140.5"WB 2WD LONG BED SLT

DH 2H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	3,350	5,298	2,991	2,306	4,750	6,010	15,000	9,550
5.7L V8 gas (E2C)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	3,350	5,298	2,991	2,306	4,750	6,010	17,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,670	6,334	3,906	2,428	4,750	6,010	19,000	12,500
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,670	6,334	3,906	2,428	4,750	6,010	20,000	13,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,740	6,257	3,849	2,409	4,750	6,010	17,000	10,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,740	6,257	3,849	2,409	4,750	6,010	20,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,740	6,257	3,849	2,409	4,750	6,010	20,000	13,600

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT



2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

REGULAR CAB 140.5"WB 4x4

RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED ST

DH 7L62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,860	5,792	3,382	2,411	5,200	6,000	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,860	5,792	3,382	2,411	5,200	6,000	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,260	6,741	4,246	2,495	5,200	6,000	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,260	6,741	4,246	2,495	5,200	6,000	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,330	6,668	4,189	2,479	5,200	6,000	17,000	10,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,330	6,668	4,189	2,479	5,200	6,000	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,330	6,668	4,189	2,479	5,200	6,000	20,000	13,200

RAM REGULAR CAB 2500 140.5"WB 4WD LONG BED SLT

DH 7H62

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,650	2,870	5,782	3,382	2,400	5,200	6,010	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,650	2,870	5,782	3,382	2,400	5,200	6,010	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,240	6,756	4,281	2,474	5,200	6,010	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,240	6,756	4,281	2,474	5,200	6,010	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,310	6,688	4,231	2,458	5,200	6,010	17,000	10,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,310	6,688	4,231	2,458	5,200	6,010	20,000	13,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,310	6,688	4,231	2,458	5,200	6,010	20,000	13,150

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x2

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED ST

DH 2L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,190	5,608	3,100	2,508	4,410	6,000	15,000	9,250
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,190	5,608	3,100	2,508	4,410	6,000	17,000	11,250
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,551	3,960	2,591	4,630	6,000	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,551	3,960	2,591	4,630	6,000	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,530	6,475	3,904	2,570	4,630	6,000	17,000	10,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,530	6,475	3,904	2,570	4,630	6,000	20,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,530	6,475	3,904	2,570	4,630	6,000	20,000	13,400

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED SLT

DH 2H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,650	5,154	3,140	2,014	4,750	6,010	15,000	9,700
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,650	5,154	3,140	2,014	4,750	6,010	17,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,450	6,546	3,975	2,572	4,750	6,010	19,000	12,300
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,450	6,546	3,975	2,572	4,750	6,010	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,530	6,470	3,918	2,551	4,750	6,010	17,000	10,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,530	6,470	3,918	2,551	4,750	6,010	20,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,530	6,470	3,918	2,551	4,750	6,010	20,000	13,400

RAM QUAD CAB 2500 140.5"WB 2WD SHORT BED LARAMIE

DH 2P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,600	5,201	3,143	2,058	4,750	6,010	15,000	9,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,600	5,201	3,143	2,058	4,750	6,010	17,000	11,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,360	6,645	4,029	2,616	4,750	6,010	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,360	6,645	4,029	2,616	4,750	6,010	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,430	6,568	3,973	2,595	4,750	6,010	17,000	10,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,430	6,568	3,973	2,595	4,750	6,010	20,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,430	6,568	3,973	2,595	4,750	6,010	20,000	13,300

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x4

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED ST

DH 7L41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,740	6,062	3,484	2,578	5,200	6,000	15,000	8,800
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,740	6,062	3,484	2,578	5,200	6,000	17,000	10,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,010	6,990	4,329	2,661	5,200	6,000	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,010	6,990	4,329	2,661	5,200	6,000	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,916	4,272	2,644	5,200	6,000	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,916	4,272	2,644	5,200	6,000	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,916	4,272	2,644	5,200	6,000	20,000	12,950

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT

DH 7H41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,750	6,051	3,492	2,559	5,200	6,010	15,000	8,800
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,750	6,051	3,492	2,559	5,200	6,010	17,000	10,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,020	6,985	4,343	2,642	5,200	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,020	6,985	4,343	2,642	5,200	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,917	4,292	2,625	5,200	6,010	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,917	4,292	2,625	5,200	6,010	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,917	4,292	2,625	5,200	6,010	20,000	12,950

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED LARAMIE

DH 7P41

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,690	6,112	3,500	2,612	5,200	6,010	15,000	8,750
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,690	6,112	3,500	2,612	5,200	6,010	17,000	10,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,920	7,083	4,397	2,686	5,200	6,010	19,000	11,750
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,920	7,083	4,397	2,686	5,200	6,010	20,000	12,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,980	7,015	4,346	2,669	5,200	6,010	17,000	9,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,980	7,015	4,346	2,669	5,200	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,980	7,015	4,346	2,669	5,200	6,010	20,000	12,850

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 140.5"WB 4x4 - POWER WAGON

RAM QUAD CAB 2500 140.5"WB 4WD SHORT BED SLT				DH 7H41- POWER WAGON								
Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGG)	4.56	8,510	2,180	6,327	3,711	2,617	4,500	6,140	17,000	10,500

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. $\text{Payload} = \text{GVWR} - \text{Curb Wt.}$

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = $\text{GCWR} - \text{Curb wt.} - 150 \text{ lbs. (allowance for driver)}$

 **OPTIONS**

 **Site Map**

 **Main Menu**

PRINT

 **ALL**

 **IN**

 **OUT**

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 160.5"WB 4x2

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED ST

DH 2L42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,060	5,737	3,198	2,539	4,410	6,000	15,000	9,100
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,060	5,737	3,198	2,539	4,410	6,000	17,000	11,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,673	4,056	2,616	4,630	6,000	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,673	4,056	2,616	4,630	6,000	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,400	6,603	4,001	2,602	4,630	6,000	17,000	10,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,400	6,603	4,001	2,602	4,630	6,000	20,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,400	6,603	4,001	2,602	4,630	6,000	20,000	13,250

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED SLT

DH 2H42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,070	5,728	3,208	2,520	4,750	6,010	15,000	9,100
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,070	5,728	3,208	2,520	4,750	6,010	17,000	11,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,330	6,668	4,071	2,597	4,750	6,010	19,000	12,200
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,330	6,668	4,071	2,597	4,750	6,010	20,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,400	6,598	4,016	2,582	4,750	6,010	17,000	10,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,400	6,598	4,016	2,582	4,750	6,010	20,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,400	6,598	4,016	2,582	4,750	6,010	20,000	13,250

RAM QUAD CAB 2500 160.5"WB 2WD LONG BED LARAMIE

DH 2P42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	3,020	5,783	3,217	2,566	4,750	6,010	15,000	9,050
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	3,020	5,783	3,217	2,566	4,750	6,010	17,000	11,050
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	2,230	6,768	4,128	2,640	4,750	6,010	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	2,230	6,768	4,128	2,640	4,750	6,010	20,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,300	6,698	4,073	2,625	4,750	6,010	17,000	10,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,300	6,698	4,073	2,625	4,750	6,010	20,000	13,150
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,300	6,698	4,073	2,625	4,750	6,010	20,000	13,150

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

OPTIONS

Site Map

Main Menu

PRINT

ALL

IN

OUT

2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

QUAD CAB 160.5"WB 4x4

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED ST

DH 7L42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,590	6,211	3,625	2,586	5,200	6,000	15,000	8,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,590	6,211	3,625	2,586	5,200	6,000	17,000	10,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,470	2,667	5,200	6,000	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,470	2,667	5,200	6,000	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,940	7,064	4,411	2,653	5,200	6,000	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,940	7,064	4,411	2,653	5,200	6,000	20,000	12,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,940	7,064	4,411	2,653	5,200	6,000	20,000	12,800

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED SLT

DH 7H42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,590	6,210	3,643	2,568	5,200	6,010	15,000	8,650
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,590	6,210	3,643	2,568	5,200	6,010	17,000	10,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,860	7,138	4,490	2,649	5,200	6,010	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,860	7,138	4,490	2,649	5,200	6,010	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,930	7,071	4,437	2,634	5,200	6,010	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,930	7,071	4,437	2,634	5,200	6,010	20,000	12,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,930	7,071	4,437	2,634	5,200	6,010	20,000	12,800

RAM QUAD CAB 2500 160.5"WB 4WD LONG BED LARAMIE

DH 7P42

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,550	6,249	3,640	2,609	5,200	6,010	15,000	8,600
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,550	6,249	3,640	2,609	5,200	6,010	17,000	10,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	9,000	1,770	7,229	4,539	2,689	5,200	6,010	19,000	11,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	9,000	1,770	7,229	4,539	2,689	5,200	6,010	20,000	12,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,830	7,168	4,487	2,680	5,200	6,010	17,000	9,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,830	7,168	4,487	2,680	5,200	6,010	20,000	12,700

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

OPTIONS

Site Map

Main Menu

PRINT



2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

09/01/2008

NOTE : BASE WEIGHTS CAN CHANGE

MEGA CAB 160.5"WB 4x2

2500 RAM MEGA CAB 160.5"WB 2WD SHORT BED SLT

DH 2H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,820	5,983	3,249	2,734	4,750	6,010	15,000	8,850
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,820	5,983	3,249	2,734	4,750	6,010	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	2,010	6,989	4,180	2,809	4,750	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	2,010	6,989	4,180	2,809	4,750	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,080	6,919	4,125	2,794	4,750	6,010	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,080	6,919	4,125	2,794	4,750	6,010	20,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,080	6,919	4,125	2,794	4,750	6,010	20,000	12,950

2500 RAM MEGA CAB 160.5"WB 2WD SHORT BED LARAMIE

DH 2P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,790	6,008	3,282	2,727	4,750	6,010	15,000	8,850
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,790	6,008	3,282	2,727	4,750	6,010	17,000	10,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,980	7,016	4,214	2,802	4,750	6,010	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,980	7,016	4,214	2,802	4,750	6,010	20,000	12,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	2,050	6,946	4,159	2,787	4,750	6,010	17,000	9,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	2,050	6,946	4,159	2,787	4,750	6,010	20,000	12,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	2,050	6,946	4,159	2,787	4,750	6,010	20,000	12,900

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



2009 RAM BASE WEIGHTS/GCW/PAYLOAD 2500

NOTE : BASE WEIGHTS CAN CHANGE

MEGA CAB 160.5"WB 4x4

2500 RAM MEGA CAB 160.5"WB 4WD SHORT BED SLT

DH 7H81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,450	6,352	3,611	2,741	5,200	6,010	15,000	8,500
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,450	6,352	3,611	2,741	5,200	6,010	17,000	10,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,690	7,311	4,497	2,814	5,200	6,010	19,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,690	7,311	4,497	2,814	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,760	7,241	4,441	2,800	5,200	6,010	17,000	9,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,760	7,241	4,441	2,800	5,200	6,010	20,000	12,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,760	7,241	4,441	2,800	5,200	6,010	20,000	12,600

2500 RAM MEGA CAB 160.5"WB 4WD SHORT BED LARAMIE

DH 7P81

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	3.73	8,800	2,430	6,366	3,615	2,751	5,200	6,010	15,000	8,500
5.7L V8 gas (EZC)	A5	545RFE 5 sp AUTO (DGQ)	4.10	8,800	2,430	6,366	3,615	2,751	5,200	6,010	17,000	10,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	9,000	1,640	7,358	4,533	2,825	5,200	6,010	19,000	11,500
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	9,000	1,640	7,358	4,533	2,825	5,200	6,010	20,000	12,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	9,000	1,710	7,288	4,477	2,811	5,200	6,010	17,000	9,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	9,000	1,710	7,288	4,477	2,811	5,200	6,010	20,000	12,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	9,000	1,710	7,288	4,477	2,811	5,200	6,010	20,000	12,550

NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

