

# 2010 Ram Base Weights/GCW/Payload/Trailer Tow 3500

*\*SELECT AN OPTION BELOW*

## *REGULAR CAB*

 140.5"WB 4x2

 140.5"WB 4x4

## *CREW CAB*

 149.5"WB 4x2

 149.5"WB 4x4

 169.5"WB 4x2

 169.5"WB 4x4

## *MEGA CAB*

 160.5"WB 4x2

 160.5"WB 4x4



# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

## Regular Cab 140.5"WB 4x4

### RAM REGULAR CAB 4WD LONG BED - ST

### D2 8L62 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	5,050	7,152	4,234	2,918	5,500	9,750	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	5,050	7,152	4,234	2,918	5,500	9,750	21,000	13,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	12,200	5,130	7,069	4,144	2,925	5,500	9,750	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	5,130	7,069	4,144	2,925	5,500	9,750	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	5,130	7,069	4,144	2,925	5,500	9,750	25,400	18,200

### RAM REGULAR CAB 4WD LONG BED - SLT

### D2 8H62 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,940	7,262	4,340	2,923	5,500	9,750	19,000	11,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,940	7,262	4,340	2,923	5,500	9,750	21,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	12,200	5,020	7,180	4,250	2,929	5,500	9,750	17,000	9,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	5,020	7,180	4,250	2,929	5,500	9,750	21,000	13,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	5,020	7,180	4,250	2,929	5,500	9,750	25,400	18,050

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

**Crew Cab 149.5"WB 4x2**

## RAM CREW CAB 2WD SHORT BED - ST

### D2 3L91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,360	6,740	4,031	2,709	5,000	6,500	19,000	12,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,360	6,740	4,031	2,709	5,000	6,500	21,000	14,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,460	6,635	3,945	2,690	5,000	6,500	17,000	10,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,460	6,635	3,945	2,690	5,000	6,500	21,000	14,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,460	6,635	3,945	2,690	5,000	6,500	24,000	17,200

## RAM CREW CAB 2WD SHORT BED - SLT

### D2 3H91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,250	6,846	4,151	2,696	5,000	6,500	19,000	12,000
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,250	6,846	4,151	2,696	5,000	6,500	21,000	14,000
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,360	6,741	4,065	2,676	5,000	6,500	17,000	10,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,360	6,741	4,065	2,676	5,000	6,500	21,000	14,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,360	6,741	4,065	2,676	5,000	6,500	24,000	17,100

## RAM CREW CAB 2WD SHORT BED - LARAMIE

### D2 3P91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,210	6,892	4,121	2,771	5,000	6,500	19,000	11,950
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,210	6,892	4,121	2,771	5,000	6,500	21,000	13,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,310	6,787	4,035	2,752	5,000	6,500	17,000	10,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,310	6,787	4,035	2,752	5,000	6,500	21,000	14,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,310	6,787	4,035	2,752	5,000	6,500	24,000	17,050

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver).

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

**Crew Cab 149.5"WB 4x4**

## RAM CREW CAB 4WD SHORT BED - ST

### D2 8L91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,050	7,051	4,300	2,751	5,500	6,500	19,000	11,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,050	7,051	4,300	2,751	5,500	6,500	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,130	6,970	4,216	2,754	5,500	6,500	17,000	9,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,130	6,970	4,216	2,754	5,500	6,500	21,000	13,900
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,130	6,970	4,216	2,754	5,500	6,500	24,000	16,900

## RAM CREW CAB 4WD SHORT BED - SLT

### D2 8H91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,850	7,254	4,497	2,756	5,500	6,500	19,000	11,600
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,850	7,254	4,497	2,756	5,500	6,500	21,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,930	7,172	4,412	2,760	5,500	6,500	17,000	9,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,930	7,172	4,412	2,760	5,500	6,500	21,000	13,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,930	7,172	4,412	2,760	5,500	6,500	24,000	16,700

## RAM CREW CAB 4WD SHORT BED - LARAMIE

### D2 8P91 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,790	7,310	4,546	2,764	5,500	6,500	19,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,790	7,310	4,546	2,764	5,500	6,500	21,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,870	7,228	4,461	2,768	5,500	6,500	17,000	9,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,870	7,228	4,461	2,768	5,500	6,500	21,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,870	7,228	4,461	2,768	5,500	6,500	24,000	16,600

#### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

**Crew Cab 169.5"WB 4x2**

## RAM CREW CAB 2WD LONG BED - ST

### D2 3L92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,190	7,310	4,280	3,030	5,000	9,750	19,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,190	7,310	4,280	3,030	5,000	9,750	21,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	11,500	4,280	7,219	4,186	3,033	5,000	9,750	17,000	9,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,280	7,219	4,186	3,033	5,000	9,750	21,000	13,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,280	7,219	4,186	3,033	5,000	9,750	25,400	18,050

## RAM CREW CAB 2WD LONG BED - ST

### D2 3L92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,120	6,975	4,284	2,691	5,000	6,500	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,120	6,975	4,284	2,691	5,000	6,500	21,000	13,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,220	6,884	4,190	2,694	5,000	6,500	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,220	6,884	4,190	2,694	5,000	6,500	21,000	13,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,220	6,884	4,190	2,694	5,000	6,500	24,000	16,950

**NOTES:**

## RAM CREW CAB 2WD LONG BED - SLT

### D2 3H92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,180	7,323	4,301	3,022	5,000	9,750	19,000	11,550
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,180	7,323	4,301	3,022	5,000	9,750	21,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	11,500	4,270	7,231	4,207	3,024	5,000	9,750	17,000	9,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,270	7,231	4,207	3,024	5,000	9,750	21,000	13,600
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,270	7,231	4,207	3,024	5,000	9,750	25,400	18,000

## RAM CREW CAB 2WD LONG BED - SLT

### D2 3H92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,110	6,991	4,307	2,685	5,000	6,500	19,000	11,850
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,110	6,991	4,307	2,685	5,000	6,500	21,000	13,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,200	6,900	4,213	2,687	5,000	6,500	17,000	9,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,200	6,900	4,213	2,687	5,000	6,500	21,000	13,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,200	6,900	4,213	2,687	5,000	6,500	24,000	16,950

**NOTES:**

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **NEXT**

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **+**  
**IN**

 **-**  
**OUT**

# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

## Crew Cab 169.5"WB 4x2 - CONTINUED

### RAM CREW CAB 2WD LONG BED - LARAMIE

### D2 3P92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	11,500	4,030	7,471	4,348	3,123	5,000	9,750	19,000	11,400
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	11,500	4,030	7,471	4,348	3,123	5,000	9,750	21,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	11,500	4,120	7,380	4,254	3,126	5,000	9,750	17,000	9,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	11,500	4,120	7,380	4,254	3,126	5,000	9,750	21,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	11,500	4,120	7,380	4,254	3,126	5,000	9,750	25,400	17,850

### RAM CREW CAB 2WD LONG BED - LARAMIE

### D2 3P92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	9,750	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	3,030	7,073	4,317	2,756	5,000	6,500	19,000	11,800
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	3,030	7,073	4,317	2,756	5,000	6,500	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,120	6,981	4,223	2,759	5,000	6,500	17,000	9,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,120	6,981	4,223	2,759	5,000	6,500	21,000	13,850
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,120	6,981	4,223	2,759	5,000	6,500	24,000	16,850

**NOTES:**

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

**Crew Cab 169.5"WB 4x4**

## RAM CREW CAB 4WD LONG BED - ST

### D2 8L92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,680	7,525	4,465	3,060	5,500	9,750	19,000	11,350
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,680	7,525	4,465	3,060	5,500	9,750	21,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	12,200	4,760	7,444	4,380	3,064	5,500	9,750	17,000	9,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,760	7,444	4,380	3,064	5,500	9,750	21,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,760	7,444	4,380	3,064	5,500	9,750	25,400	17,800

## RAM CREW CAB 4WD LONG BED ST

### D2 8L92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,950	7,152	4,434	2,719	5,500	6,500	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,950	7,152	4,434	2,719	5,500	6,500	21,000	13,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,030	7,071	4,348	2,723	5,500	6,500	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,030	7,071	4,348	2,723	5,500	6,500	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,030	7,071	4,348	2,723	5,500	6,500	24,000	16,800

## RAM CREW CAB 4WD LONG BED - SLT

### D2 8H92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,460	7,743	4,606	3,137	5,500	9,750	19,000	11,100
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,460	7,743	4,606	3,137	5,500	9,750	21,000	13,100
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	12,200	4,540	7,662	4,520	3,141	5,500	9,750	17,000	9,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,540	7,662	4,520	3,141	5,500	9,750	21,000	13,200
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,540	7,662	4,520	3,141	5,500	9,750	25,400	17,600

## RAM CREW CAB 4WD LONG BED - SLT

### D2 8H92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,720	7,379	4,579	2,800	5,500	6,500	19,000	11,450
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,720	7,379	4,579	2,800	5,500	6,500	21,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,800	7,298	4,494	2,805	5,500	6,500	17,000	9,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,800	7,298	4,494	2,805	5,500	6,500	21,000	13,550
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,800	7,298	4,494	2,805	5,500	6,500	24,000	16,550

### NOTES:

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.

2. Maximum trailer weights are rounded to the nearest 50 lbs.

Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 [NEXT](#)

 [OPTIONS](#)

 [Site Map](#)

 [Main Menu](#)

[PRINT](#)

 ALL

 IN

 OUT



# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

## Crew Cab 169.5"WB 4x4 - CONTINUED

### RAM CREW CAB 4WD LONG BED - LARAMIE

### D2 8P92 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	12,200	4,580	7,618	4,602	3,016	5,500	9,750	19,000	11,250
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	12,200	4,580	7,618	4,602	3,016	5,500	9,750	21,000	13,250
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	12,200	4,660	7,537	4,516	3,021	5,500	9,750	17,000	9,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	12,200	4,660	7,537	4,516	3,021	5,500	9,750	21,000	13,300
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	12,200	4,660	7,537	4,516	3,021	5,500	9,750	25,400	17,700

### RAM CREW CAB 4WD LONG BED - LARAMIE

### D2 8P92 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.42	10,100	2,910	7,190	4,543	2,648	5,500	6,500	19,000	11,650
6.7L 24V Turbo Diesel (ETJ)	M6	POSG56 6 sp MANU (DEG)	3.73	10,100	2,910	7,190	4,543	2,648	5,500	6,500	21,000	13,650
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,990	7,109	4,457	2,652	5,500	6,500	17,000	9,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,990	7,109	4,457	2,652	5,500	6,500	21,000	13,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,990	7,109	4,457	2,652	5,500	6,500	24,000	16,750

**NOTES:**

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)



# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE  
**Mega Cab 160.5"WB 4x2**

## 3500 RAM MEGA CAB 2WD SHORT BED SLT

### D2 3H81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,970	7,127	4,254	2,872	5,000	6,500	19,000	11,700
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,970	7,127	4,254	2,872	5,000	6,500	21,000	13,700
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,050	7,051	4,175	2,877	5,000	6,500	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,050	7,051	4,175	2,877	5,000	6,500	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,050	7,051	4,175	2,877	5,000	6,500	24,000	16,800

## 3500 RAM MEGA CAB 2WD SHORT BED SLT

### D2 3H81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	3,060	7,442	4,252	3,190	5,000	9,750	19,000	11,400
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,060	7,442	4,252	3,190	5,000	9,750	21,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,500	3,130	7,367	4,172	3,195	5,000	9,750	17,000	9,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	3,130	7,367	4,172	3,195	5,000	9,750	21,000	13,500
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	3,130	7,367	4,172	3,195	5,000	9,750	25,400	17,900

## 3500 RAM MEGA CAB 2WD SHORT BED LARAMIE

### D2 3P81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,980	7,116	4,366	2,750	5,000	6,500	19,000	11,750
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,980	7,116	4,366	2,750	5,000	6,500	21,000	13,750
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	3,060	7,041	4,286	2,754	5,000	6,500	17,000	9,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	3,060	7,041	4,286	2,754	5,000	6,500	21,000	13,800
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	3,060	7,041	4,286	2,754	5,000	6,500	24,000	16,800

## 3500 RAM MEGA CAB 2WD SHORT BED LARAMIE

### D2 3P81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	3,000	7,496	4,396	3,100	5,000	9,750	19,000	11,350
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	3,000	7,496	4,396	3,100	5,000	9,750	21,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,500	3,080	7,421	4,316	3,105	5,000	9,750	17,000	9,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	3,080	7,421	4,316	3,105	5,000	9,750	21,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	3,080	7,421	4,316	3,105	5,000	9,750	25,400	17,850

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
 Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

 **OPTIONS**

 **Site Map**

 **Main Menu**

**PRINT**

 **ALL**

 **IN**

 **OUT**

# 2010 Ram Base Weights/GCW/Payload 3500

09/01/2009

NOTE : BASE WEIGHTS CAN CHANGE

**Mega Cab 160.5"WB 4x4**

## 3500 RAM MEGA CAB 4WD SHORT BED SLT

### D2 8H81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,590	7,513	4,659	2,853	5,500	6,500	19,000	11,350
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,590	7,513	4,659	2,853	5,500	6,500	21,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,670	7,429	4,573	2,856	5,500	6,500	17,000	9,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,670	7,429	4,573	2,856	5,500	6,500	21,000	13,400
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,670	7,429	4,573	2,856	5,500	6,500	24,000	16,400

## 3500 RAM MEGA CAB 4WD SHORT BED SLT

### D2 8H81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	2,640	7,861	4,690	3,171	5,500	9,750	19,000	11,000
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,640	7,861	4,690	3,171	5,500	9,750	21,000	13,000
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,500	2,720	7,777	4,603	3,174	5,500	9,750	17,000	9,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	2,720	7,777	4,603	3,174	5,500	9,750	21,000	13,050
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	2,720	7,777	4,603	3,174	5,500	9,750	25,400	17,450

## 3500 RAM MEGA CAB 4WD SHORT BED LARAMIE

### D2 8P81 (SRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,100	2,590	7,508	4,699	2,808	5,500	6,500	19,000	11,350
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,100	2,590	7,508	4,699	2,808	5,500	6,500	21,000	13,350
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,100	2,680	7,424	4,612	2,812	5,500	6,500	17,000	9,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,100	2,680	7,424	4,612	2,812	5,500	6,500	21,000	13,450
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,100	2,680	7,424	4,612	2,812	5,500	6,500	24,000	16,450

## 3500 RAM MEGA CAB 4WD SHORT BED LARAMIE

### D2 8P81 (DRW)

Engine	Trans Type	Transmission	Axle Ratio	GVWR	Payload	Base Weight	Base Wt. Front	Base Wt. Rear	GAWR Front	GAWR Rear	GCWR	Max Trail
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.42	10,500	2,580	7,920	4,762	3,158	5,500	9,750	19,000	10,950
6.7L 24V Turbo Diesel (ETJ)	M6	POS G56-6 6sp MANU (DEG)	3.73	10,500	2,580	7,920	4,762	3,158	5,500	9,750	21,000	12,950
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.42	10,500	2,660	7,836	4,675	3,161	5,500	9,750	17,000	9,000
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	3.73	10,500	2,660	7,836	4,675	3,161	5,500	9,750	21,000	13,000
6.7L 24V Turbo Diesel (ETJ)	A6	68RFE 6 sp AUTO (DG7)	4.10	10,500	2,660	7,836	4,675	3,161	5,500	9,750	25,400	17,400

Note that all the payload and Max Trail weights are ESTIMATED values.

1. Payload is rounded to the nearest 10 lbs. Payload = GVWR - Curb Wt.
2. Maximum trailer weights are rounded to the nearest 50 lbs.  
Maximum Trailer Weight = GCWR - Curb wt. -150 lbs. (allowance for driver)

