

2014 RAM 2500/3500 SNOWPLOW INSTALLATION SNOWPLOW PACKAGE AVAILABILITY CHARTS

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Ram Box Models

ST Rambox Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------|--------|-------------------|--------|-----------|-------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7L91 Crew Cab | 149.5" | 5.7L V8 | 5,250 | 975 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | 5,500 | 1160 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 5,750 | 650 | 725 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | 1160 | 9900 | Z7H | SRW | |
| | | 6.7L Turbo Diesel | 5,750 | 690 | 740 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Ram Box Models

SLT Rambox Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------|--------|-------------------|--------|-----------|------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7H91 Crew Cab | 149.5" | 5.7L V8 | 5,250 | | 905 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 1095 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 765 | 800 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1095 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 795 | 830 | 10000 | Z7F | SRW |
| 7H81 Mega Cab | 160.5" | 5.7L V8 | 5,250 | | 770 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 990 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 600 | 635 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 990 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 615 | 645 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Ram Box Models

Laramie Rambox Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------|--------|-------------------|--------|-----------|------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7P91 Crew Cab | 149.5" | 5.7L V8 | 5,250 | | 900 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 1090 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 760 | 795 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1090 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 790 | 820 | 10000 | Z7F | SRW |
| 7P81 Mega Cab | 160.5" | 5.7L V8 | 5,250 | | 750 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 975 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 615 | 650 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 970 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 630 | 665 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Ram Box Models

Longhorn Rambox Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------|--------|-------------------|--------|-----------|------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7R91 Crew Cab | 149.5" | 5.7L V8 | 5,250 | | 885 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 1085 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 805 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1085 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 815 | 10000 | Z7F | SRW |
| 7R81 Mega Cab | 160.5" | 5.7L V8 | 5,250 | | 750 | 9000 | Z7C | SRW |
| | | 6.4L V8 | 5,500 | | 980 | 10000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 630 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 980 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 655 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs



2014 RAM 2500/3500 SNOWPLOW INSTALLATION SNOWPLOW PACKAGE AVAILABILITY CHARTS

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Pickup Models

ST Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------------|--------|-------------------|--------|-----------|-------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7L62 Regular Cab | 140.5" | 5.7L V8 | | 1130 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1230 | 10000 | Z7F | SRW | |
| | | 6.4L V8 | 5,500 | 1235 | 9900 | Z7H | SRW | |
| | | 6.7L Turbo Diesel | 5,750 | 735 | 825 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 5,750 | 730 | 820 | 10000 | Z7F | SRW |
| 7L91 Crew Cab | 149.5" | 5.7L V8 | | 1005 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1145 | 10000 | Z7F | SRW | |
| | | 6.4L V8 | 5,500 | 1145 | 9900 | Z7H | SRW | |
| | | 6.7L Turbo Diesel | 5,750 | 655 | 725 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 5,750 | 685 | 730 | 10000 | Z7F | SRW |
| 7L92 Crew Cab | 169.5" | 5.7L V8 | | 875 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1045 | 10000 | Z7F | SRW | |
| | | 6.4L V8 | 5,500 | 1050 | 9900 | Z7H | SRW | |
| | | 5.7L V8 CNG | 5,500 | | 860 | 9000 | Z7C | SRW |
| | | 6.7L Turbo Diesel | 5,750 | 515 | 595 | 9900 | Z7H | SRW |
| 6.7L Turbo Diesel | 5,750 | 520 | 610 | 10000 | Z7F | SRW | | |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Pickup Models

SLT Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|---------------------|--------|-------------------|--------|-----------|-------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7H62 Regular Cab | 140.5" | 5.7L V8 | | 1105 | 9300 | Z7C | SRW | |
| | | 6.4L V8 | | 1200 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 985 | 970 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1205 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 880 | 985 | 10000 | Z7F | SRW |
| 7H91 Crew Cab | 149.5" | 5.7L V8 | | 910 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1090 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 755 | 790 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1090 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 820 | 9000 | Z7F | SRW | |
| 7H92 Crew Cab | 169.5" | 5.7L V8 | | 875 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 915 | 10000 | Z7F | SRW | |
| | | 6.4L V8 | 5,500 | | 920 | 9900 | Z7H | SRW |
| | | 5.7L V8 CNG | 5,500 | | 755 | 9000 | Z7F | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 615 | 680 | 10000 | Z7H | SRW |
| 6.7L Turbo Diesel | 6,000 | 610 | 670 | 9900 | Z7H | SRW | | |
| 7H81 Mega Cab | 160.5" | 5.7L V8 | | 790 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 995 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 605 | 640 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 995 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 620 | 655 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Pickup Models

Laramie Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|------------------|--------|-------------------|--------|-----------|-------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7P91 Crew Cab | 149.5" | 5.7L V8 | | 915 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1095 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 760 | 790 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 1095 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 790 | 820 | 10000 | Z7F | SRW |
| 7P92 Crew Cab | 169.5" | 5.7L V8 | | 770 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 970 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 610 | 670 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 970 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 620 | 680 | 10000 | Z7F | SRW |
| 7P81 Mega Cab | 180.5" | 5.7L V8 | | 780 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 990 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 625 | 665 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 990 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 640 | 675 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs

Snowplow Packages (AHD) Availability on 2014 HD RAM 4x4 Pickup Models

Longhorn Model

| 4x4 Pickup | | FGAWR All | 2500 | | | | | |
|------------------|--------|-------------------|--------|-----------|-------|-------|-----|-----|
| w/Driver | | | Manual | Automatic | GVWR | Code | | |
| 7R91 Crew Cab | 149.5" | 5.7L V8 | | 895 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 1080 | 10000 | Z7F | SRW | |
| | | 6.4L V8 | 5,500 | | 1080 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 810 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | | 820 | 10000 | Z7F | SRW |
| 7R92 Crew Cab | 169.5" | 5.7L V8 | | 785 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 960 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 650 | 650 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 965 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 655 | 655 | 10000 | Z7F | SRW |
| 7R81 Mega Cab | 160.5" | 5.7L V8 | | 770 | 9000 | Z7C | SRW | |
| | | 6.4L V8 | | 985 | 10000 | Z7F | SRW | |
| | | 6.7L Turbo Diesel | 6,000 | 635 | 635 | 9900 | Z7H | SRW |
| | | 6.4L V8 | 5,500 | | 985 | 9900 | Z7H | SRW |
| | | 6.7L Turbo Diesel | 6,000 | 660 | 660 | 10000 | Z7F | SRW |

Note:

- Snowplow Weight include attaching hardware.
- Calculations are based upon vehicle with maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow is 500 lbs



2014 RAM 2500/3500 SNOWPLOW INSTALLATION SNOWPLOW PACKAGE AVAILABILITY CHARTS

10/28/2013

Snowplow Packages (AHD) Availability on 2014 RAM 3500 4x4 Pickup Box Models

12-Jun-2013

Longhorn / Limited Model

| 4X4 Pickup w/Driver Only | | FGAWR | 3500 SRW | | | | 3500 DRW | | | | | | |
|-----------------------------|--------|-------------------|----------|-----------|----------|------|----------|--------|-----------|----------|------|--------|-----|
| | | | Manual | Automatic | HD Trans | GVWR | GVWR | Manual | Automatic | HD Trans | GVWR | GVWR | |
| 8R81 Mega Cab | 160.5" | 6.7L Turbo Diesel | 6,000 | | 790 | 700 | 12,400 | Z8L | | 810 | 710 | 14,000 | Z8M |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,060 | | 11,400 | Z8R | | 1,080 | | 14,000 | Z8M |
| | | 5.7L HEMI Gas | 5,250 | | 910 | | 11,300 | Z8J | | 1,070 | | 13,300 | Z8T |
| 8R91 Crew Cab | 149.5" | 6.7L Turbo Diesel | 6,000 | | 910 | 810 | 11,700 | Z8K | | | | | |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,110 | | 10,800 | Z8Q | | | | | |
| | | 5.7L HEMI Gas | 5,250 | | 970 | | 10,700 | Z8C | | | | | |
| 8R92 Crew Cab | 169.5" | 6.7L Turbo Diesel | 6,000 | | 750 | 660 | 12,300 | Z8H | | 770 | 670 | 14,000 | Z8M |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,030 | | 11,400 | Z8R | | 1020 | | 14,000 | Z8M |
| | | 5.7L HEMI Gas | 5,250 | | 870 | | 11,300 | Z8J | | 1030 | | 13,300 | Z8T |

Note:

- Snowplow Kit Weight includes a 100 lbs. attaching hardware.
- Calculations are based upon vehicle with driver only, worst case seating and maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow Kit is 500 lbs
- Rounded down to the nearest 10 lbs.

Snowplow Packages (AHD) Availability on 2014 RAM 3500 4x4 Pickup Rambox Models

ST / Tradesman Rambox Model

| 4X4 Pickup w/Driver Only | | FGAWR | 3500 SRW | | | | Code | |
|-----------------------------|--------|-------------------|----------|-----------|----------|------|--------|-----|
| | | | Manual | Automatic | HD Trans | GVWR | | |
| 8L91 Crew Cab | 149.5" | 6.7L Turbo Diesel | 6,000 | 950 | 980 | 890 | 11,700 | Z8K |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,210 | | 10,800 | Z8Q |
| | | 5.7L HEMI Gas | 5,250 | | 1,070 | | 10,700 | Z8C |

SLT / Big Horn / Lone Star / Outdoorsman Rambox Model

| 4X4 Pickup w/Driver Only | | FGAWR | 3500 SRW | | | | Code | |
|-----------------------------|--------|-------------------|----------|-----------|----------|------|--------|-----|
| | | | Manual | Automatic | HD Trans | GVWR | | |
| 8H81 Mega Cab | 160.5" | 6.7L Turbo Diesel | 6,000 | 790 | 830 | 730 | 12,400 | Z8L |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,110 | | 11,400 | Z8R |
| | | 5.7L HEMI Gas | 5,250 | | 970 | | 11,300 | Z8J |
| 8H91 Crew Cab | 149.5" | 6.7L Turbo Diesel | 6,000 | 900 | 930 | 840 | 11,700 | Z8K |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,150 | | 10,800 | Z8Q |
| | | 5.7L HEMI Gas | 5,250 | | 1,010 | | 10,700 | Z8C |

Note:

- Snowplow Kit Weight includes a 100 lbs. attaching hardware.
- Calculations are based upon vehicle with driver only, worst case seating and maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow Kit is 500 lbs
- Rounded down to the nearest 10 lbs.

Snowplow Packages (AHD) Availability on 2014 RAM 3500 4x4 Pickup Rambox Models

Laramie Rambox Model

| 4X4 Pickup w/Driver Only | | FGAWR | 3500 SRW | | | | Code | |
|-----------------------------|--------|-------------------|----------|-----------|----------|------|--------|-----|
| | | | Manual | Automatic | HD Trans | GVWR | | |
| 8P81 Mega Cab | 160.5" | 6.7L Turbo Diesel | 6,000 | 780 | 810 | 720 | 12,400 | Z8L |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,070 | | 11,400 | Z8R |
| | | 5.7L HEMI Gas | 5,250 | | 930 | | 11,300 | Z8J |
| 8P91 Crew Cab | 149.5" | 6.7L Turbo Diesel | 6,000 | 880 | 910 | 820 | 11,700 | Z8K |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,140 | | 10,800 | Z8Q |
| | | 5.7L HEMI Gas | 5,250 | | 990 | | 10,700 | Z8C |

Longhorn / Limited Rambox Model

| 4X4 Pickup w/Driver Only | | FGAWR | 3500 SRW | | | | Code | |
|-----------------------------|--------|-------------------|----------|-----------|----------|------|--------|-----|
| | | | Manual | Automatic | HD Trans | GVWR | | |
| 8R81 Mega Cab | 160.5" | 6.7L Turbo Diesel | 6,000 | | 820 | 730 | 12,400 | Z8L |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,060 | | 11,400 | Z8R |
| | | 5.7L HEMI Gas | 5,250 | | 920 | | 11,300 | Z8J |
| 8R91 Crew Cab | 149.5" | 6.7L Turbo Diesel | 6,000 | | 910 | 820 | 11,700 | Z8K |
| | | 6.4L Mid Duty Gas | 5,500 | | 1,130 | | 10,800 | Z8Q |
| | | 5.7L HEMI Gas | 5,250 | | 990 | | 10,700 | Z8C |

Note:

- Snowplow Kit Weight includes a 100 lbs. attaching hardware.
- Calculations are based upon vehicle with driver only, worst case seating and maximum options.
- N/R = Not Recommended for snowplow application
- SRW = Single Rear Wheel.
- DRW = Dual Rear Wheel.
- Minimum Plow Kit is 500 lbs
- Rounded down to the nearest 10 lbs.

3 - JC1685 - 776 1407

