



4500/5500 CHASSIS CAB REGULAR CAB 192.5"WB 108"CA DRW 4x4



4500/5500 CHASSIS CAB REGULAR CAB 192.5"WB 108"CA DRW 4x4



4500/5500 CHASSIS CAB REGULAR CAB 192.5"WB 108"CA DRW 4x4

Code	Description	LENGTH	
		Metric	English
CG_TRL4	Back of Cab to Taillamp	4042.4 mm	159.1 in
L103	Vehicle Length	7169.4 mm	282.3 in
L403	Front Bumper to Back of Cab (BBC)	3127.0 mm	123.1 in
L410	Cab Length	1839.5 mm	72.4 in

Code	Description	HEIGHT	
		Metric	English
A18	Steering Wheel Angle	22.9 deg	22.9 deg
A130-1	Glazing Angle - Windscreen	56.4 deg	56.4 deg
CG_A18	Steering Column Angle	22.9 deg	22.9 deg
CG_TRH4	Top of Frame to top of Cab	1217.0 mm	47.9 in
H6	SgRP - Front to Windshield Lower DLO	458.2 mm	18.0 in
H61-1	Effective Head Room - Front	1022.6 mm	40.3 in

Code	Description	WIDTH	
		Metric	English
CG_FW3	Rear Suspension Front Spring Bolt	1223.8 mm	48.2 in
CG_FW4	Rear Suspension Rear Spring Bolt	1202.3 mm	47.3 in
CG_FW5	Rear Frame - Inside Width	711.2 mm	28.0 in
CG_FW6	Rear Frame - Outside Width	863.6 mm	34.0 in
CG_TRW6	Outside of Rear Tires	2361.2 mm	93.0 in
W144	Vehicle Width-Mirrors Included (Std)	2464.4 mm	97.0 in
W144B	Vehicle Width-Mirrors Included (Trailer)	2776.1 mm	109.3 in
W106	Fender Width - Front	2003.6 mm	78.9 in
W117	Body Width At SgRP - Front	2005.2 mm	78.9 in
W120-1	Vehicle Width, Doors Open - Front	4513.7 mm	177.7 in

4500/5500 CHASSIS CAB REGULAR CAB 192.5"WB 108"CA DRW 4x4

Code	Description	225/70R19.5 4X4	
		Metric	English
A106-1	Angle of Approach	25.3 deg	25.3 deg
A106-2	Angle of Departure	26.8 deg	26.8 deg
A147	Ramp Breakover Angle	15.8 deg	15.8 deg
CG_H511	Bottom of Open Hood to Ground	2249.5 mm	88.6 in
CG_TRH7	Top of Frame(at rear) to Ground	911.8 mm	35.9 in
CG_TT18	Turn Circle Diameter (feet/meters)*	16.5 m	54.1 ft
H5-1	SgRP to Ground - Front	1070.0 mm	42.1 in
H101	Vehicle Height(curbLoad)	2029.5 mm	79.9 in
H103-1	Fascia(Bumper) to Ground - Front	337.6 mm	13.3 in
H108-1	Static Load Radius - Front Tire *	374.1 mm	14.7 in
H108-2	Static Load Radius - Rear Tire *	385.1 mm	15.2 in
H130-1	Step Height - Front	714.2 mm	28.1 in
H148-1	Suspension or Axel to Ground - Front	207.0 mm	8.1 in
H148-2	Suspension or Axel to Ground - Rear	204.0 mm	8.0 in
L101	Wheelbase	4883.0 mm	192.2 in
L104	Overhang - Front	985.1 mm	38.8 in
L105	Overhang - Rear	1301.2 mm	51.2 in
L114	Front Wheel Centerline toSgRP - Front	1491.8 mm	58.7 in
L404	Cab to Rear Axle (CA)	2741.1 mm	107.9 in
W101-1	Tread Width - Front Tires	1930.6 mm	76.0 in
W101-2	Tread Width - Rear Tires	1869.8 mm	73.6 in